



WELDING FUMES ?

**The Power Cats Eliminate the Problem!
At a Fraction of Conventional Cost!**



The Super Cat



Model 1200XL



Super Cat Specifications

Motor	120 Volts, 60 Hz, High Speed - 4.5 Amps, Low Speed - 2.9 Amps
Blower	High Speed-1200 CFM, Low Speed-800 CFM
Receptacle	Duplex, 15 Amp, Grounded, Weather Resistant
Cord	Heavy Duty, 25 ft., 14 Gauge, 20 Amp, Grounded, Heat, Oil and Weather Resistant
Weight	42 lbs

The Power Cats

One Portable Tool for Fume Exhausting, Cooling and Ventilating

The Fasco Power Cat is a totally unique product featuring a high velocity blower for ventilating and cooling. The intake and exhaust duct accessories make the Power Cat an ideal workmate for the welder. Harmful, toxic fumes and smoke created during the welding process are quickly eliminated from the work area by using the Welding Fume Exhaust Nozzle and Flexible Intake Duct. This simple step converts the Power Cat into a powerful, portable, welding fume extractor at a fraction of the cost of conventional extractor

systems. In addition, the Flexible Exhaust Duct Accessory can direct these fumes away from the job site.

The Power Cat by Fasco is available in two sizes. Each is fitted with a duplex electrical receptacle and features a 25 ft. heavy duty grounded extension cord. The Fasco Power Cat is a portable, multi-functional helpmate that can effectively tackle even the toughest job, from welding a large galvanized pipe to a brazing operation.



Welding galvanized pipe generates zinc oxide fumes and smoke that are efficiently removed by the Power Cat.



The Power Cat quickly exhausts harmful toxic oxides produced by the use of low hydrogen electrodes to weld stainless steel, nickel, chrome, etc.




The Power Cat removes and exhausts fumes and dense smoke generated by heavy, iron-powder electrodes.




In the same application, the fumes and smoke are ducted completely out of the work area by the Power Cat and its duct and intake accessories.



The Power Cat can also supply light and fresh air when cleaning and inspecting welds.



The Super Cat exhausts harmful toxic fumes in industrial applications.




The Power Cat may be used in many other job applications

You'll find the Power Cat hard at work in other job applications such as flooding a confined space with fresh air or exhausting contaminated air. Put the Power Cat to work for you today!

**Built to CSA Specifications.
UL Listed**

Power Cat Accessories



Model 1200XL Super Cat

Model 1200IA - Intake Adaptor

Quick-mount fitting easily attaches duct to unit.

Model 1200FD - Flexible Duct

10' Flexible duct to be used with either 1200EA or 1200IA

Model 1200DC - Duct Coupling

Easily attachable connector for additional 1200FD ducts.

Model 1200FE - Welding Fume Exhaust Nozzle

Easily clamps to 1200FD for efficient extraction of welding fumes.

Model 1200EA - Exhaust Adaptor

Easily attaches to connect 1200FD to unit.

***Looking to just move air ... lots of it?
Then the AIRHOG is for you !!***



Move up to 2,450 cubic feet of air per minute. Ducts are flexible and 15' long. Each unit has an easy carry handle and an industrial grade grounded electrical cord.

- Remove smoke
- Remove cold air
- Remove hot air
- Provide fresh air
- Many other uses



Part No.	Description	CFM	Amps	Weight
WM8120	8" Dia. Fan	1225	1.6	19 lbs.
WM12120	12" Dia. Fan	2450	5.6	30 lbs.
WM8FD	8" Flexible Duct	-	-	10 lbs.
WM12FD	12" Flexible Duct	-	-	10 lbs.

"FAN" TASTIC AIR CIRCULATORS

Cool off your shop, warehouse or garage. The industrial fans move large amounts of air to cool off and keep air fresh. Fans meet OSHA standards and are UL Listed. Choose from a variety of pedestal mount, wall mount, oscillating and fixed style fans.



F-30ACWU



I18



F-30ACPU

Part No.	Description	CFM			Weight
		High	Med	Low	
F-30ACWU	30" Wall Mount Fan	8200	-	6200	45 lbs.
F-30ACPU	30" Pedestal Fan	8200	-	6200	76 lbs.
F-30ACW-OU	30" Wall Mount Oscilating	8200	-	6200	50 lbs.
F-30ACP-OU	30" Pedestal Fan - Oscilating	8200	-	6200	80 lbs.
I12	12" Floor Circulator	2650	2100	1550	6 lbs.
I18	18" Floor Circulator	5500	4600	3400	22 lbs.



Contractor Heater

Use on construction site, commercial workshops, and other large unheated areas.

- 30 amp 240v grounded plug
- Portable, with cord wrap in handle
- 4800 watts - 16,380 btu
- Spiral steel heat element
- Built-in thermostat
- 17 lbs

F-BHR-482



Portable Open Coil Heater

Use for small rooms, heating truck cabs, etc.

- 120v grounded cord
- 1000 or 1500 watts - 3,410 / 5,120 btu
- Very compact
- Top mounted handle
- Overload protection
- Adjustable thermostat

F-LBH150G

SUPER HEATERS

Small or large spaces, we have the heater for you. From under the desk to heating cylinder docks to heating rooms for construction use. Wherever you need a little extra heat, choose the heater that is right for you.



Portable Fan Forced Utility Heater

Offices, sales counters, work stations, and many more uses.

- 120v plug
- 1300 or 1500 watts - 4,437 / 5,120 btu
- Tip over safety switch
- Safety buzzer
- Automatic thermostat
- Fan only to circulate air

F-MMH1502T



Plug-In Radiant Heater

Use for garages, cylinder docks, loading docks, work shops etc.

- Portable
- 120v grounded plug
- 500 or 1000 watts of heat
- Ceiling chain included
- Quartz tube elements
- 4 $\frac{3}{4}$ "h x 5 $\frac{3}{4}$ "w x 16 $\frac{3}{4}$ "l - 2 lbs

F-CHRR11012



Radiant Under Desk Heater

Use under desks, sales counters, security booths, architect tables, etc.

- 120v plug, uses 1.4 amps
- Slim design
- Includes standing bracket
- 15" h x 22" w x 1" d
- Uses the same amount of energy as a light bulb

F-202SL