



# A PROGRESSIVE COMPANY FOR AN EVOLVING MARKET

Over a period of 28 years, the THERMACUT Group has undergone a multitude of changes. THERMACUT (originally Tatras Imports Inc.) was incorporated in Claremont, New Hampshire in 1990 and sold products under the brand ZAP Plasmatherm, a reseller of plasma consumables from local vendors directly to end-users. The company began operating with three employees, conducting business through telephone sales. In 1992, the company opened a small manufacturing facility in the Czech Republic, followed by a sales office there in 1996. The Czech facility was created to produce and sell plasma consumables and torches directly into the Eastern European market and through distributors in Western Europe under the brand name THERMACUT, utilizing both inside and outside sales representatives. And in 1993 the THERMACUT brand was introduced into North America and sold through distributors.

In January of 1999, STK Gesellschaft für Schweißtechnik GmbH (a holding company 100% owned by the IBG Group of Cologne, Germany) purchased 80% of the shares of THERMACUT and in 2002 completed the acquisition to become the 100% shareholder of the THERMACUT Group.

Since those early and humble beginnings, THERMACUT has evolved into a major force in providing plasma torches and consumables through multiple sales channels supported by ten sales subsidiaries. THERMACUT also has a close partnership with Abicor-Binzel (an IBG owned company) with locations in India, the Middle East, Turkey, Belarus, Kazakhstan, Denmark, Norway, Sweden, Finland, United Kingdom, South Korea, Australia, Mexico, and Brazil. Based on customer demand, THERMACUT has also introduced TIG/WIG, MIG/MAG and Oxy-fuel products and produces those products at its modern ISO 9001 production facility located in Uherske Hradiste in the Czech Republic.

The THERMACUT Group has focused its efforts on providing high quality, direct replacement consumable and torch product lines that will meet or exceed the expectations of our valued customers who are cutting and welding metals thermally throughout the world. As our customer base grew, their expectations and demands also increased. In 2005, THERMACUT expanded its product portfolio with the addition of advanced consumables, which have included products such as the Silver Plus<sup>TM</sup>, Silver Pro<sup>TM</sup> and Silver-EX® electrodes, plus the patented Tungsten-EX<sup>TM</sup> nozzles.

By 2013, the THERMACUT Group continued to expand and evolve in the thermal cutting and welding marketplace. In December of 2012, the THERMACUT Group concluded the purchase of the HOLMA® AG, a producer of premium quality laser consumables, which satisfies ongoing requests from customers for a high quality laser consumable brand and a further expansion of THERMACUT's plasma cutting and oxy-fuel consumable product portfolio.

In September 2013 at the SCHWEISSEN & SCHNEIDEN Exposition, the THERMACUT Group evolved once again with the introduction of a line of plasma cutting systems for both manual and mechanized plasma processes up to 65 mm thickness. The initial introduction featured a 105 amp system. THERMACUT also had 65 and 85 amp systems on display. With this change, THERMACUT has made clear to its customers around the world its intention to move into the position of a producer of a full range of original plasma products.

From 2016 to 2018, plasma power sources from 30 A to 125 A were gradually introduced. The HD series, along with its original torches and the patented Torch Connection System (TCS) connector, was launched in 2017 at SCHWEISSEN & SCHNEIDEN in Dusseldorf.

As with plasma cutting, THERMACUT is the leader in the field of laser cutting technology. In 2017 at SCHWEISSEN & SCHNEIDEN, we presented the original EX-TRABEAM® laser head, which was launched in the second half of-2018.

Throughout the life of the THERMACUT Group, we have believed that "The customer is always right." This is what motivates us to improve in all areas, starting with the development of all products and ending their sales.

"THE CUTTING COMPANY" is not just a slogan for us. It is an established practice. Join THERMACUT in the world of cutting to discover new and alternative applications, and take full advantage of new possibilities offered by the digital cutting world.



# ADDRESSES AND CONTACTS

#### **CZECH REPUBLIC**

THERMACUT, k.s. Headquarters and Production Sokolovská 574, Mařatice 686 01 Uherské Hradiště

Tel.: +420 572 420 411 Fax: +420 572 420 420 E-mail: info@thermacut.cz

reditelstvi@thermacut.cz

www.thermacut.cz

#### **CZECH REPUBLIC**

THERMACUT, k.s. Central Sales Department

Dukelská 76A

742 42 Šenov u Nového Jičína Tel.: +420 556 423 418, 440 E-mail: sales@thermacut.cz

obchod@thermacut.cz

www.thermacut.cz

#### **GERMANY**

THERMACUT GMBH Am Rübgarten 2 D-57299 Burbach

Tel.: +49 2736 294911-0 Fax: +49 2736 294911-77 E-mail: info@thermacut.de

www.thermacut.de

#### **USA**

THERMACUT, Inc 153 Charlestown Road Claremont, NH 03743

Tel.: +1 (800) 932-8312 +1 (603) 543-0585 Fax: +1 (800) 972-6255

+1 (603) 542-2867

E-mail: sales@thermacut.com

www.thermacut.com

# SUBSIDIARIES

## **CROATIA**

THERMACUT CROATIA d.o.o. Daničićeva 12

532 70 Senj Tel.: +385 53 882 599 Fax: +385 53 882 622

E-mail: thermacut@gs.t-com.hr

#### **HUNGARY**

THERMACUT HUNGÁRIA Kft. Petőfi Sándor utca 37 atd. 2500 Esztergom

Tel.: +36 33 502 090,1 Fax: +36 33 400 004 E-mail: info@thermacut.hu

www.thermacut.hu

#### **CHINA**

TMT (Shanghai) Cutting and Welding Equipment Co., Ltd.

Equipment Co., Ltd.

Room 206 2/F, B Block, Eternal Asia Plaza, No. 3333 Shenjiang Road, Shanghai

Post: 201206

Tel.: 021-50390667 Fax: 021-50390677

E-mail: thermacut@weldstone.cn

#### **JAPAN**

Thermacut Japan Ltd. 3F Shin-Osaka Hankyu Building 1-1-1, Miyahara, Yodogawa-ku, Osaka 532-0003 Japan

Mob.: +81 (0)80 4738 9752
Tel.: +81 (0)6 7662 8857
Fax: +81 (0)6 7668 8301
E-mail: s.miura@thermacut.jp



# **SUBSIDIARIES**

#### **POLAND**

THERMACUT-POLAND Sp. z o.o.

ul. Stawowa 20 43-400 Cieszyn

Tel.: +48 33 852 39 71
Tel./Fax: +48 33 852 13 34
E-mail: thermacut@pro.onet.pl

www.thermacut.pl

### **ROMANIA**

THERMACUT ROMANIA SRL B-dul 1 Decembrie 1918 nr. 127A 540445 Targu Mures, Jud. Mures

Tel.: +40 265 263 205 Fax: +40 265 250 317 E-mail: office@thermacut.ro

www.thermacut.ro

#### **RUSSIA**

ООО "ТЕРМАКАТ" 454048Г. ЧЕЛЯБИНСК УЛ. КИРОВОГРАДСКАЯ Д.2 Тел./факс: +7 351 211 08 15

ФИЛИАЛЫ 129343 Г. МОСКВА УЛ. УРЖУМСКАЯ Д.4 Тел.: +7 495 778 42 10

630032 Г. НОВОСИБИРСК УЛ. СТАНЦИОННАЯ 60/1, ОФИС 116

Тел.: +7 383 375 07 90

E-mail: info@thermacut.ru www.thermacut.ru

## SLOVAKIA

THERMACUT SLOVAKIA, s.r.o. M. R. Štefánika 14 942 01 Šurany

Mob.: +421 190 3644954 Tel.: +421 356 501516-7 Fax: +421 356 501518 E-mail: obchod@thermacut.sk

www.thermacut.sk

#### **UKRAINE**

ООО "Термакат Украина ГмбХ" ул. Петропавловская 24 с. Петропавловская Борщаговка Киево-Святошинский р-н 08130 Моб. тел.: +380 50 336 33 91 Тел./факс: +380 44 403 16 99 E-mail: info@thermacut.ua

www.thermacut.ua

# SALES COOPERATION WITH ABICOR-BINZEL

#### **AUSTRALIA**

Binzel PTY Ltd. 42 Hinkler Road Mordialloc Victoria 3195

Tel.: +61 (0)3 9587 8522 +61 (0)3 9580 8796 Fax: E-mail: sales@thermacut.com.au

#### **BELARUS**

IOOO «ABICOR BINZEL Technics» ul. Timirjazeva 97-10 BY-220020 Minsk

+375 29 5 800 300 Tel· E-mail: info@thermacut.by

#### **BRAZIL**

BINZEL DO BRASIL INDUSTRIAL Ltda Estrada União e Indústria, Km 15,5-Lt 17, Pedro do Rio,

Petrópolis - Rio de Janeiro, CEP 25750-226

+55 (24) 2222-9799 +55 (24) 2222-9789 Mob.: +(24) 98134-2676

+55 (24) 2222-9789 Fax:

E-mail: thermacut@thermacut.com.br

www.thermacut.com.br

## **DENMARK**

Abicor Binzel A/S Denmark Ringugnsgatan 4

0045-43621633 ۰ اص Fax: 0045-43622324

SE-216 16 Limhamn

E-mail: ac@binzel.se, ket@binzel.se

www.binzel-abicor.com

#### **FINLAND**

ABICOR BINZEL Finland Oy Kartanontie 53 28430 Pori

Tel.: +358 2 634 4600 +358 2 634 4650 Fax: E-mail: info@binzel.fi

#### **FRANCE**

THERMACUT FRANCE 6 Rue des Frères Lumiere 67201 Eckbolsheim

Tel.: +33 3 88 76 58 75 E-mail: thermacut@thermacut.fr

www.thermacut.fr

#### **GREAT BRITAIN**

Abicor Binzel UK Ltd Binzel House. Mill Lane Winwick Quay Warrington, WA2 8UA, Cheshire

Tel.: +44 1925 653944 +44 1925 654861 E-mail: info@abimail.co.uk www.binzel-abicor.co.uk

#### **INDIA**

ABICOR BINZEL TECHNOWELD PVT LTD SNo: 297, Indo German Technology park

Mulshi Pune- 412 115

Phone: 020-66743914, 020-39502691

E-mail: commercial@abicor-india.com

## **KAZAKHSTAN**

**THERMACUT** 

Республика Казахстан. 010000, г. Астана

пр. Республики 68, БЦ «Маржан» офис 116

Моб.: +7 777 826 4242 +7 717 262 5730 Теп · E-mail: info@thermacut.com.kz

www.thermacut.kz



# SALES COOPERATION WITH ABICOR-BINZEL

#### **MEXICO**

BINZEL MEXICO S.A. de C.V. C. Municipio de Tepezalá No. 109 de Arteaga No. 102 Valle de Ags., C.P. 20358 San Fco. de los Romo, Ags.

Tel.: +52 (449) 1581765 Fax: +52 (449) 9731388 E-mail: info@thermacut.com.mx

www.thermacut.com.mx

#### **NORWAY**

Binzel Norge AS Industriveien 6 N-3300 Hokksund

Tel.: 0047-32 25 19 90 E-mail: post@binzel.no

#### **SOUTH KOREA**

Abicor Binzel Korea Ltd. #A-101, 263, Gaejwa-ro Guemjeong-gu

Busan

Tel.: 0082 (31) 732 6065 / 6066 / 6067

Fax: 0082 (31) 732 6064 E-mail: don.kim@binzel.kr

#### **SWEDEN**

Alexander Binzel AB Ringugnsgatan 4 S-21616 Limhamn

Tel.: 0046- 40 6 991 750 Fax: 0046- 40 6 991 770 E-mail: order@binzel.se

#### **TURKEY**

ABICOR BINZEL Kaynak Teknik Ticaret LTD. STI.

Girne Mah. Irmak Sok. Küçükyali iş Merkezi E Blok

No:72-6E PK:34852 Maltepe Istanbul Türkiye Tel.: +90 (216) 367 90 00

Tel.: +90 (216) 367 90 00 Fax: +90 (216) 367 90 14

E-mail: satisdestek@binzel-abicor.com.tr

www.thermacuttr.com

#### **UNITED ARAB EMIRATES**

ABICOR BINZEL MIDDLE EAST FZE P.O Box: 86026, WFZ-04/27, RAKIA Freezone,

Jazeera al Hamra Ras al Khaimah, United Arab Emirates

Mob.: +971 50 377 1348
Tel.: +971 (7) 2432355
Fax: +971 (7) 2432356
E-mail: info@binzel-abicor.ae

#### **VIETNAM**

MNT Industries Vietnam Co Ltd No. 17, Street 34, Binh Tri Dong B Ward, Binh Tan District, Hochiminh City

Tel.: 0084-903 858 001 E-mail: ezio.minh@mnt.com.vn

## **PLASMA**

## THERMACUT® REPLACEMENT PARTS SUITABLE FOR AJAN®

TORCH	PAGE
HP260A™ mild steel	12-13
HP260A™ stainless steel	14-15
HP260A™ aluminium	16-17

## THERMACUT® REPLACEMENT PARTS SUITABLE FOR CEBORA®

TORCH	PAGE
CP®200	18
HP100™, MP100™	19
CP®160	20-21
CP®161	22
CP®251G	23

## THERMACUT® REPLACEMENT PARTS SUITABLE FOR DAIHEN®/OTC®

TORCH	SYSTEM	PAGE
D-12000	CTPW-1201™, CTZW-1201™	24-25

## THERMACUT® REPLACEMENT PARTS SUITABLE FOR ESAB®/L-TEC®

TORCH	PAGE
PT-15 <sup>TM</sup> /PT-15XL <sup>TM</sup>	26-27
PT-19XLSTM/PT-19XLTM	28-29
PT-23™	30
PT-24™	31
PT-27™	32
PT-31 <sup>TM</sup> /PT-31XL <sup>TM</sup>	33
PT-36™	34-35
PT-600™	36-37

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR Hypertherm®

TORCH	SYSTEM	PAGE
PAC®120/125T	MAX®40cs/MAX®42/MAX®43	38-39
PAC®140/M	MAX®40	40
PAC®140/M	HT®40	41
PAC®130/M	MAX®70/MAX®80/MAX®100	42
PAC®110	POWERMAX® 350	43
PAC®123T/M	POWERMAX® 600	44-45
PAC®121T/M / PAC®125T/M	POWERMAX® 800	46-47
PAC® 12 11/W17 PAC® 1251/W1	POWERINAX® 600	40-47

THERMACUT®, THE CUTTING COMPANY®, FHT-EX®, EX-TRAFIRE®, EX-TRACK®, EX-TRABEAM® AND EX-TRAFLAME® ARE REGISTERED TRADEMARKS OF THERMACUT, K.S. AND MAY BE REGISTERED IN CZECH REPUBLIC AND/OR OTHER COUNTRIES. ALL OTHER TRADEMARKS ARE PROPERTIES OF THEIR RESPECTIVE OWNERS. THERMACUT IS NO WAY AFFILIATED WITH AJAN®, CEBORA®, DAIHEN®/OTC®, ESAB®/L-TEC®, Hypertherm®.

## **PLASMA**

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR Hypertherm®

TORCH	SYSTEM	PAGE
PAC®125T/M	POWERMAX® 900	48-49
T60™/T60M™,T80™/T80M™,	POWERMAX® 1000 / POWERMAX® 1250 / POWERMAX® 1650	50-51
T100™/T100M™		
T60™/T60M™ torch,	POWERMAX® 1000 / POWERMAX® 1250 / POWERMAX® 1650	52-53
T80™/T80M™ torch,		
T100™/T100M™ torch		
T60M™/T80M™ machine torch,	POWERMAX® 1000, POWERMAX® 1250	54
T60™/T80™ hand torch		
T100™/T100M™ machine/hand	POWERMAX® 1650	55
DURAMAX® hand torch,	POWERMAX® 1000 / POWERMAX® 1250 / POWERMAX® 1650	56-57
DURAMAX® machine torch		
T30v™ hand torch	POWERMAX® 30	58
T30v™/T45v™ hand torch,	POWERMAX® 45	59
T45m™ machine torch		
DURAMAX® hand torch,	POWERMAX® 65 / POWERMAX® 85 / POWERMAX® 105	60-65
DURAMAX® machine torch		
PAC®200/T	HT®2000 HySpeed®	66-67
For HT®2000 ms, ss, al	HyPro™2000 upgrade torch	68-69
PAC®200T/E	MAX®200	70-71
For MAX®200 ms, ss, al	MaxPro™200 upgrade torch	66-67
HT®400	HT®400	74
PAC®170/PAC®600	HT®4000	75
PAC®620 with slave	HT®4001	76-77
PAC®620 without slave	HT®4001	78-79
HT®4400	HT®4400 HySpeed®	80-81
MODEL 500®	PAC®500	82
PAC®182/186/190	HD®1070/HD®3070 HyDefinition®	83
HPR®130/HPR®260 ms	HPR®130/HPR®260	84-85
HPR®130/HPR®260 ss	HPR®130/HPR®260	86-87
HPR®130/HPR®260 al	HPR®130/HPR®260	88-89
TORCHES AND CABLE LEADS	HPR®130/HPR®260	90-91
HPR®130XD/HPR®260XD/HPR®400XD ms	HPR®130XD/HPR®260XD/HPR®400XD	92-93
HPR®130XD/HPR®260XD/HPR®400XD ss	HPR®130XD/HPR®260XD/HPR®400XD	94-95
HPR®130XD/HPR®260XD/HPR®400XD al	HPR®130XD/HPR®260XD/HPR®400XD	96-97
TORCHES AND CABLE LEADS	HPR®130XD/HPR®260XD/HPR®400XD	98-99
HSD®130 ms	HySpeed® Plasma	100
HSD®130 ss	HySpeed® Plasma	101
HSD®130 al	HySpeed® Plasma	102

THERMACUT®, THE CUTTING COMPANY®, FHT-EX®, EX-TRAFIRE®, EX-TRACK®, EX-TRABEAM® AND EX-TRAFLAME® ARE REGISTERED TRADEMARKS OF THERMACUT, K.S. AND MAY BE REGISTERED IN CZECH REPUBLIC AND/OR OTHER COUNTRIES. ALL OTHER TRADEMARKS ARE PROPERTIES OF THEIR RESPECTIVE OWNERS. THERMACUT IS NO WAY AFFILIATED WITH Hypertherm®.

## **PLASMA**

## THERMACUT® REPLACEMENT PARTS SUITABLE FOR KALIBURN®

TORCH	SYSTEM	PAGE
SPIRIT® 150a, 200a, 275a, 400a, ProLine™ 2150, 2200, 2260 ms	SPIRIT®, ProLine™	104-105
SPIRIT® 150a, 200a, 275a, 400a, ProLine™ 2150, 2200, 2260 ss	SPIRIT®, ProLine™	106-107
SPIRIT® 150a, 200a, 275a, 400a, ProLine™ 2150, 2200, 2260 al	SPIRIT®, ProLine™	108-109
TORCHES AND CABLE LEADS	SPIRIT®, ProLine™	110

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR KJELLBERG®

TORCH	SYSTEM	PAGE
PB-S45W™	PA-S20W <sup>TM</sup> , PA-S25W <sup>TM</sup> , PA-S40W <sup>TM</sup> , PA-S45W <sup>TM</sup> , PA-S70W <sup>TM</sup>	112-113
PB-S47™	FineFocus® 450	114-115
PerCut® 100, PerCut® 101	HiFocus® 100	116-117
PerCut® 160 / PerCut® 170	HiFocus® 160i	118-121
PerCut® 200 / 201 / 210 / 211 / 450M /	HiFocus® 160i, HiFocus® 161i, HiFocus® 280i, HiFocus® 360i, HiFocus® 440i	122-123
451M ms		
PerCut® 200 / 201 / 210 / 211 / 450M /	HiFocus® 160i, HiFocus® 161i, HiFocus® 280i, HiFocus® 360i, HiFocus® 440i	124-125
451M ss		
PerCut® 370.1, PerCut® 370.2	HiFocus® 280 / HiFocus® 360, HiFocus® 440	126-127
PA-S75 <sup>TM</sup> /PB-S75 <sup>TM</sup> /PB-S76 <sup>TM</sup> /PB-S77 <sup>TM</sup>	FineFocus® 800 / FineFocus® 900	128
PB-S80™	FineFocus® 800 / FineFocus® 900	129

## THERMACUT® REPLACEMENT PARTS SUITABLE FOR KOMATSU®

TORCH	SYSTEM	PAGE
RASOR® KCR-1251, 12714, 9714, 0951	G990™, G9120™ TORCH, 90A	130

## THERMACUT® REPLACEMENT PARTS SUITABLE FOR LINCOLN ELECTRIC®

TORCH	SYSTEM	PAGE
APPLICATION OF DURAMAX® TORCH TO	LINCOLN ELECTRIC® TH1538	131
TOMAHAWK 1538 CUTTING SYSTEM		

## THERMACUT® REPLACEMENT PARTS SUITABLE FOR MIGATRONIC®

TORCH	PAGE
PLA-45™, PLA-85™	132

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR SAF®

TORCH	PAGE
OCP 150	133
CP40R, CP100R	134

THERMACUT®, THE CUTTING COMPANY®, FHT-EX®, EX-TRAFIRE®, EX-TRACK®, EX-TRABEAM® AND EX-TRAFLAME® ARE REGISTERED TRADEMARKS OF THERMACUT, K.S. AND MAY BE REGISTERED IN CZECH REPUBLIC AND/OR OTHER COUNTRIES. ALL OTHER TRADEMARKS ARE PROPERTIES OF THEIR RESPECTIVE OWNERS. THERMACUT IS NO WAY AFFILIATED WITH KALIBURN®, KJELLBERG®, KOMATSU®, LINCOLN ELECTRIC®, MIGATRONIC®, SAF®.

## **PLASMA**

# **THERMACUT® REPLACEMENT PARTS SUITABLE FOR Thermal Dynamics®**

TORCH	POWER SUPPLY	PAGE
PCH/M 51	PAK® 3XR™, 5XR™, 5XT™, 6XR™, 625XR™, 750XR™, Dynapak 4Xi™, 6Xi™	135
PCH/M 52	PAK® 5XR™, 6XR™, 7XR™, 8XR™, 10XR™, 625XR™, 750XR™, 1000XR™, 1250XR™	135
PCH/M-6B	PAK® 44,45	136
PCH/M 150	MERLIN™15XC	137
MAXIMIZER™300/	MERLIN™1000/3000/6000, PAK®15XC, PakMaster™150XL	138
MERLIN™6000/		
MERLIN™6000GST/		
PCH/M 120		
PWH/M 2A / PWH/M 3A /	ULTIMA™150	139-141
PWH/M 4A		
PWM 300	ULTIMA™150	142

## THERMACUT® REPLACEMENT PARTS SUITABLE FOR TRAFIMET®

TORCH	PAGE
A80 <sup>TM</sup> /P80 <sup>TM</sup>	143
А90тм/Р90тм	144
A140 <sup>TM</sup> /P140 <sup>TM</sup>	145

## **ACCESSORIES**

Revision History

Definitions of Suffixes, Symbols & Abbreviations

MANUFACTURER - THERMACUT	PAGE
Coolant Liquid	148
Electrical Conductivity Meter	149
Electrode Pit-Depth Gauge	149
Filter-EX	150
Heat Shield Grease	150
THERMACUT® replacement parts suitable for KEMPER® FILTER CARTRIDGES	151
Silicone Lubricant	152
Safety Glass Shield	152
THERMACUT® consumable case suitable for Hypertherm® HPR®130/HPR®260	153
THERMACUT® consumable case suitable for Hypertherm® HPR®130XD/HPR®260XD	154
THERMACUT® consumable case suitable for ESAB® PT-36™	155
THERMACUT® consumable case suitable for Hypertherm® POWERMAX® 65 / POWERMAX® 85 / POWERMAX® 105	156

157


158

THERMACUT®, THE CUTTING COMPANY®, FHT-EX®, EX-TRAFIRE®, EX-TRACK®, EX-TRABEAM® AND EX-TRAFLAME® ARE REGISTERED TRADEMARKS OF THERMACUT, K.S. AND MAY BE REGISTERED IN CZECH REPUBLIC AND/OR OTHER COUNTRIES. ALL OTHER TRADEMARKS ARE PROPERTIES OF THEIR RESPECTIVE OWNERS. THERMACUT IS NO WAY AFFILIATED WITH Thermal Dynamics®, TRAFIMET®, KEMPER®, Hypertherm®.





## THERMACUT® REPLACEMENT PARTS SUITABLE FOR **AJAN® HP260A™ MILD STEEL**



Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ INFO@THERMACUT.DE

## THERMACUT® REPLACEMENT PARTS SUITABLE FOR **AJAN® HP260A™ MILD STEEL**



Item	Part No.	Ref. No.	Description	Std. Pkg.	ltem	Part No.	Ref. No.	Description	Std. Pkg.
*1.	T-11408*	SC2-UR	Shield Cap 30-260A	1	11.	T-11333	N7	Nozzle 260A	1
2.	T-11334	S1	Shield 30A	10		T-12264	N8	Nozzle 260A SS, AL, Air	1
3.	T-11335	S2	Shield 40A	10		T-12265	N9	Nozzle 260A SS, AL, H35/N <sub>2</sub>	1
4.	T-11336	S3	Shield 80/130A	10	*12.	T-11338*	SW1-UR	Swirl Ring 30-80A	1
5.	T-11337	S4	Shield 260A	5	*13.	T-11339*	SW2-UR	Swirl Ring 130A	1
6.	T-11328	G1	Gas Ring 30-260A	2	*14.	T-11340*	SW3-UR	Swirl Ring 260A	1
7.	T-11329	N1	Nozzle 30A	1	15.	T-11341	E0	Electrode 30-80A	5
8.	T-11330	N2	Nozzle 40A	1	16.	T-11342	E1	Electrode 130A	5
9.	T-11331	N3	Nozzle 80A	1	17.	T-11343	E3	Electrode 260A	5
	T-12262	N4	Nozzle 80A SS	1	18.	T-11327	B1	Cooling Tube	1
10.	T-11332	N5	Nozzle 130A	1	*19.	T-11351*	100-07-106535-UR	Consumable Removal Tool	1
	T-12263	N6	Nozzle 130A SS	1					

FULLY INTERCHANGEABLE AND COMPATIBLE WITH ORIGINAL PARTS, BUT DIFFERS FROM ORIGINAL DESIGN

Last update of this page: 05/01/2021. See Revision history for details.




 WWW.THERMACUT.CZ
 WWW.THERMACUT.DE
 WWW.THERMACUT.CO

 TEL.: +420 556 423 418
 TEL.: +49 (0) 27 39 40 33 0
 TEL.: 1-603-542-6715

 SALES@THERMACUT.CZ
 INFO@THERMACUT.DE
 CUSTOMERSERVICE@T

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR **AJAN® HP260A™ STAINLESS STEEL**



Last update of this page: 13/07/2020. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ INFO@THERMACUT.DE

## THERMACUT® REPLACEMENT PARTS SUITABLE FOR **AJAN® HP260A™ STAINLESS STEEL**

Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
*1.	T-11408*	SC2-UR	Shield Cap 30-260A	1	*13.	T-11338*	SW1-UR	Swirl Ring 30-80A	1
2.	T-11335	S2	Shield 40A	10	*14.	T-11339*	SW2-UR	Swirl Ring 130A	1
3.	T-11336	S3	Shield 80/130A	10	*15.	T-13144*	SW4-UR	Swirl Ring 260A SS 50mm+	1
4.	T-11337	S4	Shield 260A	10	16.	T-13138	E2	Electrode 45-80A, F5-N <sub>2</sub>	5
5.	T-13143	S5	Shield 260A SS, AL	10	17.	T-11342	E1	Electrode 130A	5
6.	T-13141	G2	Gas Ring 45-80A 130-260A SS, AL	1	18.	T-13139	E4	Electrode 130A-260A, H35-N <sub>2</sub>	5
7.	T-13142	G3	Gas Ring 260A SS	1	19.	T-11343	E3	Electrode 260A	5
8.	T-11330	N2	Nozzle 40A	1	20.	T-13140	E5	Electrode 260A SS 50mm+	5
9.	T-12262	N4	Nozzle 80A SS	1	21.	T-11327	B1	Cooling Tube	1
10.	T-12263	N6	Nozzle 130A SS	1	*22.	T-11351*	100-07-106535-UR	Consumable Removal Tool	1
11.	T-12264	N8	Nozzle 260A SS, AL, Air	1					
12.	T-12265	N9	Nozzle 260A SS, AL, H35/N <sub>2</sub>	1					

FULLY INTERCHANGEABLE AND COMPATIBLE WITH ORIGINAL PARTS, BUT DIFFERS FROM ORIGINAL DESIGN

Last update of this page: 13/07/2020. See Revision history for details.




 WWW.THERMACUT.CZ
 WWW.THERMACUT.DE
 WWW.THERMACUT.COM

 TEL.: +420 556 423 418
 TEL.: +49 (0) 27 39 40 33 0
 TEL.: 1-603-542-6715

 SALES@THERMACUT.CZ
 INFO@THERMACUT.DE
 CUSTOMERSERVICE@THERMACUT.COM

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR **AJAN® HP260A™ ALUMINIUM**



Last update of this page: 13/07/2020. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ 

## THERMACUT® REPLACEMENT PARTS SUITABLE FOR **AJAN® HP260A™ ALUMINIUM**

Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
*1.	T-11408*	SC2-UR	Shield Cap 30-260A	1	*11.	T-11339*	SW2-UR	Swirl Ring 130A	1
2.	T-11335	S2	Shield 40A	10	*12.	T-13144*	SW4-UR	Swirl Ring 260A SS 50mm+	1
3.	T-11336	S3	Shield 80/130A	10	13.	T-13138	E2	Electrode 45-80A, F5-N <sub>2</sub>	5
4.	T-13143	S5	Shield 260A SS, AL	10	14.	T-11342	E1	Electrode 130A	5
5.	T-13141	G2	Gas Ring 45-80A 130-260A SS, AL	1	15.	T-13139	E4	Electrode 130A-260A, H35-N <sub>2</sub>	5
6.	T-13142	G3	Gas Ring 260A SS	1	16.	T-13140	E5	Electrode 260A SS 50mm+	5
7.	T-11330	N2	Nozzle 40A	1	17.	T-11327	B1	Cooling Tube	1
8.	T-12263	N6	Nozzle 130A SS	1	*18.	T-11351*	100-07-106535-UR	Consumable Removal Tool	1
9.	T-12265	N9	Nozzle 260A SS, AL, H35/N <sub>2</sub>	1					
*10.	T-11338*	SW1-UR	Swirl Ring 30-80A	1					

FULLY INTERCHANGEABLE AND COMPATIBLE WITH ORIGINAL PARTS, BUT DIFFERS FROM ORIGINAL DESIGN


Last update of this page: 13/07/2020. See Revision history for details.



 WWW.THERMACUT.CZ
 WWW.THERMACUT.DE
 WWW.THERMACUT.COM

 TEL.: +420 556 423 418
 TEL.: +49 (0) 27 39 40 33 0
 TEL.: 1-603-542-6715

 SALES@THERMACUT.CZ
 INFO@THERMACUT.DE
 CUSTOMERSERVICE@THERMACUT.COM



It	tem	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
	*1.	T-11949*	1355-UR	Hand Torch 70°	1	5.	T-5424	1905	Shield Cap	1
	*2.	T-11856*	1357-UR	Machine Torch	1	6.	T-0400	1386	Spacer Spring	1
	NS	PT-10455	1357-6	Cooling Tube	1	NS	KT-1319	1235	CP®200 Mach. Torch with Leads 4m, fittings	1
	3.	T-9688	1367	Electrode	5	NS	KT-1320	K.CP200.4M.K	CP®200 Cable Leads 4m, fittings	1
	4.	T-5420	1842	Nozzle 1.0mm	5	NS	KT-1321	K.CP200.6M.CK.K	CP®200 Cable Leads 6m with centr. conn.	1
		T-5421	1843	Nozzle 1.3mm	5	NS	KT-1125	1234	CP®200 Mach. Torch with Leads 6m with centr. conn.	1
		T-5422	1844	Nozzle 1.6mm	5	NS	KT-1103	1234.10	CP®200 Mach. Torch with Leads 9m with centr. conn.	1
		T-5423	1845	Nozzle 1.8mm	5	NS	KT-1104	K.CP200.9M.CK.K	CP®200 Cable Leads 9m with centr. conn.	1


- FULLY INTERCHANGEABLE AND COMPATIBLE WITH ORIGINAL PARTS, BUT DIFFERS FROM ORIGINAL DESIGN
- NS NOT SHOWN IN THE PICTURE

## Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ 

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR **CEBORA®** HP100™, MP100™




Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-0411	1398	O-Ring	10	7.	T-0406	1369	Nozzle, Long, Contact	5
2.	T-0408	1376	Electrode	10	8.	T-5432	W0300129	Retaining Cap	1
3.	T-0409	1517	Electrode, Long	10	9.	T-5433	W0300138	Contact Nozzle Retaining Cap	1
4.	T-0407	1377	Swirl Ring	2	10.	T-0400	1386	Spacer Spring	1
	T-8959	1377-CW	Swirl Ring	2	11.	T-0643	1408	Double Pointed Spacer	6
5.	T-0402	1371	Nozzle 1.1mm	5	12.	T-5003	CV14	Crown Spacer	6
	T-0403	1372	Nozzle 1.3mm	5	13.	T-5401	1392	Shield Cup, Only for W0300138	10
	T-0404	1373	Nozzle 1.6mm	5	NS	T-5442	1356	Handle with Switch	1
	T-0405	1374	Nozzle 1.8mm	5	14.	T-9370		Spacer for Contact Cutting	10
6.	T-11041	1369.16	Nozzle, Long D1.6 - 120A	10	15.	T-9375		Locking Nut	10

NOT SHOWN IN THE PICTURE

## Last update of this page: 05/01/2021. See Revision history for details.



NS

WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ 

## Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

WWW.THERMACUT.COM TEL.: 1-603-542-6715 CUSTOMERSERVICE@THERMACUT.COM

Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-8955	1353	Torch Body, Hand	1	13.	T-0400	1386	Spacer Spring	1
2.	T-8746	1354	Torch Body, Machine	1	14.	T-0643	1408	Double Pointed Spacer	6
3.	T-0411	1398	O-Ring	10	15.	T-5003	CV14	Crown Spacer	6
4.	T-9377	40941	Torch Insulator	1	16.	T-5401	1392	Shield Cup	10
5.	T-0410	1378	Brass Diffuser	5	NS	T-5068	TP10	Handle with Switch	1
6.	T-0408	1376	Electrode	10	17.	T-9370		Spacer for Contact Cutting	10
7.	T-0409	1517	Electrode, Long	10	18.	T-9375		Locking Nut	10
8.	T-0407	1377	Swirl Ring	2	NS	KT-1048	1576	CP®160-H Torch with Leads 6m with centr. conn.	1
	T-8959	1377-CW	Swirl Ring	2	NS	KT-1057	1571	CP®160-H Torch with Leads 6m, fittings	1
9.	T-0402	1371	Nozzle 1.1mm 50A	5	NS	KT-1070	K.CP160H.6M.CK.K	CP®160-H Cable Leads, Hand. 6m with centr. con	n. 1
	T-0403	1372	Nozzle 1.3mm 90A	5	NS	KT-1083	1578	CP®160-H Hand Torch with Leads 12m with centr. conn	. 1
	T-0404	1373	Nozzle 1.6mm 120A	5	19.	KT-1128	1577	CP®160-M Mach. Torch with Leads 6m with centr. conn.	1
	T-0405	1374	Nozzle 1.8mm 160A	5		KT-1086	1579	CP®160-M Mach. Torch with Leads 12m with centr. cont	n. 1
10.	T-0406	1369	Nozzle, Long	5	NS	KT-1273	K.CP160M.12M.CK.K	CP®160-M Cable Leads, Mach.12m with centr. conn.	1
11.	T-0401	1389	Retaining Cap	1	NS	KT-1419	K.CP160M.12M	CP®160-M Mach. Torch with Leads 12m, fittings	1
12.	T-5400	1390	Contact Nozzle Retaining Cap	10		Diffnerent	types of cable le	ads available on request	

NOT SHOWN IN THE PICTURE

Last update of this page: 05/01/2021. See Revision history for details.




NS

 WWW.THERMACUT.CZ
 WWW.THERMACUT.DE
 WWW.THERMACUT.COM

 TEL.: +420 556 423 418
 TEL.: +49 (0) 27 39 40 33 0
 TEL.: 1-603-542-6715

 SALES@THERMACUT.CZ
 INFO@THERMACUT.DE
 CUSTOMERSERVICE@THE




lter	n Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
	. T-11419	1988	Shield, Hand	1	7.	T-11416	1763	Nozzle 1.8mm 160A CP®	5
2	. T-11421	1989	Shield, Machine	1	8.	T-12365	1970 OEM	Swirl Ring	1
3	. T-12366	1904 OEM	Nozzle Holder	1	9.	T-11418	1876	Electrode	5
4	. T-11413	1760	Nozzle 1.2mm 60A CP®	5	10.	T-11412	1619	Brass Cooling Pipe	5
Ĺ	. T-11414	1761	Nozzle 1.4mm 100A CP®	5	11.	T-12367	1145 OEM	Torch Body, Machine	1
(	. T-11415	1762	Nozzle 1.6mm 120A CP®	5					

NOT SHOWN IN THE PICTURE

## Last update of this page: 05/01/2021. See Revision history for details.



NS

WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ 

	ltem	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
C	1.		1990TD	Shield 20/50A, High Performance		9.	TN-0134	1799	Tip 1.9mm 250A	10
	2.	TN-0130	1990	Shield 70/120A	1	10.	TN-0123	1968	Swirl Ring 20/50A	5
	3.	TN-0135	1991	Shield 200A	1	11.	TN-0127	1967	Swirl Ring 70/120A	5
	4.	TN-0136	1993	Shield 250A	1	12.	TN-0132	1969	Swirl Ring 200/250A	5
C	5.	TN-0124	1852TD	Tip 0.8mm 20/50A, High Performance	10	<ul><li>13.</li></ul>	TN-0122	1872TD	Electrode 20/50A, High Performance	e 10
	6.	TN-0128	1853	Tip 1.1mm 70/90A	10	14.	TN-0126	1870	Electrode 70/120A	10
	7.	TN-0129	1854	Tip 1.3mm 110/120A	10	15.		1874	Electrode 200/250A	
	8.	TN-0133	1798	Tip 1.6mm 200A	10					


• HIGH PERFORMANCE PARTS ARE NOT INTERCHANGEABLE WITH THE ORIGINAL PARTS.

## Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

WWW.THERMACUT.COM
TEL.: 1-603-542-6715
CUSTOMERSERVICE@THERMACUT.COM



Last update of this page: 23/03/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ

WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

WWW.THERMACUT.COM TEL.: 1-603-542-6715 CUSTOMERSERVICE@THERMACUT.COM

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR DAIHEN®/OTC® **CTPW-1201™, CTZW-1201™** D-12000

Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-1007	H839G02	Shield Cup, Ceramic	1	<b>①</b> 13.	T-11295 🗿	T 11205	Tube (use only with H840B00-UR), outer tube	1
2.	T-5316	H839G02N	Shield Cup, Ceramic	1	<b>U</b> 13.	1-11273	1-11293	diameter is D36mm and differs from OEM (D30mm)	'
3.	T-5317	H839G02-T	Shield Cup, PTFE	1	14.	KT-1263	K.CTPW-1201.8M	CTPW-1201™ Machine Torch w/ Leads 8m (26′)	1
4.	T-1008	H839K03	Nozzle 30A	10		KT-1049	K.CTPW-1201.10M	CTPW-1201™ Machine Torch w/ Leads 10m (33′)	1
5.	T-1009	H839K02	Nozzle 50A	10		KT-1221	K.CTPW-1201.13M	CTPW-1201™ Machine Torch w/ Leads 13m (42′)	1
6.	T-1011	H839K01	Nozzle 80A	10		KT-1224	K.CTPW-1201.20M	CTPW-1201™ Machine Torch w/ Leads 20m (66′)	1
7.	T-1012	H839G03	Nozzle 120A	10	15.	KT-1314	K.CTZW-1201.10M	CTZW-1201™ Hand Torch w/ Leads 10m (33')	1
8.	T-5318	H839G04	Nozzle 150A	10	NS	KT-1341	K.CTZW-1201.10M.K	CTZW-1201™ Cable Leads, Hand 10m (33′)	1
*9.	T-9593*	H839M00-UR	Electrode 30-150A, Ni plated	10	16.	KT-1302	DEMO CTPW-1201	Torch + Cable Leads 0.8m, exhibition only, inoperative	1
		H839M00G	= H839M00-UR		17.	KT-1222	K.CTPW-1201.13M.K	CTPW-1201™ Cable Leads, Machine 13m (42′)	1
10.	T-13066	H839M00-PRO	Electrode 30-150A, Silver PRO	10		KT-1225	K.CTPW-1201.20M.K	CTPW-1201™ Cable Leads, Machine 20m (66′)	1
<u>0</u> 11.	T-1017 🧿	H840B00-UR	Torch Body, Machine (use only with T-11295)	1	18.	N-18992	H839N00 OEM	Handle	1
12.	T-5315	H839B00	Torch Body, Hand, 90°	1	19.	N-18993	K2432A00 OEM	Trigger	1


- ELECTRODE H839M00-UR REPLACES H839M00G, HAS SAME DESIGN ONLY REF. NUMBER HAS BEEN CHANGED, ELECTRODE DESIGN IS NOT FULLY COMPATIBLE WITH LATEST JAPANESE OEM TORCHES (CAN CAUSE COOLANT LEAKS).
- NOT INTERCHANGEABLE WITH OEM. TORCH BODY H840B00-UR AND TUBE T-11295 MUST BE USED TOGETHER AS THE SET, CONNECTION THREAD IS DIFFERENT COMPARED TO OFM.
- -PRO SILVER PRO TECHNOLOGY INCREASES ELECTRODE LIFETIME SIGNIFICANTLY COMPARED TO STANDARD COPPER ELECTRODES
- NS NOT SHOWN IN THE PICTURE
- W/ WITH

Last update of this page: 23/03/2021. See Revision history for details.



TEL.: +420 556 423 418 SALES@THERMACUT.CZ

INFO@THERMACUT.DE



## Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ

WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE WWW.THERMACUT.COM
TEL.: 1-603-542-6715
CUSTOMERSERVICE@THERMACUT.COM

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR ESAB®/L-TEC® **PT-15™, PT-15XL™**

Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-0355	20758	Nozzle Retaining Cup, O <sub>2</sub>	1	9.	T-1716	35664	Nozzle 340A, O <sub>2</sub>	1
2.	T-0354	996628	Gasket	5		T-0339	20751	Nozzle 260A, O <sub>2</sub>	1
3.	T-0350	2075693	Insulator 0.140"	5		T-1715	35662	Nozzle 300A, O <sub>2</sub>	1
	T-0351	2075617	Insulator 0.180"	5	10.	T-10209	21962	Nozzle 300A, Bevel, O <sub>2</sub>	1
	T-0352	2075606	Insulator 0.225"	5	NS	T-11325	0558005866	Nozzle 400A, Bevel, O <sub>2</sub>	1
	T-0353	2075607	Insulator 0.260"	1	11.	T-0328	600236	Electrode 250-1000A, N <sub>2</sub>	5
	T-1604	2075588	Insulator 0.500"	5	12.	T-0329	20763	Electrode 260A, O <sub>2</sub>	5
NS	T-10683	20409-UR	Insulator	5	13.	T-0326	2075343	Electrode Holder	1
4.	T-0349	996619	Spacer	1	14.	T-0327	20398	Electrode Holder	1
5.	T-0346	2075584	Swirl Ring, 4 Hole, CW	1	15.	T-1253	34084	Electrode Holder	1
	PT-10567	2075616	Swirl Ring, 4 Hole, CCW	1	16.	T-0322	948142	Gas Swirl Baffle, 4 Hole, CW	1
6.	T-0348	996618	Centering Sleeve	1	17.	T-2019	35660	Gas Swirl Baffle, 8 Hole, CW	1
7.	T-0345	19810	Nozzle Base 875-1000A	1	18.	T-1869	1361201	Gas Swirl Baffle, 8 Hole, CW	1
	T-0342	2075608	Nozzle Base 400A	1	19.	T-1247	996242	Locating Pin	5
	T-0343	2075609	Nozzle Base 600A	1	20.	T-1248	21940 OEM	Contact Ring	1
	T-0344	2075610	Nozzle Base 750A	1	21.	T-0319	20755	Insulator	1
8.	T-0332	2075611	Nozzle 400A, N <sub>2</sub>	1	22.	T-0318	20754	Torch Body, Machine	1
	T-1966	2075612	Nozzle 600A, N <sub>2</sub>	1	NS	KT-1447	20762	PT-15XL™ Torch with Leads 1.8m (6')	1
	T-0333	2075614	Nozzle 400A, N <sub>2</sub> , CCW	1	NS	KT-1159	000128	PT-15XL™ Cable Leads 1.8m (6′)	1
	T-9645	2075615	Nozzle 600A, N <sub>2</sub> , CCW	1	NS	KT-1118	K.PT-15XL.3M.K	PT-15XL™ Cable Leads 3m (10′)	1
	T-10321	20751-UR	Nozzle 260A, O <sub>2</sub>	1	NS	KT-1160	000124	PT-15XL™ Cable Leads 5.1m (17′)	1
	T-0338	2075587	Nozzle 875-1000A, H35	1	NS	KT-1158	000129	PT-15XL™ Cable Leads 6.1m (20′)	1
	T-1976	2075691	Nozzle 250A, N <sub>2</sub>	1	NS	KT-1105	000328	PT-15XL™ Cable Leads 7.6m (25′)	1
	T-3584	2075611-2	Nozzle 400A, N <sub>2</sub>	1	23.	Coolant Lie	quid. Details on	the page 148, section Accessories.	

COUNTER CLOCK WISE GAS SWIRLING, USE OF CCW PARTS WILL MAKE CUT ANGLE ON THE OPPOSITE SIDE, THAN WITH STANDARD CLOCK WISE (CW) SWIRLING PARTS.

NOT SHOWN IN THE PICTURE

## Last update of this page: 05/01/2021. See Revision history for details.




 WWW.THERMACUT.CZ
 WWW.THERMACUT.DE
 WWW.THERMACUT.CO

 TEL.: +420 556 423 418
 TEL.: +49 (0) 27 39 40 33 0
 TEL.: 1-603-542-6715

 SALES@THERMACUT.CZ
 INFO@THERMACUT.DE
 CUSTOMERSERVICE@T

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR ESAB®/L-TEC® PT-19XLS™



Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

WWW.THERMACUT.COM TEL.: 1-603-542-6715 CUSTOMERSERVICE@THERMACUT.COM

## THERMACUT® REPLACEMENT PARTS SUITABLE FOR ESAB®/L-TEC® PT-19XLS™



Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-10128	37081	Shield Retainer	1	<b>1</b> 3.	T-11910 🖸	0558003928-UR	Electrode, N <sub>2</sub> /H35	5
2.	T-2266	21802	Shield 100-250A	1		T-10439	0558005459 OEM	Replaced by 0558003914-PRO	3
	T-2267	21945	Shield 325-600A	1	<u>0</u> 14.	T-2349 🖸	37068	Electrode Holder	1
	T-4580	21795 OEM	Shield 50A	10	<b>(</b> 5 15.	T-11210 💍	T-11210	Electrode Holder	1
3.	T-2269	21944	Diffuser 100-600A	1	16.	T-0322	948142	Gas Swirl Baffle, 4 Hole, CW	1
4.	T-10129	37082	Nozzle Retaining Cap	1	17.	T-0323	948143	Gas Swirl Baffle, 4 Hole, CCW	1
5.	T-1720	22026	Nozzle Tip 50A	5	18.	T-2019	35660	Gas Swirl Baffle, 8 Hole, CW	1
	T-1717	22029	Nozzle Tip 100A	5	19.	T-11659	35661	Gas Swirl Baffle, 8 Hole, CCW	1
	T-1718	22030	Nozzle Tip 150A	5	20.	T-11942	37073	Screw	1
	T-4197	21822-S	Nozzle Tip 250A	5	21.	T-11863	0558003858	Cont. Ring with 2pcs. Screws 37073 (=37071	) 1
5a.	T-1721	22027	Nozzle Base 50A	1	22.	T-2351	37083 OEM	Insulator	10
	T-1722	22028	Nozzle Base 100-250A	1	23.	T-3422	37066	Torch Body PT-19XLS™, Machine	1
6.	T-2271	21822	Nozzle 250A	1	NS	T-1725	20391	Torch Body PT-19XL™, Machine	1
<b>⊙</b> 7.	T-10266* 🧿	35886-UR	Electrode 360A	5	NS	T-1337	19483	Sleeve	1
<ul><li>8.</li></ul>	T-10262 🧿	34086-UR	Electrode 50-250A	5	NS	T-11202	T-11202	Electrode Holder Wrench	1
<b>①</b>	T-1252 🧿	34086	Electrode 50-250A	5	24.	N-20426	93750010	Hex Key Wrench for Contact Ring	1
<ul><li>9.</li></ul>	T-11857 🧿	34086-PRO	Electrode 50-250A, Silver PRO	5	25.	Cable Leads	are available on re	quest, because of more possible types	of fittings.
<b>(</b> ) 10.	T-11303 💍	T-11303-PRO	Electrode 50-250A, Silver PRO	5	26.	Coolant Lic	juid. Details on th	ne page 148, section Accessories.	
<b>(</b> ) 11.	T-11290*	0558003914-PRO	Electrode 100-450A, O <sub>2</sub> , Silver PRO	5					
<b>(</b> ) 12.	T-11994 👵	0558012000-PRO	Electrode 100-450A, O <sub>2</sub> , Silver PRO	5					

- MUST BE USED ONLY AS A SET OF ELECTRODE HOLDER 37068 AND 35886-UR, 34086/LAG, 34086-UR, 34086, 34086-PRO ELECTRODES.
- MUST BE USED ONLY AS A SET OF ELECTRODE HOLDER T-11210 AND T-11303-PRO, 0558003914-PRO, 0558012000-PRO, 0558003928-UR 0 ELECTRODES.
- A UNIQUE DESIGN WHICH ENHANCES PERFORMANCE AND DIFFERS FROM OEM DESIGNS.

CCW COUNTER CLOCK WISE GAS SWIRLING, USE OF CCW PARTS WILL MAKE CUT ANGLE ON THE OPPOSITE SIDE, THAN WITH STANDARD CLOCK WISE (CW) SWIRLING PARTS.

-PRO SILVER PRO TECHNOLOGY INCREASES ELECTRODE LIFETIME SIGNIFICANTLY COMPARED TO STANDARD COPPER ELECTRODES.

NOT SHOWN IN THE PICTURE

SMART SOLUTION - DESIGN IMPROVEMENTS THAT BRINGS ADDED VALUE SUCH AS IMPROVED LIFETIME OF CONSUMABLES, EXCELLENT CUT QUALITY, SPEED OR BETTER COST EFFECTIVENESS OF YOUR SYSTEM.


#### Last update of this page: 05/01/2021. See Revision history for details.



TEL.: +420 556 423 418 SALES@THERMACUT.CZ

TEL.: +49 (0) 27 39 40 33 0 TEL.: 1-603-542-6715 INFO@THERMACUT.DE

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR ESAB®/L-TEC® **PT-23™**



Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1	T-1258	33419	Shield	1	5.	T-1264	33366	Electrode	10
2	T-1259	33371	Retaining Nut	1	6.	T-2016	33417	Replaceable Seat	1
3	T-1260	33368	Nozzle 30A	10	7.	T-1306	85W51	O-Ring	10
	T-1261	33369	Nozzle 50A	10	8.	T-1265	21421	Torch Head	1
	T-1262	33418	Nozzle 80A	10	NS	T-1986	21420	Stand-off Giude	1
4	T-1263	33367	Swirl Raffle	5					

NOT SHOWN IN THE PICTURE

Last update of this page: 05/01/2021. See Revision history for details.




NS

WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ 
 WWW.THERMACUT.DE
 WWW.THERMACUT.COM

 TEL.: +49 (0) 27 39 40 33 0
 TEL.: 1-603-542-6715

 INFO@THERMACUT.DE
 CUSTOMERSERVICE@THEI





Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-10130	22531	Cup Shield with Retainer	1	7.	T-3377	21539	Electrode	5
2.	T-9333	21712	Insulator Shield Retainer	1		T-8987	21539-PRO	Electrode, Silver PRO	5
3.	T-3350	22010	Shield Cap Insulator	1	8.	T-4916	21539-AG	Electrode, SilverEX-®	5
4.	T-3353	22007	Nozzle Retainer/Diffuser	1	9.	PT-10625	21725	Water Baffle	1
5.	T-3370	21540	Nozzle "A" 15A	5	10.	T-3379	21758	PT-24™ Torch Body, Machine	1
	T-3371	21541	Nozzle "B" 30A	5	11.	T-1257	996528	O-Ring	10
	T-3372	21542	Nozzle "C" 50A	5	12.	T-2824	950714	O-Ring	1
	T-3373	21543	Nozzle "D" 70A	5	13.	T-4019	86W62	O-Ring	10
	T-3354	21923	Nozzle "E" 100A	5	14.	T-4018	638797	O-Ring	10
6.	T-3376	21692 OEM	Swirl Baffle 50-100A	10	NS	T-3352	22008	Shield Cup 15/30A, Old Design	1
	T-3374	21852 OEM	Swirl Baffle 15A	10	NS	T-3351	22009	Shield Cup 50/70A, Old Design	1
	T-3375	21536 OEM	Swirl Baffle 30A	10	15.	Coolant Liq	uid. Details on th	ne page 148, section Accessories.	

SILVER PRO TECHNOLOGY INCREASES ELECTRODE LIFETIME SIGNIFICANTLY COMPARED TO STANDARD COPPER ELECTRODES -PRO

NS NOT SHOWN IN THE PICTURE


## Last update of this page: 05/01/2021. See Revision history for details.



TEL.: +420 556 423 418 SALES@THERMACUT.CZ

INFO@THERMACUT.DE

## THERMACUT® REPLACEMENT PARTS SUITABLE FOR ESAB®/L-TEC® **PT-27™**



Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-1307	21616	Heat Shield	1	6.	T-1310	21615	Replaceable Seat	5
2.	T-1260	33368	Nozzle 0.9mm 30A	10	7.	T-1306	85W51	O-Ring	10
	T-1261	33369	Nozzle 1.2mm 50-70A	10	8.	T-1309	21610	Torch Body 70°	1
	T-1262	33418	Nozzle 1.3mm 80A	10	NS	T-1986	21420	Stand-off Guide	1
	T-0057	35442	Gouging Nozzle 2.4mm	10	NS	PT-10220	0558003032	Seat Assembly	1
3.	T-1263	33367	Swirl Baffle	5	NS	T-3953	0558003027	Seat Instalation Tool	1
4.	T-1264	33366	Electrode	10	NS	KT-1301	21620	PT-27™ Cable Leads 7.6m (25′)	1
5.	T-1308	21619	Valve Pin	5					

NOT SHOWN IN THE PICTURE

Last update of this page: 05/01/2021. See Revision history for details.



NS

TEL.: +420 556 423 418 SALES@THERMACUT.CZ 
 WWW.THERMACUT.DE
 WWW.THERMACUT.COM

 TEL.: +49 (0) 27 39 40 33 0
 TEL.: 1-603-542-6715

 INFO@THERMACUT.DE
 CUSTOMERSERVICE@THE

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR ESAB®/L-TEC® PT-31XL™



Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-1174	20860	Nozzle XT 30-40A	10		T-1175	21008	Nozzle 35-40A	10
	T-1176	20861	Nozzle XT 50A	10	2.	T-1173	20862	Electrode XT	10

Last update of this page: 11/11/2018. See Revision history for details.




 WWW.THERMACUT.CZ
 WWW.THERMACUT.DE
 WWW.THERMACUT.COM

 TEL.: +420 556 423 418
 TEL.: +49 (0) 27 39 40 33 0
 TEL.: 1-603-542-6715

 SALES@THERMACUT.CZ
 INFO@THERMACUT.DE
 CUSTOMERSERVICE@THE

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR ESAB®/L-TEC® PT-36™



Last update of this page: 05/01/2021. See Revision history for details.

THERMACUTE THE CUTTING COMPANY

WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

WWW.THERMACUT.COM
TEL.: 1-603-542-6715
CUSTOMERSERVICE@THERMACUT.COM

## THERMACUT® REPLACEMENT PARTS SUITABLE FOR ESAB®/L-TEC® **PT-36™**



Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-10128	37081	Shield Retainer	1	17.	T-11119	0558002530	Gas Swirl Baffle, 8 × 0.047, 360-450A, CCW	1
2.	T-12231	0558009425	Micro Shield 2.5mm 30-60A MS	10	18.	T-11942	37073	Screw, Contact Ring	1
	T-10463	0558007624	Shield Cup 2.4mm 45-55A	1	19.	T-11863	0558003858	Cont. Ring with 2pcs. Screws 37073 (=37071)	1
	T-10333	0558006130	Shield Cup 3.0mm 35-50A	1	20.	T-12040	T-12040	Exchangeable Insulator Kit	1
	T-10332	0558006141	Shield Cup 4.1mm 70-280A	1	21.	PT-13160	0558001825-11	Plastic Screw	1
	T-10334	0558006166	Shield Cup 6.6mm 290-450A	1	22.	PT-13159	0558001825-10	Screw	1
	T-10335	0558006199	Shield Cup 9.9mm 300-600A	1	23.	PT-12123	0558001825-8	Insulator Body	1
3.	T-2269	21944	Diffuser 100-600A	1	24.	T-11208	0558003804	Torch Body PT-36™	1
	T-10331	22496	Diffuser 100-600A, CCW	1	25.	N-20426	93750010	Hex Key Wrench for Contact Ring	1
4.	T-2268	21796	Gas Diffuser 50A	1	26.	T-11665	0558003918 OEM	Electrode Holder Wrench	1
5.	T-10129	37082	Nozzle Retaining Cap, Standard	1	27.	KT-1452	0558006745	PT-36 $^{\text{TM}}$ Mach.Torch with Leads 1.3m	1
6.	T-12229	0558009406	Micro Nozzle 0.6mm 30A MS/SS/AL	10		KT-1453	0558006746	PT-36™ Mach.Ttorch with Leads 1.8m	1
	T-12230	0558009410	Micro Nozzle 1.0mm 60A MS/SS/AL	10		KT-1454	0558006747	PT-36™ Mach.Ttorch with Leads 3.7m	1
	T-10336	0558006010	Nozzle 1.0mm 45/50A MS/SS/AL	1		KT-1455	0558006749	PT-36 $^{\text{TM}}$ Mach.Torch with Leads 4.6m	1
	T-10337	0558006014	Nozzle 1.4mm 100A MS/AL (70/130A SS)	1		KT-1456	0558006750	PT-36 <sup>™</sup> Mach.Torch with Leads $5.2m$	1
	T-10970	0558006018	Nozzle 1.8mm 100/130A MS (100A SS/AL)	1		KT-1457	0558006779	PT-36 $^{\text{TM}}$ Mach.Torch with Leads 6.1m	1
	T-10338	0558006020	Nozzle 2.0mm 150/200A MS/AL (130/150A SS)	1		KT-1458	0558006751	PT-36 $^{\text{TM}}$ Mach.Torch with Leads 7.6m	1
	T-10339	0558006023	Nozzle 2.3mm 200/280A MS (200A SS), (200/260A AL	) 1	28.	KT-1460	0558007031	PT-36™ Cable Leads 1.3m	1
	T-10340	0558006025	Nozzle 2.5mm 280/290A MS (260A SS)	1		KT-1461	0558007032	PT-36™ Cable Leads 1.8m	1
	T-10443	0558006030	Nozzle 3.0mm 325/360A MS (360A SS/AL)	1		KT-1462	0558007034	PT-36™ Cable Leads 3.7m	1
	T-10341	0558006036	Nozzle 3.6mm 400A MS (450A SS)	1		KT-1463	0558007036	PT-36™ Cable Leads 4.6m	1
	T-10292	0558006041	Nozzle 4.1mm 600A SS/AL	1		KT-1464	0558007037	PT-36™ Cable Leads 5.2m	1
<ul><li>7.</li></ul>	T-12228 🧿	0558009400-PRO	Micro Electrode 30-60A MS/SS/AL	5		KT-1465	0558007038	PT-36™ Cable Leads 6.1m	1
0	T-11910 🧿	0558003928-UR	Electrode, N <sub>2</sub> /H35	5		KT-1466	0558007039	PT-36™ Cable Leads 7.6m	1
	T-10439	0558005459 OEM	Replaced by 0558003914-PRO	3		KT-1522	0558007035	PT-36™ Cable Leads 4.3m, Bevel	1
<b>②</b> 8.	T-11303 🧿	T-11303-PRO	Electrode 50-250A, Silver PRO	5	29.	KT-1478	0558003849	PT-36 $^{\text{TM}}$ Mach. Torch with Leads 1.4 m	1
<ul><li>9.</li></ul>	T-11290* 🗿	0558003914-PRO	Electrode 100-450A, $O_2$ , Silver PRO	5		KT-1479	0558003850	PT-36 $^{\text{TM}}$ Mach. Torch with Leads 1.8 m	1
<b>①</b> 10.	T-11994 🧿	0558012000-PRO	Electrode 100-450A, $O_2$ , Silver PRO	5		KT-1480	0558003852	PT-36 $^{\text{TM}}$ Mach. Torch with Leads 3.7 m	1
<b>①</b> 11.	T-11209** 🗿	0558003914-AG	Electrode, Standard, O <sub>2</sub>	5		KT-1481	0558003853	PT-36 $^{\text{TM}}$ Mach. Torch with Leads 4.6 m $$	1
<b>①</b> 12.	T-11319 🧿	0558003924-UR	Electrode Holder	1		KT-1482	0558003854	PT-36™ Mach. Torch with Leads 5.2m	1
13.	T-10693	0558005457 OEM	Gas Swirl Baffle, 4 × 0.022, 35-70A	5		KT-1483	0558003856	PT-36™ Mach. Torch with Leads 7.6m	1
14.	T-4607	0558002534	Gas Swirl Baffle, 4 × 0.032, 100-280A, CCW	1	30.	Cable Lead	s are available on re	quest, because of more possible types o	of fittings.
15.	T-4606	0558002533	Gas Swirl Baffle, 4 × 0.032, 100-280A	1	31.	Coolant Li	quid. Details on th	e page 148, section Accessories.	
16.	T-4636	0558001625	Gas Swirl Baffle, 8 × 0.047, 300-600A	1	32.	Consumat	ole Case. Details o	n the page 155, section Accessories	

- A UNIQUE DESIGN WHICH ENHANCES PERFORMANCE AND DIFFERS FROM OEM DESIGNS
- AVAILABILITY ON REQUEST
- 0 MUST BE USED AS A SET OF ELECTRODE HOLDER AND ELECTRODE, THIS COMPLETE SET IS INTERCHANGEABLE AND COMPATIBLE WITH ORIGINAL PARTS.

COUNTER CLOCK WISE GAS SWIRLING, USE OF CCW PARTS WILL MAKE CUT ANGLE ON THE OPPOSITE SIDE, THAN WITH STANDARD CLOCK WISE CCW (CW) SWIRLING PARTS.

-PRO SILVER PRO TECHNOLOGY INCREASES ELECTRODE LIFETIME SIGNIFICANTLY COMPARED TO STANDARD COPPER ELECTRODES


#### Last update of this page: 05/01/2021. See Revision history for details.



TEL.: +420 556 423 418 SALES@THERMACUT.CZ

TEL.: +49 (0) 27 39 40 33 0 TEL.: 1-603-542-6715 INFO@THERMACUT.DE

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR ESAB®/L-TEC® **PT-600™**



Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

WWW.THERMACUT.COM TEL.: 1-603-542-6715 CUSTOMERSERVICE@THERMACUT.COM

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR ESAB®/L-TEC® **PT-600™**



Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-10128	37081	Shield Retainer	1	<b>1</b> 2.	T-11994 Ō	0558012000-PRO	Electrode 100-450A, O <sub>2</sub> , Silver PRO	5
2.	T-2266	21802	Shield 100-250A	1	<b>(</b> ) 13.	T-11910 🗿	0558003928-UR	Electrode, N <sub>2</sub> /H35	5
	T-2267	21945	Shield 360A	1		T-10439	0558005459 OEM	Replaced by 0558003914-PRO	3
	T-4580	21795 OEM	Shield 50A	10	<b>①</b> 14.	T-11201 🗿	0558001621	Electrode Holder	1
NS	T-10124	0558004678	Precision Shield 110-200A		<b>1</b> 5.	T-11210 🕒	T-11210	Electrode Holder	1
3.	T-2269	21944	Diffuser 100-600A	1	16.	T-4606	0558002533	Gas Swirl Baffle, 4 hole × 0.032, CW	1
	T-10331	22496	Diffuser 100-600A, CCW	1	17.	T-4607	0558002534	Gas Swirl Baffle, 4 hole × 0.032, CCW	1
NS	T-2268	21796	Gas Diffuser 50A	1	18.	T-4636	0558001625	Gas Swirl Baffle, 8 hole × 0.047, CW	1
4.	T-10129	37082	Nozzle Retaining Cap	1	19.	T-11119	0558002530	Gas Swirl Baffle, 8 Hole $\times$ 0.047, CCW	1
5.	T-1720	22026	Nozzle Tip 50A	5	20.	T-11942	37073	Screw	1
	T-1717	22029	Nozzle Tip 100A	5	21.	T-11863	0558003858	Cont. Ring with 2pcs. Screws 37073 (=37071)	1
	T-1718	22030	Nozzle Tip 150A	5	22.	T-12040	T-12040	Exchangeable Insulator Kit	1
	T-1719	22031	Nozzle Tip 200A	5	23.	PT-13160	0558001825-11	Plastic Screw	1
5a.	T-1721	22027	Nozzle Base 50A	1	24.	PT-13159	0558001825-10	Screw	1
	T-1722	22028	Nozzle Base 100-250A	1	25.	PT-12123	0558001825-8	Insulator Body	1
6.	T-5331	0558001881	Nozzle 50A	1	26.	T-10283	0558001825	Torch Body	1
	T-5332	0558001882	Nozzle 100A	1	NS	T-11202	T-11202	Electrode Holder Wrench	1
	T-5333	0558001883	Nozzle 150A	1	NS	KT-1178	996248	PT-600™ Hose, power, 1.8m	1
	T-5334	0558001884	Nozzle 200A	1	NS	KT-1176	34360	PT-600™ Hose, plas., 1.8m	1
	T-5330	0558001623	Nozzle 250A	1	NS	KT-1189	33209	PT-600™ Hose, power, 4.6m	1
	T-5335	0558001885	Nozzle 360A	1	NS	KT-1330	33211	PT-600™ Hose, power, 7.6m	1
	T-5336	0558001886	Nozzle 400A	1	NS	KT-1177	37357	PT-600™ Cable, pilot, 2m	1
	T-5337	0558001887	Nozzle 600A	1	27.	N-20426	93750010	Hex Key Wrench for Contact Ring	1
<b>⊙</b> 7.	T-11239	0558001624-PRO 🧿	Electrode 250A, Silver PRO	5	28.	Cable Lead	s are available on req	uest, because of more possible types o	f fittings.
<b>3</b> 8.	T-11240	T-11240-PRO 💿	Electrode 260/400A, Silver PRO	5	29.	Coolant Li	quid. Details on the	e page 148, section Accessories.	
<b>0</b> 9.	T-11238	0558002516-PRO 🗿	Electrode 360/400A, Silver PRO	5					
<b>1</b> 0.	T-11303	T-11303-PRO (5)	Electrode 50-250A, Silver PRO	5					
<b>1</b> 1.	T-11290*	0558003914-PRO 🗿	Electrode 100-450A, O <sub>2</sub> , Silver PRO	5					

- 0 MUST BE USED ONLY AS A SET OF ELECTRODE HOLDER 0558001621 AND 0558001624-PRO, T-11240-PRO, 0558002516-PRO ELECTRODES.
- MUST BE USED ONLY AS A SET OF ELECTRODE HOLDER T-11210 AND T-11303-PRO, 0558003914-PRO, 0558012000-PRO, 0558003928-UR ELECTRODES.
- A UNIQUE DESIGN WHICH ENHANCES PERFORMANCE AND DIFFERS FROM OEM DESIGNS
- COUNTER CLOCK WISE GAS SWIRLING, USE OF CCW PARTS WILL MAKE CUT ANGLE ON THE OPPOSITE SIDE, THAN WITH STANDARD CLOCK WISE (CW) SWIRLING PARTS.
- NOT SHOWN IN THE PICTURE NS
- -PRO TECHNOLOGY OF SILVER INSERTED COPPER ELECTRODE BODY, WHICH SIGNIFICANTLY DECREASES ELECTRODE COSTS WITH SIMILAR WORK PERFORMANCE COMPARED TO FULL SILVER ELECTRODES.


SMART SOLUTION - DESIGN IMPROVEMENTS THAT BRINGS ADDED VALUE SUCH AS IMPROVED LIFETIME OF CONSUMABLES, EXCELLENT CUT QUALITY, SPEED OR BETTER COST EFFECTIVENESS OF YOUR SYSTEM.

#### Last update of this page: 05/01/2021. See Revision history for details.



TEL.: +420 556 423 418 SALES@THERMACUT.CZ

TEL.: +49 (0) 27 39 40 33 0 TEL.: 1-603-542-6715 INFO@THERMACUT.DE





Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR **Hypertherm®** MAX®40cs/MAX®42/MAX®43 PAC®120/PAC®125T

ltem	Part No.	Ref. No.	Description	Std. Pkg.	ltem	Part No.		Ref. No.	Description	Std. Pkg.
*1.	T-9824*	120601-UR	Shield, Hand	1	9.	T-3420		120438	Nozzle	10
*2.	T-9825*	120602-UR	Shield, Machine	1	<u>0</u> 10.	T-4451	0	120574-UR	Electrode, Extended, Long Life	5
3.	T-9580	020930	Retaining Cap	1	11.	T-2298		120574	Electrode, Extended	5
4.	T-12045	120600	Retaining Cap	1	<u>0</u> 12.	T-4450	0	120573-UR	Electrode, Long Life	5
5.	T-0089	020546	Nozzle, Extended	10	13.	T-3419		120573	Electrode	5
6.	T-0093	120023	Nozzle, Pipe Saddle	5	<u>0</u> 14.	T-4452	0	020361-UR	Swirl Ring	2
	T-1799	020542	Nozzle	10	15.	T-0029		020361	Swirl Ring	2
7.	T-0027	020350	Nozzle, 40A	10	16.	T-0038		044016	O-Ring	10
	T-0028	020395	Nozzle	10	NS	KT-1405		128925	RT60M™ Cable Leads 15.2m (50′) with CC	1
8.	T-0094	020539	Nozzle, Gouging	10	NS	KT-1406		083218-UR	RT60M™ Machine Torch with Leads 15.2m (50') with CC	1

- FULLY INTERCHANGEABLE AND COMPATIBLE WITH ORIGINAL PARTS, BUT DIFFERS FROM ORIGINAL DESIGN
- 0 MUST BE USED ONLY AS THE SET OF ELECTRODE & SWIRL RING LIKE SHOWN IN THE PICTURE (-UR DESIGN VERSION OR OEM VERSION), SET OFFERS LIFETIME LONGER UP TO 50%

NOT SHOWN IN THE PICTURE NS

SMART SOLUTION - DESIGN IMPROVEMENTS THAT BRINGS ADDED VALUE SUCH AS IMPROVED LIFETIME OF CONSUMABLES, EXCELLENT CUT QUALITY, SPEED OR BETTER COST EFFECTIVENESS OF YOUR SYSTEM

### Last update of this page: 05/01/2021. See Revision history for details.




WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ

INFO@THERMACUT.DE

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR

**Hypertherm®** MAX®40 **PAC®140/M** 



Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-0043	020104	Retaining Cap, Standard	1	10.,14.	T-0055	020122	PAC®140 Hand Torch + Handle	1
2.	T-0044	020200	Retaining Cap, Tapered	1	11.	T-0056	020114	PAC®140/M Machine Torch	1
3.	T-0050	020466	Nozzle, Extended	10	12.	T-0095	020114-1	Front Insulator	1
4.	T-0045	020115	Nozzle 40A	10	13.	T-0038	044016	O-Ring	10
	T-0046	020102	Nozzle 40A (HT®40)	10	#14.	T-1040#	9-5636-1	Handle	1
5.	T-0048	020197	Nozzle 40A, Tapered	10	NS	KT-1229	K.PAC140H.5M	PAC®140/H Hand Torch with Lead 5m (16')	1
NS	T-0096	020340	Nozzle, Gouging	10	NS	KT-1210	057112	PAC®140/H Hand Torch with Lead 7.6m (25')	1
NS	T-0047	020131	Nozzle, Pipe Saddle (HT®40)	10	NS	KT-1261	057113	PAC®140/H Hand Torch with Lead 15.2m (50')	1
6.	T-0051	020101	Swirl Ring	2	NS	KT-1084	028290	PAC®140/M Cable Leads, Mach. 15.2m (50')	1
7.	T-0054	020467	Electrode, Extended	5		Different ty	pes of cable	e leads available on request	
8.	T-0053	020167	Electrode, N <sub>2</sub>	10					
9.	T-0052	020103	Electrode, Air	10					

#### ONLY FOR THERMACUT TORCH DESIGN


NS NOT SHOWN IN THE PICTURE

 ${\rm MAX}\$40$  AND  ${\rm HT}\$40$  PARTS ARE FULLY INTERCHANGEABLE IN CASE OF NEED.

### Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ



Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-0043	020104	Retaining Cap, Standard	1	9.	T-0095	020114-1	Front Insulator	1
2.	T-0046	020102	Nozzle 40A	10	10.	T-0038	044016	O-Ring	10
3.	T-0047	020131	Nozzle, Pipe Saddle	10	#11.	T-1040#	9-5636-1	Handle	1
4.	T-0051	020101	Swirl Ring	2	NS	KT-1229	K.PAC140H.5M	PAC®140/H Hand Torch with Lead 5m (16')	1
5.	T-0053	020167	Electrode, N <sub>2</sub>	10	NS	KT-1210	057112	PAC®140/H Hand Torch with Lead 7.6m (25')	1
6.	T-0052	020103	Electrode, Air	10	NS	KT-1261	057113	PAC®140/H Hand Torch with Lead 15.2m (50')	1
7.,11.	T-0055	020122	PAC®140 Hand Torch + Handle	1	NS	KT-1084	028290	PAC®140/M Cable Leads, Mach. 15.2m (50')	1
8.	T-0056	020114	PAC®140/M Machine Torch	1	Differe	ent types of	cable leads	available on request	

#### ONLY FOR THERMACUT TORCH DESIGN

NS NOT SHOWN IN THE PICTURE


 ${\rm MAX}\$40$  AND  ${\rm HT}\$40$  PARTS ARE FULLY INTERCHANGEABLE IN CASE OF NEED.

### Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR Hypertherm® MAX®70/MAX®80/MAX®100 PAC®130/M



Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-1041	020492	Shield Mach. 40A - MAX®100, 60A - MAX®100D	1	11.	T-0065	020194	Swirl Ring	2
2.	T-0071	020334	Shield 100A, Machine	1	12.	T-8128	120433	Electrode 80A, 100A	5
3.	T-0072	020335	Shield 100A, Hand	1		T-0066	020191	Electrode 80A, 100A	5
4.	T-0070	020333	Deflector	1		T-0067	020193	Electrode 40A, 80A, 100A	5
5.	T-4609	020336	Retaining Cap	1	13.	T-0098	020564	Electrode, Extended	5
6.	T-0058	020184	Retaining Cap	1	14.,15.	T-0068	020189	PAC®130, Hand Torch + Handle	1
7.	T-0099	020396	Nozzle 40A, Shielded	5	#15.	T-1040#	9-5636-1	Handle	1
8.	T-0062	020397	Nozzle 80A, Shielded	5	16.	T-0069	020201	PAC®130/M, Machine Torch Main Body	1
	T-0063	020337	Nozzle 100A, Shielded	5	#17.	T-0097#	020189-1	Insulator (only for TMT torch)	1
9.	T-0059	020203	Nozzle 40A, NonShielded	5	18.	T-0074	026018	O-Ring	10
	T-0060	020345	Nozzle 80A, NonShielded	5	19.	KT-1079	059076	PAC®130/H Hand Torch w/ Lead 7.6m (25')	1
	T-0061	020195	Nozzle 100A, NonShielded	5	NS	KT-1298	029198	PAC®130/H Cable Leads, Hand 7.6m (25')	1
10.	T-0100	020563	Nozzle 80A, Extended	5	NS	KT-1451	059008	PAC®130/M Machine Torch w/ Leads 7.6m (25')	1
NS	T-0064	020339	Nozzle 100A, Gouging	5	Differ	ent types of	cable leads ava	ilable on request	

# ONLY FOR THERMACUT TORCH DESIGN

NS NOT SHOWN IN THE PICTURE


CC CENTRAL CONNECTOR

W/ WITH

### Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE



Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-0032	020218	Retaining Cap	1	3.	T-0037	020382	Electrode, Extended	10
2.	T-1860	120504	Nozzle 25A, Extended	10	4.	T-0038	044016	O-Ring	10


Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ 
 WWW.THERMACUT.DE
 WWW.THERMACUT.COM

 TEL.: +49 (0) 27 39 40 33 0
 TEL.: 1-603-542-6715

 INFO@THERMACUT.DE
 CUSTOMERSERVICE@THE





Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

# **THERMACUT® REPLACEMENT PARTS SUITABLE FOR Hypertherm®**

**POWERMAX® 600** PAC®123T/M

Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
*1.	T-9827*	120828-UR	Shield 40A, Hand	1	<b>①</b> 11.	T-4451 🧿	120574-UR	Electrode, Extended, Long Life	5
*2.	T-10727*	120827-UR	Shield 40A, Machine	1	<b>①</b> 12.	T-4453 🧿	120576-UR	Swirl Ring, Long Life	2
3.	T-1564	120303	Deflector	1	<u> </u>	T-4450 🧿	120573-UR	Electrode, Long Life	5
4.	T-12045	120600	Retaining Cap	1	14.	T-10269	120570	Torch Main Body with Safety Switch	1
5.	T-2847	120826	Nozzle 40A	5	NS	KT-1334	129476	PAC®123T Cable Leads, Hand 7.6m (25')	1
6.	T-3418	120606	Nozzle 35A, Extended	10	15.	KT-1333	086002	PAC®123T Hand Torch with Lead 7.6m (25')	1
7.	T-3419	120573	Electrode	5	NS	KT-1448	086024	PAC®123T H. Torch with Lead 7.6m(25'), Centr. Conn.	1
8.	T-2298	120574	Electrode, Extended	5	Differ	ent types of	cable leads avail	able on request	
9.	T-2230	120576	Swirl Ring	2					
10.	T-0038	044016	O-Ring	10					

NOT SHOWN IN THE PICTURE NS

SMART SOLUTION - DESIGN IMPROVEMENTS THAT BRINGS ADDED VALUE SUCH AS IMPROVED LIFETIME OF CONSUMABLES, EXCELLENT CUT QUALITY, SPEED OR BETTER COST EFFECTIVENESS OF YOUR SYSTEM

### Last update of this page: 05/01/2021. See Revision history for details.




WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ

INFO@THERMACUT.DE

FULLY INTERCHANGEABLE AND COMPATIBLE WITH ORIGINAL PARTS, BUT DIFFERS FROM ORIGINAL DESIGN

<sup>0</sup> MUST BE USED ONLY AS THE SET OF ELECTRODE & SWIRL RING LIKE SHOWN IN THE PICTURE (-UR DESIGN VERSION OR OEM VERSION), SET OFFERS LIFETIME LONGER UP TO 50%



Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR **Hypertherm® POWERMAX® 800** PAC®121T/M/125T/M

Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
*1.	T-9824*	120601-UR	Shield, Hand	1	<u>0</u> 16.	T-4452 🧿	020361-UR	Swirl Ring, Long Life	2
*2.	T-9825*	120602-UR	Shield, Machine	1	17.	T-0029	020361	Swirl Ring	2
3.	T-1564	120303	Deflector	1	18.	T-0038	044016	O-Ring	10
4.	T-3412	120608	Shield, Gouging	1	NS	KT-1297	129352	PAC®125T Cable Leads 7.6m (25') with CC	1
5.	T-12045	120600	Retaining Cap	1	NS	KT-1374	083066	PAC®125T Hand Torch with Lead 7.6m (25') with CC	1
6.	T-1567	120282	Nozzle 50A, Shielded	5	NS	KT-1501	083067	PAC®125T Hand Torch with Lead 15.2m (50') with CC	1
7.	T-3420	120438	Nozzle 40A, Shielded	10	<b></b> NS	KT-1399@	128922	RT60™ Hand Cable Leads 7.6m (25′) with CC	1
8.	T-0028	020395	Nozzle, NonShielded	10	<b>③</b> NS	KT-1398@	083215-UR	RT60™ Hand Torch with Lead 7.6m (25′) with CC	1
9.	T-1568	120281	Nozzle, Gouging	1	<b></b> NS	KT-1524@	083216-UR	RT60™ Hand Torch with Lead 15.2m (50′) with CC	1
10.	T-1569	120304	Nozzle, Extended	5	<b>③</b> NS	KT-1405@	128925	RT60M™ Machine Cable Leads 15.2m (50') with CC	1
11.	T-1570	120305	Nozzle, Pipe Saddle, Extended	5	<b></b> NS	KT-1525@	083217-UR	RT60M™ Machine Torch with Leads 7.6m (25′) with CC	1
NS	T-9999	220330	Nozzle (PAC®123, FineCut®)	5	<b>③</b> NS	KT-1406@	083218-UR	RT60M™ Machine Torch with Leads 15.2m (50′) with CC	1
<u>0</u> 12.	T-4450 🧿	120573-UR	Electrode, Long Life	5	Differe	ent types of	cable leads a	vailable on request	
13.	T-3419	120573	Electrode	5					
14.	T-2298	120574	Electrode, Extended	5					
<b>①</b> 15.	T-4451 🧿	120574-UR	Electrode, Extended, Long Life	5					

- FULLY INTERCHANGEABLE AND COMPATIBLE WITH ORIGINAL PARTS, BUT DIFFERS FROM ORIGINAL DESIGN
- 0 MUST BE USED ONLY AS THE SET OF ELECTRODE & SWIRL RING, LIKE SHOWN IN THE PICTURE (UR DESIGN VERSION OR OEM DESIGN VERSION) SET OFFERS LIFETIME LONGER UP TO 50%
- NOT SHOWN IN THE PICTURE NS
- CC CENTRAL CONNECTOR

SMART SOLUTION - DESIGN IMPROVEMENTS THAT BRINGS ADDED VALUE SUCH AS IMPROVED LIFETIME OF CONSUMABLES, EXCELLENT CUT QUALITY, SPEED OR BETTER COST EFFECTIVENESS OF YOUR SYSTEM


RT60™ AND RT60M™ ARE RETROFIT KITS, WHICH USES CONSUMABLES FOR PRODUCT LINE POWERMAX® 1000/1250/1650, CONSUMABLES SHOWN ABOVE OF THIS PAGE DOESN'T FIT TO THIS TORCHES.

### Last update of this page: 05/01/2021. See Revision history for details.



TEL.: +420 556 423 418 SALES@THERMACUT.CZ

INFO@THERMACUT.DE



Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR 0

Hypertherm®	
<b>POWERMAX</b> ®	900
PAC®125T/M	


Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
*1.	T-9824*	120601-UR	Shield, Hand	1	<u>0</u> 14.	T-4453 🧿	120576-UR	Swirl Ring, Long Life	2
*2.	T-9825*	120602-UR	Shield, Machine	1	15.	T-2230	120576	Swirl Ring	2
3.	T-3412	120608	Shield, Gouging	1	16.	T-0038	044016	O-Ring	10
4.	T-1564	120303	Deflector	1	17.	T-10269	120570	Torch Main Body with Safety Switch	1
5.	T-12045	120600	Retaining Cap	1	NS	KT-1297	129352	PAC®125T Cable Leads 7.6m (25') with CC	1
6.	T-3414	120577	Nozzle 55A, Shielded	5	NS	KT-1374	083066	PAC $^{\rm 8}$ 125T Hand Torch with Lead 7.6m (25') with CC	1
7.	T-3415	120607	Nozzle, Gouging	10	NS	KT-1501	083067	PAC $^{\rm 8}$ 125T Hand Torch with Lead 15.2m (50') with CC	1
8.	T-3417	120578	Nozzle 55A, Extended	10	NS	KT-1399	128922	RT60™ Hand Cable Leads 7.6m (25′) with CC	1
9.	T-3418	120606	Nozzle 35A, Extended	10	<b></b> NS	KT-1398@	083215-UR	RT60 $^{\text{TM}}$ Hand Torch with Lead 7.6m (25') with CC	1
NS	T-9999	220330	Nozzle (PAC®123, FineCut®)	5	<b>Ⅲ</b> NS	KT-1524@	083216-UR	RT60™ Hand Torch with Lead 15.2m (50′) with CC	1
<b>①</b> 10.	T-4450 🧿	120573-UR	Electrode, Long Life	5	<b></b> NS	KT-1405@	128925	RT60M™ Machine Cable Leads 15.2m (50') with CC	1
11.	T-3419	120573	Electrode	5	<b>Ⅲ</b> NS	KT-1525@	083217-UR	RT60M™ Machine Torch with Leads 7.6m (25') with CC	1
12.	T-2298	120574	Electrode, Extended	5	<b></b> NS	KT-1406@	083218-UR	$RT60M^{\intercal \! M}$ Machine Torch with Leads 15.2m (50') with CC	1
<b>①</b> 13.	T-4451 🧿	120574-UR	Electrode, Extended, Long Life	5	Differe	ent types of	cable leads a	vailable on request.	

- FULLY INTERCHANGEABLE WITH ORIGINAL PARTS, BUT DIFFERS FROM ORIGINAL DESIGN
- MUST BE USED ONLY AS THE SET OF ELECTRODE & SWIRL RING, LIKE SHOWN IN THE PICTURE (UR DESIGN VERSION OR OEM DESIGN VERSION), **①** SET OFFERS LIFETIME LONGER UP TO 50%
- NS NOT SHOWN IN THE PICTURE
- CC CENTRAL CONNECTOR
- **(11)** RT60™ AND RT60M™ ARE RETROFIT KITS, WHICH USES CONSUMABLES FOR PRODUCT LINE POWERMAX® 1000/1250/1650, CONSUMABLES SHOWN ABOVE OF THIS PAGE DOESN'T FIT TO THIS TORCHES.

### Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ INFO@THERMACUT.DE



Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR **Hypertherm®** POWERMAX® 1000 / POWERMAX® 1250 / POWERMAX® 1650 T60TM/T60MTM, T80TM/T80MTM, T100TM/T100MTM/T100M-2TM

Item	Part No.	Ref. No.	Description	Std. Pkg	Item	Part No.		Ref. No.	Description	Std. Pkg
*1.	T-9831*	120930-UR	Shield 40A/60A/80A, Machine	1	16.	T-3892		120980	Nozzle 80A, Extended	5
*2.	T-9830*	120929-UR	Shield 40A/60A/80A, Hand	1	17.	T-9998		220329	Nozzle 40A, FineCut®	5
3.	T-4188	120979	Deflector 40A/60A/80A/100A	1	18.	T-11300		220059	Nozzle 60-80A, Gouging	5
3a.	T-10410	220325 OEM	Deflector, CE 40A, FineCut®	10	19.	T-8892		220011	Nozzle 100A	5
*4.	T-9832*	220047-UR	Shield 100A, Machine	1	20.	T-4190		220064	Nozzle 100A, Extended	5
*5.	T-9833*	220065-UR	Shield 100A, Hand	1	<u>3</u> 21.	T-4454	0	120926-UR	Electrode 40A/60A/80A, Long Life	5
6.	T-11299	120977	Shield 60-100A, Gouging	1	22.	T-8401		120926	Electrode 40A/60A/80A	5
7.	T-12067	220061	Retaining Cap 40A/60A/80A, Ohmic	1	<u>3</u> 23.	T-4455	0	220037-UR	Electrode 100A, Long Life	5
8.	T-12066	120928	Retaining Cap 40A/60A/80A	1	24.	T-8872		220037	Electrode 100A	5
9.	T-12071	220206	Retaining Cap 100A, Ohmic	1	<u>3</u> 25.	T-4456	0	120925-UR	Swirl Ring 40A/60A/80A, Long Life	2
10.	T-8902	220048	Retaining Cap 100A	1	26.	T-8400		120925	Swirl Ring 40A/60A/80A	2
11.	T-3891	120932	Nozzle 40A	5	<b>②</b> 27.	T-4457	0	220051-UR	Swirl Ring 100A, Long Life	2
12.	T-8405	120931	Nozzle 60A	5	28.	T-11288		220051	Swirl Ring 100A	5
13.	T-3890	120927	Nozzle 80A	5	29.	Torch, ca	ble	e leads. See fo	llowing pages for details.	
14.	T-3889	220006	Nozzle 40A, Extended	5						
15.	T-4572	220007	Nozzle 60A, Extended	5						

- FULLY INTERCHANGEABLE AND COMPATIBLE WITH ORIGINAL PARTS. BUT DIFFERS FROM ORIGINAL DESIGN
- 0 MUST BE USED ONLY AS THE SET OF ELECTRODE & SWIRL RING, LIKE SHOWN IN THE PICTURE (UR DESIGN VERSION OR OEM DESIGN VERSION), SET OFFERS LIFETIME LONGER UP TO 50%

SMART SOLUTION - DESIGN IMPROVEMENTS THAT BRINGS ADDED VALUE SUCH AS IMPROVED LIFETIME OF CONSUMABLES, EXCELLENT CUT QUALITY, SPEED OR BETTER COST EFFECTIVENESS OF YOUR SYSTEM.

#### Last update of this page: 05/01/2021. See Revision history for details.



TEL.: +420 556 423 418 SALES@THERMACUT.CZ

TEL.: +49 (0) 27 39 40 33 0 TEL.: 1-603-542-6715 INFO@THERMACUT.DE

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR **Hypertherm®** POWERMAX® 1000 / POWERMAX® 1250 / POWERMAX® 1650



Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ

 WWW.THERMACUT.DE
 WWW.THERMACUT.COM

 TEL.: +49 (0) 27 39 40 33 0
 TEL.: 1-603-542-6715

 INFO@THERMACUT.DE
 CUSTOMERSERVICE@THERMACUT.COM

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR **Hypertherm®** POWERMAX® 1000 / POWERMAX® 1250 / POWERMAX® 1650 T60TM/T60MTM TORCH, T80TM/T80MTM TORCH, T100TM/T100MTM TORCH

Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
*1.	KT-1194*	083175-UR	T60M™ Machine Torch with Leads 4.6m (15′)	1	*	KT-1149*	059270-UR	T100™ Hand Torch with Leads 15.2m (50′)	1
*	KT-1138*	083174-UR	T60M™ Machine Torch with Leads 7.6m (25′)	1	*	KT-1345*	059499-UR	=059270-UR	1
*	KT-1195*	083176-UR	T60M™ Machine Torch with Leads 10.7m (35′)	1	3.	T-4510	058519	O-Ring	10
*	KT-1196*	083177-UR	T60M™ Machine Torch with Leads 15.2m (50′)	1	*4.	KT-1136*	128681-UR	T60™ Cable Leads, Hand 7.6m (25′)	1
*	KT-1193*	087003-UR	T80M™ Machine Torch with Leads 4.6m (15′)	1	*	KT-1140*	128682-UR	T60™ Cable Leads, Hand 15.2m (50′)	1
*	KT-1134*	087004-UR	T80M™ Machine Torch with Leads 7.6m (25′)	1	*5.	KT-1192*	128634-UR	T60M™/T80M™ Cable Leads, Machine 4.6m (15′)	1
*	KT-1184*	087005-UR	T80M™ Machine Torch with Leads 10.7m (35′)	1	*	KT-1133*	128633-UR	T60M™/T80M™ Cable Leads, Machine 7.6m (25′)	1
*	KT-1163*	087006-UR	T80M™ Machine Torch with Leads 15.2m (50′)	1	*	KT-1183*	128635-UR	T60M™/ T80M™ Cable Leads, Machine 10.7m (35′)	1
*	KT-1124*	059265-UR	T100M™ Machine Torch with Leads 7.6m (25′)	1	*	KT-1162*	128641-UR	T60M™/T80M™ Cable Leads, Machine 15.2m (50')	1
*	KT-1170*	059268-UR	T100M™ Machine Torch with Leads 10.7m (35′)	1	*4.	KT-1130*	128637-UR	T80™ Cable Leads, Hand 7.6m (25′)	1
*	KT-1175*	059272-UR	T100M™ Machine Torch with Leads 15.2m (50′)	1	*	KT-1144*	128636-UR	T80™ Cable Leads, Hand 15.2m (50′)	1
*	KT-1450*	059315-UR	T100M-2™ Machine Torch with Leads 7.6m (25′)	1	*	KT-1146*	128893-UR	T80™ Cable Leads, Hand 22.9m (75′)	1
*	KT-1395*	059325-UR	T100M-2™ Machine Torch with Leads 15.2m (50	) 1	*	KT-1121*	128755-UR	T100™ Cable Leads, Hand 7.6m (25′)	1
*	T-13153*	059326-UR	T100M-2™ Machine Torch with Leads 22.9m (75′	) 1	*	KT-1148*	128752-UR	T100™ Cable Leads, Hand 15.2m (50′)	1
*	KT-1259*	059300-UR	T100M™ Machine Torch with Leads 22.9m (75′	) 1	*5.	KT-1122*	128753-UR	T100M™ Cable Leads, Machine 7.6m (25′)	1
*2.	KT-1137*	083172-UR	T60™ Hand Torch with Leads 7.6m (25′)	1	*	KT-1169*	128751-UR	T100M™ Cable Leads, Machine 10.7m (35′)	1
*	KT-1141*	083171-UR	T60™ Hand Torch with Leads 15.2m (50′)	1	*	KT-1174*	128759-UR	T100M™ Cable Leads, Machine 15.2m (50′)	1
*	KT-1143*	083208-UR	T60™ Hand Torch with Leads 22.9m (75′)	1	*	KT-1258*	K.T100M.22,9M.K	T100M™ Cable Leads, Machine 22.9m (75′)	1
*	KT-1131*	087001-UR	T80™ Hand Torch with Leads 7.6m (25′)	1	*	KT-1467*	228222-UR	T100M-2™ Cable Leads, Machine 7.6m (25′)	1
*	KT-1145*	087002-UR	T80™ Hand Torch with Leads 15.2m (50′)	1	*	KT-1396*	228224-UR	T100M-2™ Cable Leads, Machine 15.2m (50′)	1
*	KT-1147*	087047-UR	T80™ Hand Torch with Leads 22.9m (75′)	1	6.	Torch, cable	e leads. See fol	lowing pages for details.	
*	KT-1123*	059264-UR	T100™ Hand Torch with Leads 7.6m (25′)	1					

FULLY INTERCHANGEABLE WITH ORIGINAL PARTS, BUT DIFFERS FROM ORIGINAL DESIGN


Last update of this page: 05/01/2021. See Revision history for details.



 WWW.THERMACUT.CZ
 WWW.THERMACUT.DE
 WWW.THERMACUT.CO

 TEL.: +420 556 423 418
 TEL.: +49 (0) 27 39 40 33 0
 TEL.: 1-603-542-6715

 SALES@THERMACUT.CZ
 INFO@THERMACUT.DE
 CUSTOMERSERVICE@T



ltem	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
*1.	T-10319*	128640-UR	T60M <sup>™</sup> /T80M <sup>™</sup> Torch Body Kit (incl. items 1, 2, 3, 5)	1	*5.	T-10253*	128521-UR	T60™, T80™/T60M™, T80M™ Torch Head Repair Kit	1
2.	T-10237	027889 OEM	Retaining Clip	1	*6.	PT-12161*	128643-UR	Torch Mounting Sleeve Replacement Kit with Screws	1
3.	T-4510	058519	O-Ring	10	7.	T-12159	128710	Torch Positioning Sleeve	1
*4.	T-10615*	128639-UR	TMT Can-off Sensor Replacement Kit with Screws	1					

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR POWERMAX® 1000 / POWERMAX® 1250 T60™/T80™ HAND TORCH



Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
*1.	T-10281*	128564-UR	T60™/T80™ Torch Body Kit (incl. items 1, 2, 3, 5)	1	<b>①</b> 6.	T-10623 🧿	128644-UR	TMT Handle Kit with Screws	1
2.	T-10237	027889 OEM	Retaining Clip	1	<ul><li>7.</li></ul>	T-10849 🗿	T-10849	Trigger + Switch	1
3.	T-4510	058519	O-Ring	10	47.	T-10838	T-10838	T60™/T80™/T100™ Handle Repl. Assy	1
<ul><li>4.</li></ul>	T-10615 <b>①</b>	128639-UR	TMT Cap-off Sensor Replacement Kit with Screws	1	17.	T-10839	T-10839	T60™/T80™ Torch + Handle Repl. Assy	1
*5.	T-10253*	128521-UR	T60™,T80™/T60M™,T80M™ Torch Head Repair Kit	1	15.	T-10846	T-10846	T80™ Torch Body + Cap Sensor	1

- \* FULLY INTERCHANGEABLE AND COMPATIBLE WITH ORIGINAL PARTS, BUT DIFFERS FROM ORIGINAL DESIGN
- MUST BE USED ONLY AS A SET OF ITEMS 4, 6, 7, THIS COMPLETE SET IS INTERCHANGEABLE AND COMPATIBLE WITH ORIGINAL PARTS


#### Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ

WWW.THERMACUT.DE
TEL.: +49 (0) 27 39 40 33 0
INFO@THERMACUT.DE

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR Hypertherm® POWERMAX® 1650 T100M™, T100M-2™ MACHINE TORCH



Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
*1.	T-10446*	128754-UR	T100M™ Torch Body Kit (incl.items 2, 3, 5)	1	7.	T-12159	128710	Torch Positioning Sleeve	1
2.	T-10237	027889 OEM	Retaining Clip	1	15.	T-10847	T-10847	T100M™ Torch Body + Cap Sensor	1
3.	T-4510	058519	O-Ring	10	*8	T-11291	228523-UR	T100M-2™ Torch Body Kit (incl. items 3, 9, 10, 11)	1
*4.	T-10615*	128639-UR	TMT Cap-off Sensor Replacement Kit with Screws	1	*9	T-11292	228522-UR	T100M-2™ Torch Head Repair Kit	1
*5.	T-10473*	128768-UR	T100™/T100M™ Torch Head Repair Kit	1	<b>1</b> 0.	T-11344	075473	Machine Screws	2
*6.	PT-12161*	128643-UR	Torch Mounting Sleeve Replacement Kit with Screws	1	<b>11</b> .	T-11345	075503	Lock Nuts	2

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR POWERMAX® 1650 T100™ HAND TORCH



Iten	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
*1	. T-10444*	128767-UR	T100™ Torch Body Kit (incl.items 2, 3, 5)	1	<b>①</b> 6.	T-10623 🧿	128644-UR	TMT Handle Kit with Screws	1
2	. T-10237	027889 OEM	Retaining Clip	1	<ul><li>7.</li></ul>	T-10849 🧿	T-10849	Trigger + Switch	1
3	. T-4510	058519	O-Ring	10	47.	T-10838	T-10838	T60™/T80™/T100™ Handle Repl. Assy	1
Q	. T-10615 🧿	128639-UR	TMT Cap-off Sensor Replacement Kit with Srews	1	17.	T-10840	T-10840	T100™ Torch Handle Repl. Assy	1
*5	. T-10473*	128768-UR	T100™/T100M™ Torch Head Repair Kit	1	15.	T-10848	T-10848	T100™ Torch Body + Cap Sensor	1

- \* FULLY INTERCHANGEABLE AND COMPATIBLE WITH ORIGINAL PARTS, BUT DIFFERS FROM ORIGINAL DESIGN
- MUST BE USED ONLY AS A SET OF ITEMS 4, 6, 7, THIS COMPLETE SET IS INTERCHANGEABLE AND COMPATIBLE WITH ORIGINAL PARTS

### Last update of this page: 05/01/2021. See Revision history for details.

THERMACUT®
THE CUTTING COMPANY®

WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ

WWW.THERMACUT.DE
TEL.: +49 (0) 27 39 40 33 0
INFO@THERMACUT.DE



Last update of this page: 01/11/2020. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR **Hypertherm®** POWERMAX® 1000 / POWERMAX® 1250 / POWERMAX® 1650 **DURAMAX® HAND TORCH, DURAMAX® MACHINE TORCH**

Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-13155	228788-UR	DURAMAX® G3 Hand Torch with Leads 7.6m (25'), retrofit connection to POWERMAX® 1000/1250/1650	1
	T-13156	228789-UR	DURAMAX® G3 Hand Torch with Leads 15.2m (50'), retrofit connection to POWERMAX® 1000/1250/1650	1
2.	T-13157	228790-UR	DURAMAX® G3 Machine Torch with Leads 7.6m (25'), retrofit connection to POWERMAX® 1000/1250/1650	1
	T-13158	228791-UR	DURAMAX® G3 Machine Torch with Leads 15.2m (50'), retrofit connection to POWERMAX® 1000/1250/1650	1
3.	See section	POWERMAX®	65/85/105 for all parts available.	

Last update of this page: 01/11/2020. See Revision history for details.




 WWW.THERMACUT.CZ
 WWW.THERMACUT.DE
 WWW.THERMACUT.CO

 TEL.: +420 556 423 418
 TEL.: +49 (0) 27 39 40 33 0
 TEL.: 1-603-542-6715

 SALES@THERMACUT.CZ
 INFO@THERMACUT.DE
 CUSTOMERSERVICE@T

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR **Hypertherm® POWERMAX® 30**

T30v™ HAND TORCH



Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-10777	220569 OEM	Deflector	1	7.	T-11235	220479	Swirl Ring	1
2.	T-11279	220483	Retaining Cap	1	<ul><li>8.</li></ul>	T-11848 🧿	220479-UR	Swirl Ring	2
<ul><li>3.</li></ul>	T-11852 🧿	220483-UR	Retaining Cap	1	9.	T-10758	220478 OEM	Electrode	10
4.	T-11234	220480	Nozzle	5	<b>⊙</b> 10.	T-11850 🧿	220478-UR	Electrode	5
<ul><li>5.</li></ul>	T-11849 🧿	220480-UR	Nozzle	5					
<u> </u>	T-11943 🧿	220480-D	Nozzle Drag	5					

0 MUST BE USED ONLY AS A SET OF RETAINING CAP, NOZZLE, SWIRL RING, ELECTRODE, THIS COMPLETE SET IS COMPATIBLE WITH ORIGINAL TORCH BODY.

### Last update of this page: 05/01/2021. See Revision history for details.




WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ INFO@THERMACUT.DE

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR

# **Hypertherm®**

#### **POWERMAX® 45**

## T30v™/T45v™ HAND TORCH, T45m™ MACHINE TORCH



	ltem	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
(	<b>1</b> .	T-11393 🗿	220674-UR	Shield, Hand	1	12.	T-11394	220672	Nozzle, Gouging	5
(	<b>2</b> .	T-11398 🧿	220673-UR	Shield, Machine	1	13.	T-11234	220480	Nozzle 30A	5
	3.	T-11213	220717	Deflector	1	<b>(</b> ) 14.	T-11849 👵	220480-UR	Nozzle	5
	4.	T-11392	220675	Shield, Gouging	1	<b>1</b> 5.	T-11943 <b>(</b>	220480-D	Nozzle Drag	5
	5.	T-10777	220569 OEM	Deflector (optional)	1	16.	T-11212	220670	Swirl Ring 45A	1
	6.	T-12074	220713	Retaining Cap 45A, without IHS tab	1	17.	T-11235	220479	Swirl Ring 30A	1
	7.	T-12075	220719	Retaining Cap 45A, with IHS tab	1	<b>(</b> ) 18.	T-11848 🗿	220479-UR	Swirl Ring	2
	8.	T-11279	220483	Retaining Cap 30A	1	19.	T-11236	220669	Electrode 45A	5
(	<b>)</b> 9.	T-11852	220483-UR	Retaining Cap	1	20.	T-10758	220478 OEM	Electrode 30A	10
(	<b>1</b> 0.	T-11395 🗿	220671-UR	Nozzle, Shielded	5	<b>1</b> 21.	T-11850 🕒	220478-UR	Electrode	5
	11.	T-11214	220718	Nozzle, NonShielded	5					

- MUST BE USED ONLY AS A SET OF SHIELD AND NOZZLE, THIS COMPLETE SET IS INTERCHANGEABLE AND COMPATIBLE WITH ORIGINAL PARTS
- MUST BE USED ONLY AS A SET OF RETAINING CAP, NOZZLE, SWIRL RING, ELECTRODE, THIS COMPLETE SET IS COMPATIBLE WITH ORIGINAL TORCH BODY

### Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

# 45/65/85A application Shielded configuration 25 130 100 140 150 24 NonShielded configuration 200 Torch, cable leads. See following pages for details 90 Gouging configuration 16<sup>0</sup> 65/85A 400 110 17<sup>0</sup> 105A 105A application Shielded configuration 50 110 23<sup>9</sup> (Pkg. 5 pcs + 1 pc) 219 180 120 (200)FineCut® configuration 9 (219)229 19 10

Last update of this page: 28/02/2020. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

TEL.: 1-603-542-6715 CUSTOMERSERVICE@THERMACUT.COM

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR **Hypertherm®** POWERMAX® 65 / POWERMAX® 85 / POWERMAX® 105 **DURAMAX® HAND TORCH, DURAMAX® MACHINE TORCH**



Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
<ul><li>1.</li></ul>	T-114060	220818-UR	Shield 45/65/85A, Hand	1	19.	T-11845	220930	Nozzle 45A, FineCut®	5
<b>①</b> 2.	T-114040	220817-UR	Shield 45/65/85A, Machine	1	<b>3</b> 20.	T-11861 <b>③</b>	220857-UR	Swirl Ring 45-85A	1
3.	T-11407	220955	Deflector 45/65/85/105A	1	<b>3</b> 21.	T-11930 <b>G</b>	220994-UR	Swirl Ring 105A	1
<b>②⑤</b> 4.	T-12022	220798-UR	Shield 65/85/105A, Gouging	1	<b>3</b> 22.	T-12015 <b>G</b>	220947-UR	Swirl Ring 45A, FineCut®	1
<b>5</b> .	T-118416	220992-UR	Shield 105A, Hand	1	<b>3</b> 23.	T-11883 <b>G</b>	220842x5	Electrode 45-105A (pkg. 5 pcs.)	1 × 5
<b>6</b> .	T-11842 <b></b>	220993-UR	Shield 105A, Machine	1			220842	Part is available in 5pcs. set 220842x5 only	
7.	T-12013	220931	Deflector 45A, FineCut®	1	24.	Torch, cabl	e leads. See fo	ollowing pages for details.	
8.	T-12014	220948	Shield 45A, Ohmic, FineCut®	1	**25.	T-11933**	T-11933	Starter Kit 45A, Hand	1
<b>3</b> 9.	T-11423 <b>(</b> )	220854-UR	Retaining Cap 45/65/85A	1	**	T-11934**	T-11934	Starter Kit 45A, Machine	1
<b>1</b> 0.	T-11931 <b>(</b> )	220953-UR	Retaining Cap 45/65/85A, Ohmic	1	**	T-11935**	T-11935	Starter Kit 65A, Hand	1
<b>(5)</b> 11.	T-11422 <b></b>	T-11422	Retaining Cap 105A	1	**	T-11936**	T-11936	Starter Kit 65A, Machine	1
<b>(</b> 12.	T-11932 <b></b>	T-11932	Retaining Cap 105A, Ohmic	1	**	T-11937**	T-11937	Starter Kit 85A, Hand	1
<ul><li>13.</li></ul>	T-11378 🗿	220941-UR	Nozzle 45A	5	**	T-11938**	T-11938	Starter Kit 85A, Machine	1
<b>①</b> 14.	T-11377 🧿	220819-UR	Nozzle 65A	5	**	T-11939**	T-11939	Starter Kit 105A, Hand	1
<b>1</b> 5.	T-11405 🗿	220816-UR	Nozzle 85A	5	**	T-11940**	T-11940	Starter Kit 105A, Machine	1
<b>①</b> 16.	T-12021 0	220797-UR	Nozzle 65/85A, Gouging	5	**	T-11941**	T-11941	Empty box for Starter Kit, universal	1
<b>(</b> 17.	T-120236	220991-UR	Nozzle 105A, Gouging	5					
<b>(</b> 18.	T-11840	220990-UR	Nozzle 105A	5					

- 0 MUST BE USED ONLY AS A SET OF SHIELD AND NOZZLE, THIS COMPLETE SET IS INTERCHANGEABLE AND COMPATIBLE WITH ORIGINAL PARTS.
- MUST BE USED ONLY AS A SET OF SHIELD, RETAINING CAP AND NOZZLE, THIS COMPLETE SET IS INTERCHANGEABLE AND COMPATIBLE WITH ORIGINAL PARTS.
- MUST BE USED ONLY AS A SET OF ELECTRODE AND SWIRL RING, THIS COMPLETE SET IS INTERCHANGEABLE AND COMPATIBLE WITH ORIGINAL PARTS. ELECTRODES ARE PACKED TOGETHER WITH SWIRL RING SPRING HOLDER (BLACK PART) IN RATIO 5 ELECTRODES TO 1 HOLDER.
- **①** RETAINING CAP UP TO 85A. FOR 105A - RETAINING CAP T-11422 HAS TO BE USED. DIFFERENT RETAINING CAP HAS TO BE USED FOR 105A AND FOR 45/65/854
- CONTENT: ELECTRODE 5 PCS (PACKED TOGETHER WITH SWIRL RING SPRING HOLDER), NOZZLE 5 PCS, SW. RING 1 PC, RET. CAP 1 PC, SHIELD 2 PCS (203), (213) - ALSO POSSIBLE TO USE WITH FineCut® CONFIGURATION, BUT FOR BEST CUT QUALITY RESULTS - USE 220947-UR


SMART SOLUTION - DESIGN IMPROVEMENTS THAT BRINGS ADDED VALUE SUCH AS IMPROVED LIFETIME OF CONSUMABLES, EXCELLENT CUT QUALITY, SPEED OR BETTER COST EFFECTIVENESS OF YOUR SYSTEM

Last update of this page: 28/02/2020. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ

TEL.: +49 (0) 27 39 40 33 0 TEL.: 1-603-542-6715 INFO@THERMACUT.DE



Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR **Hypertherm®** POWERMAX® 65 / POWERMAX® 85 / POWERMAX® 105 **DURAMAX® HAND TORCH, DURAMAX® MACHINE TORCH**

H	em	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
NEW	1.	KT-1513	059473-UR	DURAMAX® Hand Torch with Leads 7.6m (25')	1	NEW	T-13164	T-13164	DURAMAX® Machine Torch with Leads 7.6m (25')	1
NEW		KT-1514	059474-UR	DURAMAX® Hand Torch with Leads 15.2m (50')	1	NEW	T-13165	T-13165	DURAMAX® Machine Torch with Leads 10.7m (35')	1
NEW		KT-1515	059475-UR	DURAMAX® Hand Torch with Leads 23m (75')	1	NEW	T-13166	T-13166	DURAMAX® Machine Torch with Leads 15.2m (50')	1
NEW	!!!	T-13067	DEMO DMX105H	DURAMAX® Hand Torch with Leads, sample piece - exhibition only	1	NEW	T-13167	T-13167	DURAMAX® Machine Torch with Leads 23m (75')	1
NEW	2.	T-13073	059481-UR	DURAMAX® Mach. Torch Short with Leads 4.6m (15')	1	<b>*</b> 5	. T-13168	T-13168	DURAMAX® Cable Leads, Hand 7.6m (25')	1
NEW		T-13074	059482-UR	DURAMAX® Mach. Torch Short with Leads 7.6m (25')	1	NEW 7	T-13169	T-13169	DURAMAX® Cable Leads, Hand 15.2m (50')	1
NEW		T-13075	059483-UR	DURAMAX® Mach. Torch Short with Leads 10.7m (35')	1	NEW ,	T-13170	T-13170	DURAMAX® Cable Leads, Hand 22.9m (75′)	1
NEW		T-13076	059484-UR	DURAMAX® Mach. Torch Short with Leads 15.2m (50')	1	MEM.	T-13171	T-13171	DURAMAX® Cable Leads, Machine 4.6m (15')	1
NEW	!!!	T-13181	DEMO DMX105MSH	DURAMAX® Mach. Torch Short with Leads, sample piece - exhibition only	1	NEW ,	T-13172	T-13172	DURAMAX® Cable Leads, Machine 7.6m (25')	1
NEW	3.	KT-1517	059476-UR	DURAMAX® Machine Torch with Leads 4.6m (15')	1	MEM.	T-13173	T-13173	DURAMAX® Cable Leads, Machine 10.7m (35′)	1
NEW		KT-1518	059477-UR	DURAMAX® Machine Torch with Leads 7.6m (25')	1	NEW ,	T-13174	T-13174	DURAMAX® Cable Leads, Machine 15.2m (50')	1
NEW		KT-1519	059478-UR	DURAMAX® Machine Torch with Leads 10.7m (35')	1	MEM 7	T-13176	T-13176	DURAMAX® Cable Leads, Machine 22.9m (75′)	1
NEW		KT-1520	059479-UR	DURAMAX® Machine Torch with Leads 15.2m (50')	1	<b>E</b> 6	. PT-13221	PT-13221	Latch and Key	1
NEW		KT-1521	059480-UR	DURAMAX® Machine Torch with Leads 23m (75')	1	7	. Torch, spa	re parts. See f	ollowing pages for details.	
NEW	!!!	T-13068	DEMO DMX105M	DURAMAX® Mach. Torch with Leads, sample piece - exhibition only	1					
NEW	4.	T-13163	T-13163	DURAMAX® Machine Torch with Leads 4.6m (15')	1					

**INCLUDING PART 6.** 

!!! DEMO IS INOPERATIVE, FOR EXHIBITION PURPOSES ONLY!

Last update of this page: 05/01/2021. See Revision history for details.




 WWW.THERMACUT.CZ
 WWW.THERMACUT.DE
 WWW.THERMACUT.CO

 TEL.: +420 556 423 418
 TEL.: +49 (0) 27 39 40 33 0
 TEL.: 1-603-542-6715

 SALES@THERMACUT.CZ
 INFO@THERMACUT.DE
 CUSTOMERSERVICE@T

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR **Hypertherm®** POWERMAX® 65 / POWERMAX® 85 / POWERMAX® 105 **DURAMAX® HAND TORCH**



Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
*1.	T-12233	228958	DURAMAX® Torch Body Kit	1	2b.	T-10607	T-10607	Micro Switch	1
1a.	N-18406	O-KR-17x1,5G	O-Ring	1	2c.	PT-12600	T-171	Torch Trigger	1
**2.	T-13098	T-13098	Handle Kit Full Set	1	2d.	PT-13261	PT-13261	Cap Sensor	1
***2a.	T-12599	T-12599	Handle Cover	1					

- INCLUDING PARTS 1, 1a.
- INCLUDING PARTS 2a, 2b, 2c, 2d.
- PLASTIC COVER ONLY, DOESN'T CONTENT TRIGGER, MICROSWITCH, SWITCHES, SCREWS!

### Last update of this page: 23/03/2021. See Revision history for details.



TEL.: +420 556 423 418 SALES@THERMACUT.CZ INFO@THERMACUT.DE


# THERMACUT® REPLACEMENT PARTS SUITABLE FOR

**Hypertherm®** 

POWERMAX® 65 / POWERMAX® 85 / POWERMAX® 105

## **DURAMAX® MACHINE TORCH**

#### STANDARD TORCH



Item	Part No.	Ref. No.	Description	Std. Pkg.	ltem	Part No.	Ref. No.	Description	Std. Pkg.
*1.	T-12256	228716	Torch Body DMX65M/85M/105M	1	4.	T-12258	228737	Tube L228	1
1a.	T-13121	228720	Cap Sensor Replacement	1	5.	T-12259	228738-UR	Gear Rack	1
1b.	N-18406	O-KR-17x1,5G	O-Ring	1	6.	N-19548	N-19548	Plastic Protection	1
2.	T-12223	228735	Torch Front Sleeve + Screws	1					
2a.	N-18238	N-18238	Screws (3pcs set)	1					
3.	T-12257	228736	Adaptor Ring	1					

#### **SHORT TORCH**




Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
*1.	T-12256	228716	Torch Body DMX65M/85M/105M	1	2a.	N-18238	N-18238	Screws (3pcs set)	1
1a.	T-13121	228720	Cap Sensor Replacement	1	3.	T-12257	228736	Adaptor Ring	1
1b.	N-18406	O-KR-17x1,5G	O-Ring	1	4.	N-19548	N-19548	Plastic Protection	1
2.	T-12223	228735	Torch Front Sleeve + Screws	1					

\* INCLUDING PARTS 1, 1a, 2, 2a.

### Last update of this page: 23/03/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE



Last update of this page: 23/03/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR **Hypertherm®** HT®2000 HySpeed® PAC® 200/T

Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
*1.	T-4463*	020424-UR	Shield 200A, Machine	1	20.	T-0773	120547	Electrode 100A, 200A	5
2.	T-0365	020424	Shield 200A, Machine	1	NS	T-2838	120258	Electrode 200A, Extended	5
	T-0366	020448	Shield 100A, Machine	1	21.	T-4901	020664-AG	Electrode 40A, 200A, SilverEX-®	5
3.	T-0368	020688	Shield 40A, Machine	1	*22.	T-10261*	220235-UR	Electrode HySpeed® 200A	5
*NS	T-10317*	120260-UR	Shield 200A, Bevel, O <sub>2</sub> /Air	1	*NS	T-0382*	020415-UR	Electrode 100-200A	5
*4.	T-4462*	220239-UR	Shield HySpeed® 200A	1	23.	T-9757	120584	MAX®200/HT®2000, Machine Torch (same as 020470)	1
5.	T-0370	020423	Retaining Cap	1	24.	T-4066	120356	MAX®200/HT®2000, S.S. Machine Torch	1
6.	T-10242	120837	Retaining Cap, Ohmic	1	25.	T-0383	044027	O-Ring	1
7.		220242 OEM	Retaining Cap HySpeed®, Ohmic	1	#26.	T-1813	020963	Water Tube, OEM Torch	1
*NS	T-10304*	220238-UR	Retaining Cap HySpeed®	1	**27.	T-4119	T-4119	Water Tube, TMT/OEM Torch	1
8.	T-0372	020608	Nozzle 200A	5	#28.	T-10876	120257	Water Tube, Extended, OEM Torch	1
9.	T-0373	020611	Nozzle 100A	5	**29.	PT-11557	T-4120	Water Tube, Extended, TMT/OEM Torch	1
10.	T-0376	020689	Nozzle 40A	5	30.	T-1397	T-1397	Wrench for TMT Water Tube	1
11.	T-0371	020605	Nozzle 200A, O <sub>2</sub>	5	31.	T-0386	020431	Sleeve 1.75" (D 44.5mm for 120584 or 020470)	1
12.	T-1045	020690	Nozzle 100A	5	32.	T-1001	020041	Sleeve 2" (D 50.8mm for 120356)	1
NS	T-2839	120259	Nozzle 200A, Bevel, O <sub>2</sub> /Air	1	33.	KT-1412	028659	HT®2000 Cable Leads 6.1m (20')	1
13.	T-8860	220237	Nozzle HySpeed® 200A	1		KT-1213	028546	HT®2000 Cable Leads 7.6m (25')	1
14.	T-1047	020679	Swirl Ring 200A	1		KT-1085	028662	HT®2000 Cable Leads 12.2m (40′)	1
15.	T-0378	020607	Swirl Ring 100A	1		KT-1081	028547	HT®2000 Cable Leads 15.2m (50′)	1
16.	T-0379	020613	Swirl Ring 40A, 100A	1	34. Cable with torch available on request.				
17.	T-1046	120833	Swirl Ring 200A, O <sub>2</sub>	1	35. Coolant Liquid. Details on the page 148, section Accessories.				
	T-10945	120834	Swirl Ring 200A, O <sub>2</sub> , CCW	5	Different types of cable leads available on request				
18.	T-10318	220236	Swirl Ring HySpeed® 200A	1	Parts HyPro™/MaxPro™ for line HT®2000 available also, see other pages for details.				
19.	T-0998	120667	Electrode 40A, 200A	5					

- COMPATIBLE WITH OEM TORCH ONLY, DOESN'T FIT TO THERMACUT TORCH
- FULLY INTERCHANGEABLE WITH ORIGINAL PARTS, BUT DIFFERS FROM ORIGINAL DESIGN
- COMPATIBLE WITH THERMACUT AND OEM TORCH
- -AG HEAVY DUTY ELECTRODE, OFFERS BETTER LIFETIME

COUNTER CLOCK WISE GAS SWIRLING, USE OF CCW PARTS WILL MAKE CUT ANGLE ON THE OPPOSITE SIDE, THAN WITH STANDARD CLOCK WISE (CW) SWIRLING PARTS.

NOT SHOWN IN THE PICTURE NS


SMART SOLUTION - DESIGN IMPROVEMENTS THAT BRINGS ADDED VALUE SUCH AS IMPROVED LIFETIME OF CONSUMABLES, EXCELLENT CUT QUALITY, SPEED OR BETTER COST EFFECTIVENESS OF YOUR SYSTEM

### Last update of this page: 23/03/2021. See Revision history for details.



TEL.: +420 556 423 418 SALES@THERMACUT.CZ

INFO@THERMACUT.DE



Last update of this page: 23/03/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR **Hypertherm®** HyPro™2000 UPGRADE TORCH FOR HT®2000 MILD STEEL, STAINLESS STEEL, ALUMINIUM



Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-11283	220532	Shield 50A, O <sub>2</sub> /Air	1	13.	T-11315*	220892-UR	Nozzle 130A, O <sub>2</sub> /Air	5
2.	T-11281	220491	Shield 130A, O <sub>2</sub>	1	14.	T-11837*	420044-UR	Nozzle 200A, O <sub>2</sub> /Air/N <sub>2</sub>	5
3.	T-11375	220832	Shield 200A, O <sub>2</sub> /Air	1	15.	T-11282	220529	Swirl Ring 50A, O <sub>2</sub> /Air (200A, N <sub>2</sub> )	1
4.	T-11284	220536	Shield 130A, Air	1	16.	T-11280	220488	Swirl Ring 130A (200A)	1
5.	T-13097	220936	Retaining Cap 50-200A, $\mathrm{O_2/Air}$ (200A, $\mathrm{N_2}$ ), HD	1	17.	T-11312	220834	Swirl Ring 200A, O <sub>2</sub>	1
6.	T-11349*	220936-UR	Retaining Cap 50-200A, $\mathrm{O_2/Air}$ (200A, $\mathrm{N_2}$ )	1	<u>0</u> 18.	T-113090	220528-UR	Electrode 45A (50A)	5
7.	T-13096	220935	Retaining Cap 50-200A, $O_2$ /Air (200A, $N_2$ ), w/o IHS, HD	1	<u> </u>	T-113040	220487-UR	Electrode 130A, O <sub>2</sub> /Air	5
8.	T-11348*	220935-UR	Retaining Cap 50-200A, $\mathrm{O_2/Air}$ (200A, $\mathrm{N_2}$ ), w/o IHS	1	<u> </u>	T-11317 <b>①</b>	220937-UR	Electrode 200A, O <sub>2</sub> /Air	5
NS	T-13094	220490	Retaining Cap 45/130A, Air (50/130A, $\mathrm{O}_2$ ), w/o IHS, HD	1	<u>0</u> 21.	T-0382 🧿	020415-UR	Electrode 100-200A	5
NS	T-13095	220578	Retaining Cap 45/130A, Air (50/130A, $O_2$ ), with IHS, HD	1	<u> </u>	T-11307 <b>①</b>	220521-UR	Cooling Tube (use with TMT electrode)	1
9.	T-11314*	220891-UR	Nozzle 50A, O <sub>2</sub>	5	23.	T-12227	220961-UR	HyPro™2000 Machine Torch	1
10.	T-11316*	220893-UR	Nozzle 130A, O <sub>2</sub>	5	24.	N-10094	1-027B	O-Ring	1
11.	T-11836*	220831-UR	Nozzle 200A, O <sub>2</sub>	1	25.	Coolant Lic	quid. Details on	the page 148, section Accessories.	
12.	T-11313*	220890-UR	Nozzle 50A, Air	5	Parts H	lyPro™/MaxF	ro™ for line MA	X®200 available also, see other pages	for details.

- FULLY INTERCHANGEABLE WITH ORIGINAL PARTS. BUT DIFFERS FROM ORIGINAL DESIGN
- 0 THERMACUT ELECTRODES HAS TO BE USED WITH THERMACUT DESIGN COOLING TUBE, OTHERWISE IT DOESN'T FIT TO THE TORCH, THERMACUT COOLING TUBE CAN BE USED FOR THERMACUT DESIGN ELECTRODES AND FOR ORIGINAL DESIGN TOO.

NOT SHOWN IN THE PICTURE NS


W/O WITHOUT

HD HEAVY DUTY - OFFERS HIGHER THERMAL RESISTANCE OF THREAD AREA, WHICH COULD BE DAMAGED DURING PIERCING.

#### Last update of this page: 23/03/2021. See Revision history for details.



TEL.: +420 556 423 418 SALES@THERMACUT.CZ INFO@THERMACUT.DE



Replacement parts suitable for HyPro™/MaxPro™ for line MAX®200 available also, see other pages for details.

Last update of this page: 23/03/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR

**Hypertherm® MAX®200** PAC®200T/E


Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
*1.	T-4463*	020424-UR	Shield 200A, Machine	1	20.	T-4066	120356	MAX®200/HT®2000, S.S. Machine Torch	1
2.	T-0365	020424	Shield 200A, Machine	1	21.	T-0383	044027	O-Ring	1
	T-0366	020448	Shield 100A, Machine	1	#22.	T-1813	020963	Water Tube, OEM Torch	1
3.	T-0368	020688	Shield 40A, Machine	1	**23.	T-4119	T-4119	Water Tube, TMT/OEM Torch	1
4.	T-0370	020423	Retaining Cap	1	#24.	T-10876	120257	Water Tube, Extended, OEM Torch	1
5.	T-10242	120837	Retaining Cap, Ohmic	1	**25.	PT-11557	T-4120	Water Tube, Extended, TMT/OEM Torch	1
6.	T-0372	020608	Nozzle 200A	5	26.	T-1397	T-1397	Wrench for TMT Water Tube	1
7.	T-0373	020611	Nozzle 100A	5	27.	T-0386	020431	Sleeve 1.75" (D 44.5mm for 020470 or 120584)	1
8.	T-0376	020689	Nozzle 40A	5	28.	T-1001	020041	Sleeve 2" (D 50.8mm for 120356)	1
9.	T-0371	020605	Nozzle 200A, O <sub>2</sub>	5	29.		028383	MAX®200 Cable Leads Mach. 7.6m (25')	1
10.	T-0375	020616	Nozzle 100A, O <sub>2</sub>	5		KT-1317	028458	MAX®200 Cable Leads Mach.10.7m (35′)	1
11.	T-0378	020607	Swirl Ring 100A, 200A	1		KT-1212	028459	MAX®200 Cable Leads Mach.12.2m (40′)	1
12.	T-0379	020613	Swirl Ring 40A	1		KT-1072	028384	MAX®200 Cable Leads Mach.15.2m (50')	1
13.	T-0377	020604	Swirl Ring 200A, $O_2$	1		KT-1078	K.MAX200.21M.K	MAX®200 Cable Leads Mach. 21m (69′)	1
14.	T-0380	020617	Swirl Ring 100A, O <sub>2</sub>	1		KT-1161	028599	MAX®200 Cable Leads Mach. 22.9m (75′)	1
*15.	T-3926*	220021-UR	Electrode 40A, 200A	5	30.	KT-1167	K.MAX200.7,6M	MAX®200 Mach. Torch with Leads 7.6m (25')	1
NS	T-2838	120258	Electrode 200A, Extended	5		KT-1059	K.MAX200.10,7M	MAX®200 Mach. Torch with Leads 10.7m (35')	1
16.	T-0773	120547	Electrode 100A, 200A	5		KT-1168	K.MAX200.15,2M	MAX®200 Mach. Torch with Leads 15.2m (50')	1
17.	T-0998	120667	Electrode 40A, 200A	5		KT-1248	DEMO MAX200	MAX®200 Machine Torch with Leads (sample piece), exhibition only	1
18.	T-4901	020664-AG	Electrode 40A, 200A, SilverEX-®	5	31.	Coolant Li	quid. Details on	the page 148, section Accessories.	
*NS	T-0382*	020415-UR	Electrode 100-200A	5	Different types of cable leads available on request				
19.	T-0384	020470	MAX®200, Machine Torch (same as 120584)	1	Parts H	lyPro™/Maxl	Pro™ for line MA	X®200 available also, see other pages f	or details.

- # COMPATIBLE WITH OEM TORCH ONLY, DOESN'T FIT TO THERMACUT TORCH
- FULLY INTERCHANGEABLE WITH ORIGINAL PARTS, BUT DIFFERS FROM ORIGINAL DESIGN
- COMPATIBLE WITH THERMACUT AND OEM TORCH
- NS NOT SHOWN IN THE PICTURE
- HEAVY DUTY ELECTRODE, OFFERS BETTER LIFETIME

### Last update of this page: 23/03/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ INFO@THERMACUT.DE



Replacement parts suitable for HyPro™/MaxPro™ for line HT®2000 available also, see other pages for details.

Last update of this page: 23/03/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ

WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR **Hypertherm®** MaxPro™200 UPGRADE TORCH FOR MAX® 200 MILD STEEL, STAINLESS STEEL, ALUMINIUM



Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-11284	220536	Shield 130A, O <sub>2</sub> /Air	1	<b>⊙</b> 13.	T-113040	220487-UR	Electrode 130A, O <sub>2</sub> /Air	5
2.	T-11376	420045	Shield 200A, Air/N <sub>2</sub>	1	<u>0</u> 14.	T-11317 🧿	220937-UR	Electrode 200A, O <sub>2</sub> /Air	5
3.	T-11283	220532	Shield 50A, Air	1	<b>⊙</b> 15.	T-113090	220528-UR	Electrode 45A (50A)	5
4.	T-13097	220936	Retaining Cap 50-200A, $O_2$ /Air (200A, $N_2$ ), HD	1	<u>0</u> 16.	T-0382 🧿	020415-UR	Electrode 100-200A	5
5.	T-11349*	220936-UR	Retaining Cap 50-200A, O <sub>2</sub> /Air (200A, N <sub>2</sub> )	1	<b>⊙</b> 17.	T-11307 🗿	220521-UR	Cooling Tube (use with TMT electrode)	1
6.	T-13096	220935	Retaining Cap 50-200A, $O_2$ /Air (200A, $N_2$ ), w/o IHS, HD	1	18.	T-13154	420087-UR	Torch Body MaxPro™200	1
7.	T-11348*	220935-UR	Retaining Cap 50-200A, O <sub>2</sub> /Air (200A, N <sub>2</sub> ), w/o IHS	1	19.	N-10094	1-027B	O-Ring	1
8.	T-11315*	220892-UR	Nozzle 130A, O <sub>2</sub> /Air	5	20.	T-13160	220943	Mounting Sleeve 2"	1
9.	T-11837*	420044-UR	Nozzle 200A, O <sub>2</sub> /Air/N <sub>2</sub>	5	21.	Coolant Lic	quid. Details on	the page 148, section Accessories.	
10.	T-11313*	220890-UR	Nozzle 50A, Air	5	Parts H	HyPro™/MaxF	Pro™ for line HT	<sup>®</sup> 2000 available also, see other pages f	or details.
11.	T-11280	220488	Swirl Ring 130A (200A)	1					
12.	T-11282	220529	Swirl Ring 50A, Air (200A, N <sub>2</sub> )	1					

- FULLY INTERCHANGEABLE WITH ORIGINAL PARTS. BUT DIFFERS FROM ORIGINAL DESIGN
- 0 THERMACUT ELECTRODES HAS TO BE USED WITH THERMACUT DESIGN COOLING TUBE, OTHERWISE IT DOESN'T FIT TO THE TORCH, THERMACUT COOLING TUBE CAN BE USED FOR THERMACUT DESIGN ELECTRODES AND FOR ORIGINAL DESIGN TOO.

NOT SHOWN IN THE PICTURE NS

W/O WITHOUT

HD HEAVY DUTY - OFFERS HIGHER THERMAL RESISTANCE OF THREAD AREA, WHICH COULD BE DAMAGED DURING PIERCING.


#### Last update of this page: 23/03/2021. See Revision history for details.



TEL.: +420 556 423 418 SALES@THERMACUT.CZ

INFO@THERMACUT.DE

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR Hypertherm® HT®400



ltem	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-0088	020579	Retaining Cap	1	11.	T-1006	044028	O-Ring	10
2.	T-0078	020086	Nozzle 260A, 340A, O <sub>2</sub>	1	12.	T-1397	T-1397	Wrench for TMT Water Tube	1
3.	T-0080	020084	Nozzle .166, N <sub>2</sub>	1	NS	KT-1214	028139	HT®400, PAC®500 Cable Leads 6.1m (20')	1
NS	T-1795	020392	Nozzle .099, O <sub>2</sub> , CCW	1	NS	KT-1154	028140	HT®400, PAC®500 Cable Leads 7.6m (25')	1
4.	T-0081	020096	Swirl Ring, O <sub>2</sub>	1	NS	KT-1157	028141	HT®400, PAC®500 Cable Leads 9.2m (30')	1
	T-0087	020097	Swirl Ring, O <sub>2</sub> , CCW	2	NS	KT-1153	028142	HT®400, PAC®500 Cable Leads 10.7m (35')	1
5.	T-0020	020039	Swirl Ring .120/.166/.187, N <sub>2</sub>	1	NS	KT-1404	028143	HT®400, PAC®500 Cable Leads 12.2m (40')	1
6.	T-0083	020081	Electrode, O <sub>2</sub>	5	NS	KT-1217	K.HT400.15,2M.K	HT®400, PAC®500 Cable Leads 15.2m (50')	1
7.	T-0084	020082	Electrode, N <sub>2</sub>	5	NS	KT-1058	K.HT400.10,7M	HT®400 Mach. Torch with Leads 10.7m (35'	) 1
8.	T-0085	020080	Torch Body HT®400	1	13.	Coolant Lic	quid. Details	on the page 148, section Accessories.	
#9.	T-1389#	020990 OEM	Water Tube, OEM Torch	1	Differe	nt types of o	able leads a	available on request	
**10.	T-1388**	020990-UR	Water Tube, TMT Torch	1					

- # COMPATIBLE WITH OEM TORCH ONLY, DOESN'T FIT TO THERMACUT TORCH
- \*\* COMPATIBLE WITH THERMACUT AND OEM TORCH
- **NS** NOT SHOWN IN THE PICTURE

COUNTER CLOCK WISE GAS SWIRLING, USE OF CCW PARTS WILL MAKE CUT ANGLE ON THE OPPOSITE SIDE, THAN WITH STANDARD CLOCK WISE (CW) SWIRLING PARTS.

#### Last update of this page: 05/01/2021. See Revision history for details.




WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR **Hypertherm®**

HT® 4000

PAC®170/PAC®600



Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-0088	020579	Retaining Cap	1	8.	T-1293	020663	Electrode PAC®170, O <sub>2</sub>	5
2.	T-0078	020086	Nozzle 260A, 340A, O <sub>2</sub>	1	9.	T-0084	020082	Electrode, N <sub>2</sub>	5
3.	T-0080	020084	Nozzle .166, N <sub>2</sub>	1	10.	T-0083	020081	Electrode, O <sub>2</sub>	5
4.	T-0509	020281	Nozzle .120, N <sub>2</sub>	1	11.	T-1382	120090	Electrode, $O_2$	5
	T-0510	020282	Nozzle .166, N <sub>2</sub>	1	12.	T-0499	020285	Electrode, N <sub>2</sub>	5
	T-0511	020283	Nozzle .187, N <sub>2</sub>	1	13.	T-1393	020328	Torch Body PAC®170/PAC®600/PAC®620	1
	T-0512	020284	Nozzle .220, N <sub>2</sub>	1	#14.	T-1389#	020990 OEM	Water Tube, OEM Torch	1
5.	T-1292	020623	Swirl Ring, PAC®170	1	**15.	T-1388**	020990-UR	Water Tube, TMT Torch	1
	T-2927	120015	Swirl Ring, Bevel, CCW	1	16.	T-1006	044028	O-Ring	10
6.	T-0020	020039	Swirl Ring .120/.166/.187, N <sub>2</sub>	1	17.	T-1397	T-1397	Wrench for TMT Water Tube	1
7.	T-1002	020380	Swirl Ring .099	1	18.	Coolant Li	quid. Details on t	he page 148, section Accessories.	
	T-1003	020391	Swirl Ring .099, CCW	2					


- COMPATIBLE WITH OEM TORCH ONLY, DOESN'T FIT TO THERMACUT TORCH
- COMPATIBLE WITH THERMACUT AND OEM TORCH

COUNTER CLOCK WISE GAS SWIRLING, USE OF CCW PARTS WILL MAKE CUT ANGLE ON THE OPPOSITE SIDE, THAN WITH STANDARD CLOCK WISE (CW) SWIRLING PARTS.

#### Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ INFO@THERMACUT.DE



Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ

WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR **Hypertherm®** HT®4001 PAC®620 WITH SLAVE

Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-0508	020580	Retaining Cap 260A-760A, N <sub>2</sub>	1	13.	T-1397	T-1397	Wrench for TMT Water Tube	1
2.	T-0509	020281	Nozzle .120, N <sub>2</sub>	1	14.	T-8756	120390 OEM	Retaining Cap, Bevel	1
3.	T-0510	020282	Nozzle .166, N <sub>2</sub>	1	15.	T-11541	120386 OEM	Nozzle 260A, Bevel, N <sub>2</sub>	1
4.	T-0511	020283	Nozzle .187, N <sub>2</sub>	1	16.	T-1384	120387	Nozzle 400A, Bevel, N <sub>2</sub>	1
5.	T-0512	020284	Nozzle .220, N <sub>2</sub>	1	17.	T-11184	120388	Nozzle 600A, Bevel, N <sub>2</sub>	1
6.	T-0020	020039	Swirl Ring .120/.166/.187, N <sub>2</sub>	1	18.		120389 OEM	Nozzle 760A, Bevel, N <sub>2</sub>	1
7.	T-0022	020040	Swirl Ring .220	1	19.	T-1387	020968	Electrode, Bevel, N <sub>2</sub>	5
8.	T-0499	020285	Electrode, $N_2$	5	20.	T-1390	020991 OEM	Water Tube, Bevel, OEM torch	1
#9.	T-1389#	020990 OEM	Water Tube, OEM Torch	1	21.	T-9883	020991-UR	Water Tube, Bevel, TMT torch	1
**10.	T-1388**	020990-UR	Water Tube, TMT Torch	1	NS	KT-1369	028516	PAC®620 Cable Leads 15.2m (50')	1
11.	T-1393	020328	Torch Body PAC®170/PAC®600/PAC®620	1	22.	Coolant Li	quid. Details on t	he page 148, section Accessories.	
12.	T-1006	044028	O-Ring	10					


- FULLY INTERCHANGEABLE WITH ORIGINAL PARTS, BUT DIFFERS FROM ORIGINAL DESIGN
- COMPATIBLE WITH OEM TORCH ONLY, DOESN'T FIT TO THERMACUT TORCH
- COMPATIBLE WITH THERMACUT AND OEM TORCH
- NS NOT SHOWN IN THE PICTURE

#### Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418

SALES@THERMACUT.CZ INFO@THERMACUT.DE



Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR **Hypertherm®** HT®4001 PAC®620 WITHOUT SLAVE

Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-0088	020579	Retaining Cap 260-400A	1	15.	T-8756	120390 OEM	Retaining Cap, Bevel	1
2.	T-0078	020086	Nozzle 260A, 340A, O <sub>2</sub>	1	16.	T-2841	120384	Nozzle 260A, 340A, Bevel, ${\rm O_2}$	1
3.	T-0080	020084	Nozzle .166, N <sub>2</sub>	1		T-2928	120385	Nozzle 260A, 340A, Bevel, O <sub>2</sub> , CCW	1
4.	T-1292	020623	Swirl Ring 260A, O <sub>2</sub>	1	17.	T-11541	120386 OEM	Nozzle 200A, Bevel, N <sub>2</sub>	1
5.	T-1381	120135	Swirl Ring 340A, O <sub>2</sub>	1	18.	T-1384	120387	Nozzle 400A, Bevel, N <sub>2</sub>	1
6.	T-0020	020039	Swirl Ring .120/.166/.187, N <sub>2</sub>	1	19.	T-4189	120460	Swirl Ring 340A, O <sub>2</sub>	1
7.	T-1293	020663	Electrode 260A, O <sub>2</sub>	5		T-3539	120461	Swirl Ring 340A, O <sub>2</sub> , CCW	1
*8.	T-2846*	120630-UR	Electrode 340A, O <sub>2</sub>	5	20.	T-4048	020975	Electrode 260A, Bevel, O <sub>2</sub>	5
9.	T-0084	020082	Electrode 260A, 400A, N <sub>2</sub>	5	21.	T-3842	120836	Electrode 340A, Bevel, O <sub>2</sub>	5
#10.	T-1389#	020990 OEM	Water Tube, OEM Torch	1	22.	T-1387	020968	Electrode, Bevel, N <sub>2</sub>	5
**11.	T-1388**	020990-UR	Water Tube, TMT Torch	1	23.	T-1390	020991 OEM	Water Tube, Bevel, OEM torch	1
12.	T-1393	020328	Torch Body PAC®170/PAC®600/PAC®620	1	24.	T-9883	020991-UR	Water Tube, Bevel, TMT torch	1
13.	T-1006	044028	O-Ring	10	NS	KT-1369	028516	PAC®620 Cable Leads 15.2m (50')	1
14.	T-1397	T-1397	Wrench for TMT Water Tube	1	25.	Coolant Li	quid. Details on t	he page 148, section Accessories.	

- FULLY INTERCHANGEABLE WITH ORIGINAL PARTS, BUT DIFFERS FROM ORIGINAL DESIGN
- COMPATIBLE WITH OEM TORCH ONLY, DOESN'T FIT TO THERMACUT TORCH
- COMPATIBLE WITH THERMACUT AND OEM TORCH
- NS NOT SHOWN IN THE PICTURE


#### Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418

SALES@THERMACUT.CZ INFO@THERMACUT.DE

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR **Hypertherm®** HT®4400 HySpeed®



Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR

# **Hypertherm®** HT®4400 HySpeed®



Item	Part No.	Ref. No.	Description	Std. Pkg	Item	Part No.	Ref. No.	Description	Std. Pkg
1.	T-10110	120786	Retaining Cap	1	*13.	T-10182*	120810-UR	Electrode-HFROD 400A, $O_2$	5
2.	T-10111	120907	Retaining Cap, with IHS Tab	1	NS	T-10857	120810	Electrode-HFTUBE 400A, $O_2$ (i)	10
*3.	T-8716*	120934-UR	Nozzle 400A, O <sub>2</sub> , CW	1	*14.	T-10181*	120802-UR	Electrode-HFROD 300A, $O_2$	5
*	T-9624*	120935-UR	Nozzle 400A, O <sub>2</sub> , CCW	1	NS	T-10942	120802	Electrode-HFTUBE 300A, $O_2$ (i)	10
*4.	T-8714*	120794-UR	Nozzle 300A O <sub>2</sub> (200A N <sub>2</sub> ), CW	1	15.	T-8945	120793	Electrode 200A, O <sub>2</sub>	5
*5.	T-8713*	120787-UR	Nozzle 200A, O <sub>2</sub> , CW	1	*16.	T-4915*	120793-AG	Electrode 200A, O <sub>2</sub> , SilverEX-®	5
*6.	T-8712*	120777-UR	Nozzle 100A, O <sub>2</sub> , CW	1	17.	T-8944	120785	Electrode 100A, O <sub>2</sub>	5
*7.	T-8715*	120856-UR	Nozzle 400A, N <sub>2</sub> , CW	1	18.	T-10630	120855 OEM	Electrode 200/400A, N <sub>2</sub>	10
8.	T-10112	120939	Swirl Ring 400A, O <sub>2</sub> , CW	1	19.	T-11143	120651	HT®4400 Torch Main Body (ii)	1
	T-10866	120940	Swirl Ring 400A, O <sub>2</sub> , CCW	5	20.	T-11142	120025	Cooling Tube	1
9.	T-10113	120913	Swirl Ring 300A, O <sub>2</sub> , CW	1	21.	N-10096	1-028B	2× O-Ring	1
10.	T-10114	120791	Swirl Ring 200A, O <sub>2</sub> , CW	1	22.	N-10098	1-030B	O-Ring	1
11.	T-10115	120783	Swirl Ring 100A, O <sub>2</sub> , CW	1	23.	Coolant Li	quid. Details on t	ne page 148, section Accessories.	
12.	T-10116	120853	Swirl Ring 400A, N <sub>2</sub> , CW	1					


- FULLY INTERCHANGEABLE WITH ORIGINAL PARTS, BUT DIFFERS FROM ORIGINAL DESIGN
- (I) THIS PARTS MAY NOT BE DISTRIBUTED ON THE GERMAN, ITALIAN, FRENCH AND GREAT BRITAIN MARKET. THERMACUT ACCEPTS NO RESPONSIBILITY IN CASE OF INDIRECT SALES TO GERMANY, ITALY, FRANCE AND GREAT BRITAIN.
- THIS PART MAY NOT BE DISTRIBUTED ON THE USA AND JAPANESE MARKET. THERMACUT ACCEPTS NO RESPONSIBILITY IN CASE OF INDIRECT SALES (II) TO USA AND JAPAN.
- NOT SHOWN IN THE PICTURE NS
- HEAVY DUTY ELECTRODE, OFFERS BETTER LIFETIME -AG
- COUNTER CLOCK WISE GAS SWIRLING, USE OF CCW PARTS WILL MAKE CUT ANGLE ON THE OPPOSITE SIDE, THAN WITH STANDARD CLOCK WISE (CW) SWIRLING PARTS.

#### Last update of this page: 05/01/2021. See Revision history for details.



TEL.: +420 556 423 418 SALES@THERMACUT.CZ

TEL.: +49 (0) 27 39 40 33 0 TEL.: 1-603-542-6715 INFO@THERMACUT.DE



Item	Part No.	Ref. No.	Description	Std. Pkg	Item	Part No.	Ref. No.	Description	Std. Pkg
1.	T-0014	020034	Cap, Nozzle Retaining, Tapered	1	14.	T-1397	T-1397	Wrench for TMT Water Tube	1
2.	T-0016	020035	Nozzle .166	1	NS	KT-1214	028139	HT®400, PAC®500 Cable Leads 6.1m (20')	1
3.	T-0017	020036	Nozzle .187	1	NS	KT-1154	028140	HT®400, PAC®500 Cable Leads 7.6m (25')	1
4.	T-0018	020037	Nozzle .220	1	NS	KT-1157	028141	HT®400, PAC®500 Cable Leads 9.2m (30′)	1
5.	T-0019	020047	Nozzle .250	1	NS	KT-1153	028142	HT®400, PAC®500 Cable Leads 10.7m (35″	) 1
6.	T-0020	020039	Swirl Ring .120/.166/.187, N <sub>2</sub>	1	NS	KT-1404	028143	HT®400, PAC®500 Cable Leads 12.2m (40'	) 1
7.	T-0021	020042	Swirl Ring .166, .187, CCW	1	NS	KT-1217	K.HT400.15,2M.K	HT®400, PAC®500 Cable Leads 15.2m (50″)	) 1
8.	T-0022	020040	Swirl Ring .220	1	NS	KT-1471	K.PAC500.6,1M	PAC®500 Mach. Torch with Leads 6.1m (20')	
	T-0023	020048	Swirl Ring .250	1	NS	KT-1165	K.PAC500.15,2M	PAC®500 Mach. Torch with Leads 15.2m (50')	1
9.	T-0024	020038	Electrode	5	NS	KT-1164	K.PAC500.22,9M	PAC®500 Mach. Torch with Leads 22.9m (75′)	) 1
#10.	T-0598#	120035 OEM	Water Tube, OEM Torch	1	15.	Coolant Li	quid. Details o	on the page 148, section Accessories.	
**11.	T-1395**	120035-UR	Water Tube, TMT Torch	1	Differ	ent types of	cable leads a	vailable on request	
12.	T-1013	025028	O-Ring	1					
13.	T-0025	020030	Torch Main Body PAC® 500	1					

- COMPATIBLE WITH OEM TORCH ONLY, DOESN'T FIT TO THERMACUT TORCH
- COMPATIBLE WITH THERMACUT AND OEM TORCH
- NS NOT SHOWN IN THE PICTURE


#### Last update of this page: 15/02/2018. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

#### THERMACUT® REPLACEMENT PARTS SUITABLE FOR **Hypertherm®**

HD®1070/HD®3070 HyDefinition® PAC®182/PAC®186/PAC®190



Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-2828	020687	Shield Cap, with IHS Tab	1	15.	T-8062	120410	Electrode 100A MS	5
2.	T-8046	020671	Shield 30-50A MS	10	16.	T-8100	120377	Tube, Water Electrode Cooling, PAC®186	1
3.	T-8047	020796	Shield 70A MS/SS	10	17.	T-8063	120349	Torch Main Body, PAC®186	1
4.	T-8048	120273	Shield 100A MS	10	18.	T-8094	028855	Assy, PAC®185/PAC®186, Straight Quick Disconnect	1
5.	T-8050	020795	Inner Retaining Cap 50-70A MS, SS	1	NS	T-10628	T-10628	O-Ring Set For OEM Version	1
6.	T-8051	120266	Inner Retaining Cap 100A MS	1	19.	T-8095	044025	O-Ring	10
7.	T-8053	020645	Nozzle 30A MS	5	20.	T-4028	044026	O-Ring	10
8.	T-8054	020646	Nozzle 50A MS	5	21.	T-4029	044507	O-Ring	10
9.	T-8055	020647	Nozzle 70A MS, SS	5	NS	KT-1073	028499	PAC® 186 Cable Leads 6.1m (20')	1
10.	T-8056	120272	Nozzle 100A MS	5	NS	KT-1329	028500	PAC® 186 Cable Leads 7.6m (25')	1
11.	T-8057	020637	Swirl Ring 15-100A MS	1	NS	KT-1252	028870	PAC® 186 Cable Leads 12.2m (40')	1
12.	T-8058	020789	Swirl Ring 70A MS/SS	2	22.	Coolant Lic	quid. Details o	n the page 148, section Accessories.	
13.	T-8060	120111	Electrode 15-30A	5	Differ	ent types of	cable leads av	railable on request	
14.	T-8061	120112	Electrode 70A MS/SS	5					

NOT SHOWN IN THE PICTURE NS

MS MILD STEEL STAINLESS STEEL

#### Last update of this page: 05/01/2021. See Revision history for details.




WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ INFO@THERMACUT.DE

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR

**Hypertherm®** 

**HyPerformance**® Plasma

HPR®130/HPR®260 MILD STEEL



Last update of this page: 01/11/2020. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ

WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE



Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
*1.	T-9961*	220173-UR	Shield Cap 30-130A	1	23.	T-10308	220542-UR	Nozzle 260A, Bevel	1
1a.	N-10099	1-031B	O-Ring	1		T-10939	220542	Nozzle 260A, Bevel	1
*2.	T-9964*	220398-UR	Shield Cap 200/260A (130/260A, Bevel)	1	24.	T-10297	220180	Swirl Ring 30-60A	1
3.	T-10878	220194	Shield 30A	10	25.	T-10305	220553	Swirl Ring 50A	1
4.	T-10882	220555	Shield 50A	10	26.	T-10295	220179	Swirl Ring 80/130 (130A, Bevel)	1
5.	T-9838	220189	Shield 80A	10	27.	T-10296	220353	Swirl Ring 200A	1
6.	T-9839	220183	Shield 130A	10	28.	T-10271	220436	Swirl Ring 260A (260A, Bevel)	1
7.	T-9965	220356	Shield 200A	1	29.	T-9894	220192-UR	Electrode 30A	5
**8.	T-9970**	220440-UR	Shield 260A	1	<b>3</b> 0.	T-10306 🖸	220552-UR	Electrode 50A	5
9.	T-10311	220645	Shield 130A, Bevel	1	<b>①</b> 31.	T-9895 🖸	220187-UR	Electrode 80A	5
10.	T-10881	220545	Shield 260A, Bevel	1	<ul><li>32.</li></ul>	T-12064 🧿	220187-PRO	Electrode 80A (=420566), Silver PRO	5
11.	T-11146	220313	Inner Retaining Cap 30/50A	1	<b>3</b> 3.	T-9920 🧿	220181-UR	Electrode 130A	5
12.	T-11144	220176	Inner Retaining Cap 80/130A	1	<ul><li>34.</li></ul>	T-11203 🧿	220181-PRO	Electrode 130A (=220665-PRO), Silver PRO	5
13.	T-11149	220355	Inner Retaining Cap 200A	1	<b>①</b> 35.	T-9969 🧿	220352-UR	Electrode 200A	5
14.	T-11150	220433	Inner Retaining Cap 260A	1	<b>3</b> 6.	T-11200 🖸	220352-PRO	Electrode 200A (=220666-PRO), Silver PRO	5
15.	T-11151	220603	Inner Retaining Cap 130A/260A, Bevel	1	<b>①</b> 37.	T-9974 🧿	220435-UR	Electrode 260A	5
16.	T-9834	220193-UR	Nozzle 30A	1	<ul><li>38.</li></ul>	T-11197 🧿	220435-PRO	Electrode 260A (=220668-PRO), Silver PRO	5
	T-10936	220193	Nozzle 30A	1	<b>①</b> 39.	T-4927 🧿	220187-AG	Electrode 80A, SilverEX-®	5
17.	T-10313	220554-UR	Nozzle 50A	1	<b>①</b> 40.	T-4917 🧿	220181-AG	Electrode 130A, SilverEX-®	5
	T-10940	220554	Nozzle 50A	1	<b>①</b> 41.	T-4925 🖸	220352-AG	Electrode 200A, SilverEX-®	5
18.	T-9835	220188-UR	Nozzle 80A	1	<u>0</u> 42.	T-4926 0	220435-AG	Electrode 260A, SilverEX-®	5
	T-10935	220188	Nozzle 80A	1	<ul><li>43.</li></ul>	T-10309 🧿	220649-UR	Electrode 130A, Bevel	5
19.	T-9836	220182-UR	Nozzle 130A	1	<ul><li>44.</li></ul>	T-10307 🧿	220541-UR	Electrode 260A, Bevel	5
	T-10934	220182	Nozzle 130A	1	<b>①</b> 45.	T-9882 🧿	220340-UR	Cooling Tube 30-260A	1
NS	T-10248	220510-UR	Nozzle 100A, HD®3070 upgrade	1	45a.	T-13016	026009	O-Ring	1
NS	T-11265	220510	Nozzle 100A, HD®3070 upgrade	1	<b>①</b> 46.	T-10472 🧿	220700-UR	Cooling Tube 80-200A, Bevel	1
20.	T-9967	220354-UR	Nozzle 200A	1	<ul><li>47.</li></ul>	T-10323 🧿	220571-UR	Cooling Tube 400A (260-400A, Bevel)	1
	T-10937	220354	Nozzle 200A	1	*48.	TN-0069*	104119-UR	Consumables Removal Tool	1
21.	T-9972	220439-UR	Nozzle 260A	1	49.	T-0994	027055	Silicone Lubricant 25ml	1
	T-10938	220439	Nozzle 260A	1	50.	Torch, cable	e leads. See follov	ving pages for details.	
22.	T-10310	220646-UR	Nozzle 130A, Bevel	1	51.	Consumabl	e Case. Details or	n the page 153, section Accessorie	S.
	T-10941	220646	Nozzle 130A, Bevel	1	52.	Coolant Liq	uid. Details on th	e page 148, section Accessories.	

- FULLY INTERCHANGEABLE WITH ORIGINAL PARTS, BUT DIFFERS FROM ORIGINAL DESIGN
- 0 THERMACUT ELECTRODES HAS TO BE USED WITH THERMACUT DESIGN COOLING TUBE, OTHERWISE IT DOESN'T FIT TO THE TORCH, THERMACUT COOLING TUBE CAN BE USED FOR THERMACUT DESIGN ELECTRODES AND FOR ORIGINAL DESIGN TOO
- SHIELD OFFERS BETTER LIFETIME BECAUSE OF IMPROVED DESIGN AND IS FULLY INTERCHANGEABLE AND COMPATIBLE WITH ORIGINAL PARTS
- NS NOT SHOWN IN THE PICTURE
- SILVER PRO TECHNOLOGY INCREASES ELECTRODE LIFETIME SIGNIFICANTLY COMPARED TO STANDARD COPPER ELECTRODES


SMART SOLUTION - DESIGN IMPROVEMENTS THAT BRINGS ADDED VALUE SUCH AS IMPROVED LIFETIME OF CONSUMABLES, EXCELLENT CUT QUALITY, SPEED OR BETTER COST EFFECTIVENESS OF YOUR SYSTEM

Last update of this page: 01/11/2020. See Revision history for details.



TEL.: +420 556 423 418 SALES@THERMACUT.CZ

TEL.: +49 (0) 27 39 40 33 0 TEL.: 1-603-542-6715 INFO@THERMACUT.DE





Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ

WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR **Hypertherm® HyPerformance® Plasma** HPR®130/HPR®260 STAINLESS STEEL



Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
*1.	T-9961*	220173-UR	Shield Cap 45-130A	1	17.	T-10295	220179	Swirl Ring 80A/130A (130A, Bevel)	1
*2.	T-9964*	220398-UR	Shield Cap 200/260A (130/260A, Bevel)	1	18.	T-10579	220342	Swirl Ring 200A	1
3.	T-9975	220202	Shield 45A	10	19.	T-10596	220405	Swirl Ring 260A (260A, Bevel)	1
4.	T-9979	220338	Shield 80A	10	<u>o</u> 20.	T-9978 🧿	220308-UR	Electrode 45A	5
5.	T-9982	220198	Shield 130A	10	<u>o</u> 21.	T-9981 🧿	220339-UR	Electrode 80A	5
6.	T-10879	220345	Shield 200A	1	<u> </u>	T-9984 🧿	220307-UR	Electrode 130A/200A/260A	5
7.	T-10880	220407	Shield 260A	10	<u>o</u> 23.	T-9882 🧿	220340-UR	Cooling Tube 30-260A	1
8.	T-11145	220304	Inner Retaining Cap 45A/80A/130A	1	23a.	N-10055	1-009S	O-Ring	1
9.	T-11144	220176	Inner Retaining Cap 130A (N <sub>2</sub> )	1	*24.	TN-0069*	104119-UR	Consumables Removal Tool	1
10.	T-11147	220344	Inner Retaining Cap 200A/260A	1	1a.	N-10099	1-031B	O-Ring	1
11.	T-9977	220201	Nozzle 45A	1	25.	T-0994	027055	Silicone Lubricant 25ml	1
12.	T-9980	220337	Nozzle 80A	5	26.	Torch, cabl	e leads. See foll	owing pages for details.	
13.	T-9983	220197	Nozzle 130A	5	27.	Coolant Lic	quid. Details on	the page 148, section Accessories.	
14.	T-9987	220343	Nozzle 200A	1					
15.	T-9990	220406	Nozzle 260A	1					
16.	T-10297	220180	Swirl Ring 30-60A	1					

- FULLY INTERCHANGEABLE WITH ORIGINAL PARTS, BUT DIFFERS FROM ORIGINAL DESIGN
- 0 THERMACUT ELECTRODES HAS TO BE USED WITH THERMACUT DESIGN COOLING TUBE, OTHERWISE IT DOESN'T FIT TO THE TORCH, THERMACUT COOLING TUBE CAN BE USED FOR THERMACUT DESIGN ELECTRODES AND FOR ORIGINAL DESIGN TOO


SMART SOLUTION - DESIGN IMPROVEMENTS THAT BRINGS ADDED VALUE SUCH AS IMPROVED LIFETIME OF CONSUMABLES, EXCELLENT CUT QUALITY, SPEED OR BETTER COST EFFECTIVENESS OF YOUR SYSTEM

Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ

INFO@THERMACUT.DE





Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ

WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR **Hypertherm® HyPerformance® Plasma** HPR®130/HPR®260 ALUMINIUM



Item	Part No	Ref. No.	Description	Std. Pkg.	Item	Part No	Ref. No.	Description	Std. Pkg.
*1.	T-9961*	220173-UR	Shield Cap 45-130A	1	15.	T-10297	220180	Swirl Ring 45A	1
*2.	T-9964*	220398-UR	Shield Cap 200/260A	1	16.	T-10295	220179	Swirl Ring 130A	1
3.	T-9975	220202	Shield 45A	10	17.	T-10579	220342	Swirl Ring 200A	1
4.	T-9982	220198	Shield 130A	10	18.	T-10596	220405	Swirl Ring 260A	1
5.	T-10879	220345	Shield 200A	1	<ul><li>19.</li></ul>	T-9978 C	220308-UR	Electrode 45A	5
6.	T-10880	220407	Shield 260A	10	<b>⊙</b> 20c	T-9920 C	220181-UR	Electrode 130A	5
7.,8.	T-11144	220176	Inner Retaining Cap 45A/130A	1	<b>⊙</b> 20b	T-4917 C	220181-AG	Electrode 130A, SilverEX-®	5
8.	T-11145	220304	Inner Retaining Cap 130A	1	<b>⊙</b> 20a	T-9984 🧿	220307-UR	Electrode 130A/200A/260A	5
9.	T-11148	220347	Inner Retaining Cap 200A	1	<u>o</u> 21.	T-9882 C	220340-UR	Cooling Tube 30-260A	1
10.	T-11147	220344	Inner Retaining Cap 260A	1	21a.	N-10055	1-009S	O-Ring	1
11.	T-9977	220201	Nozzle 45A	1	*22.	TN-0069*	104119-UR	Consumables Removal Tool	1
12.	T-9983	220197	Nozzle 130A	5	23.	T-0994	027055	Silicone Lubricant 25ml	1
13.	T-9993	220346	Nozzle 200A	1	24.	Torch, cabl	e leads. See follov	ving pages for details.	
14.	T-9990	220406	Nozzle 260A	1	25.	Coolant Lic	juid. Details on th	e page 148, section Accessories.	

- FULLY INTERCHANGEABLE WITH ORIGINAL PARTS, BUT DIFFERS FROM ORIGINAL DESIGN
- 0 THERMACUT ELECTRODES HAS TO BE USED WITH THERMACUT DESIGN COOLING TUBE, OTHERWISE IT DOESN'T FIT TO THE TORCH, THERMACUT COOLING TUBE CAN BE USED FOR THERMACUT DESIGN ELECTRODES AND FOR ORIGINAL DESIGN TOO


SMART SOLUTION - DESIGN IMPROVEMENTS THAT BRINGS ADDED VALUE SUCH AS IMPROVED LIFETIME OF CONSUMABLES, EXCELLENT CUT QUALITY, SPEED OR BETTER COST EFFECTIVENESS OF YOUR SYSTEM

Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ

INFO@THERMACUT.DE



Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR **Hypertherm®** HPR®130/HPR®260 **TORCHES AND CABLE LEADS**

Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1 2	T-11137	220162	Torch Q. D. Orig. design (incl. item 3 - 4 pcs.;	1		KT-1150	128988	Cable Leads 20m (65ft)	1
1., 3.	1-11137	220102	included 2 pcs. Cooling Tube 220340-UR)	1		KT-1270	K.HPR130.21M.K	Cable Leads 21m (69ft)	1
1a.	N-10096	1-028B	O-Ring	1	6.	KT-1505	K.HPR130-BEV.7,5M	Robo (Bevel) Torch with Leads 7.5m (25ft)	1
1b.	N-10054	1-008S	O-Ring	1	111	KT-1245	DEMO HPR130	Torch + Cable Leads 0.8m,	1
1c.	N-18157	N-18157	Conical Sealing	10	!!!	K1-1245	DEMO_HFK130	sample piece - exhibition only	ı
2.	T-11138	220163	Receptacle Q. D. Original design	1	111	T-13146	DEMO HPR130 ROBO	Torch + Cable Leads 0.8m,	1
2a.	N-18108	O-KR-45x3,5B	O-Ring	1	!!!	1-13140	DEINIO HEKTSU KOBO	sample piece - exhibition only	'
3.	T-11769	T-11769	Connector Tube HPR® with O-Rings	1	1,2,3,4,5	KT-1331	K.HPR130.7,5M	Torch with Leads 7.5m (25ft)	1
3a.	N-10055	1-009S	O-Ring	1		T-13127	K.HPR130.15M	Torch with Leads 15m (49ft)	1
4.	T-10492	220232	Mounting Tube	1		KT-1421	K.HPR130.20M	Torch with Leads 20m (65ft)	1
5.	KT-1108	128986	Cable Leads 2m (6ft)	1	1 -			Set of spare parts for 220162,	
	KT-1397	128935	Cable Leads 3m (10ft)	1	1a, 1b,	T-11864	128879	contains items 3 (4 pcs.), 3a (8 pcs.)	, 1
	KT-1117	128934	Cable Leads 4.5m (15ft)	1	1c, 3,	1-11004	1200/7	1a (2 pcs.), 1b (1 pc.), 1c (1 pc.), 2a (1 pc.), Cooling Tube 220340-UR,	'
	KT-1052	128784	Cable Leads 7.5m (25ft)	1	Ja			Silicon Lubricant T-0994	
	KT-1126	128987	Cable Leads 10m (35ft)	1	##7.	T-11409##	220573	Receptacle Q. D., Bevel	1
	KT-1106	128785	Cable Leads 15m (50ft)	1	##7a.	T-11410##	220546	Torch Mounting Sleeve, Bevel	1
	KT-1269	K.HPR130.18M.K	Cable Leads 18m (59ft)	1		Different typ	es of cable leads	available on request	

## RECEPTACLE Q. D., BEVEL POS. 7 IS NOT COMPATIBLE WITH STANDARD CABLE LEADS POS. 5

!!! DEMO IS INOPERATIVE, FOR EXHIBITION PURPOSES ONLY!

Q. D. QUICK DISCONNECT

NOT SHOWN IN THE PICTURE

ALL PARTS ARE WITH O-RINGS

Last update of this page: 05/01/2021. See Revision history for details.




 WWW.THERMACUT.CZ
 WWW.THERMACUT.DE
 WWW.THERMACUT.CO

 TEL.: +420 556 423 418
 TEL.: +49 (0) 27 39 40 33 0
 TEL.: 1-603-542-6715

 SALES@THERMACUT.CZ
 INFO@THERMACUT.DE
 CUSTOMERSERVICE@T

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR Hypertherm® HyPerformance® Plasma HPR®130XD/HPR®260XD/HPR®400XD MILD STEEL



Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ

WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR **Hypertherm® HyPerformance® Plasma** HPR® 130XD/HPR® 260XD/HPR® 400XD MILD STEEL VIDEO AVAILABLE AT YOUTUBE CHANNEL >







Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-11271	220747	Shield Cap 30-130A	1		T-10939	220542	Nozzle 260A, Bevel	1
<b>①</b> 2.	T-11270 🧿	220637-UR	Shield Cap 200-400A	1	31.	T-10297	220180	Swirl Ring 30-60A	1
3.	T-10878	220194	Shield 30A	10	32.	T-10305	220553	Swirl Ring 50A	1
4.	T-10882	220555	Shield 50A	10	33.	T-10295	220179	Swirl Ring 80/130A (80/130A, Bevel)	1
5.	T-9838	220189	Shield 80A	10	34.	T-10296	220353	Swirl Ring 200A	1
6.	T-9839	220183	Shield 130A	10	35.	T-10271	220436	Swirl Ring 260A (260A, Bevel)	1
<b>⊙</b> 7.	T-11276 🧿	220761-UR	Shield 200A	1	<b>5</b> 36.	T-12267 (5)	220631-UR	Swirl Ring 400A (400A, Bevel)	5
<b>③</b> 8.	T-11277 🧿	220764-UR	Shield 260A	1	<b>3</b> 7.	T-9894 <b>G</b>	220192-UR	Electrode 30A	5
<b>9</b> 0 9.	T-12272 🗿	220636-UR	Shield 400A	1	<b>3</b> 8.	T-10306 <b>G</b>	220552-UR	Electrode 50A	5
<ul><li>10.</li></ul>	T-11403 🧿	220742-UR	Shield 80/130A, Bevel	1	<b>3</b> 9.	T-9895 <b>G</b>	220187-UR	Electrode 80A	5
<ul><li>11.</li></ul>	T-11424 🗿	220658-UR	Shield 200A, Bevel	1	<b>3</b> 40.	T-12064 <b>G</b>	220187-PRO	Electrode 80A (=420566), Silver PRO	5
<ul><li>12.</li></ul>	T-11402 🧿	220741-UR	Shield 260A, Bevel	1	<b>3</b> 41.	T-9920 <b>G</b>	220181-UR	Electrode 130A	5
13.	T-11272	220754	Inner Retaining Cap 30/50A	1	<b>3</b> 42.	T-11203 <b>G</b>	220181-PRO	Electrode 130A (=220665-PRO), Silver PRO	5
14.	T-11273	220756	Inner Retaining Cap 80/130A	1	<b>3</b> 43.	T-9969 <b>G</b>	220352-UR	Electrode 200A	5
<ul><li>15.</li></ul>	T-11274 🗿	220757-UR	Inner Retaining Cap 200A	1	<b>3</b> 44.	T-11200 <b>G</b>	220352-PRO	Electrode 200A (=220666-PRO), Silver PRO	5
15a.	N-20194		O-Ring	1	<b>3</b> 45.	T-9974 <b>G</b>	220435-UR	Electrode 260A	5
<ul><li>16.</li></ul>	T-11275 🧿	220760-UR	Inner Retaining Cap 260A	1	<b>G</b> 46.	T-11197 <b>G</b>	220435-PRO	Electrode 260A (=220668-PRO), Silver PRO	5
<b>20</b> 17.	T-12271 🧿	220635-UR	Inner Retaining Cap 400A	1	<b>3</b> 47.	T-12269 <b>G</b>	220629-UR	Electrode 400A (400A, Bevel)	10
<ul><li>18.</li></ul>	T-11833 🧿	220845-UR	Inner Retaining Cap 80/200A, Bevel	1	<b>3</b> 48.	T-4927 <b>G</b>	220187-AG	Electrode 80A, SilverEX-®	5
<ul><li>19.</li></ul>	T-11401 🧿	220740-UR	Inner Retaining Cap 130/260A, Bevel	1	<b>3</b> 49.	T-4917 <b>G</b>	220181-AG	Electrode 130A, SilverEX-®	5
20.	T-9834	220193-UR	Nozzle 30A	1	<b>3</b> 50.	T-4925 <b>G</b>	220352-AG	Electrode 200A, SilverEX-®	5
	T-10936	220193	Nozzle 30A	1	<b>3</b> 51.	T-4926 <b>G</b>	220435-AG	Electrode 260A, SilverEX-®	5
21.	T-10313	220554-UR	Nozzle 50A	1	<b>3</b> 52.	T-11831 <b>G</b>	220802-UR	Electrode 80A, Bevel	5
	T-10940	220554	Nozzle 50A	1	<b>G</b> 53.	T-10309 <b>G</b>	220649-UR	Electrode 130A, Bevel	5
22.	T-9835	220188-UR	Nozzle 80A	1	<b>3</b> 54.	T-11426 <b>G</b>	220662-UR	Electrode 200A, Bevel	5
	T-10935	220188	Nozzle 80A	1	<b>G</b> 55.	T-10307 <b>G</b>	220541-UR	Electrode 260A, Bevel	5
23.	T-9836	220182-UR	Nozzle 130A	1	<b>G</b> 56.	T-9882 <b>G</b>	220340-UR	Cooling Tube 30-260A	1
	T-10934	220182	Nozzle 130A	1	56a.	T-13016	026009	O-Ring	1
24.	T-9967	220354-UR	Nozzle 200A	1	<b>G</b> 57.	T-10472 <b>G</b>	220700-UR	Cooling Tube 80-200A, Bevel	1
	T-10937	220354	Nozzle 200A	1	<b>3</b> 58.	T-10323 <b>G</b>	220571-UR	Cooling Tube 400A (260-400A, Bevel)(400-600A, SS, AL)	1
25.	T-9972	220439-UR	Nozzle 260A	1	*59.	TN-0069*	104119-UR	Consumables Removal Tool	1
_	T-10938	220439	Nozzle 260A	1	60.	T-0994	027055	Silicone Lubricant 25ml	1
<b>26</b> .	T-12270 🗿	220632-UR	Nozzle 400A (400A, Bevel)	1	61.	Torch, Cabl	e Leads. See follo	wing pages for details.	
27.	T-11832	220806	Nozzle 80A, Bevel	1	62.	Consumabl	e Case. Details or	n the page 154, section Accessorie	es.
28.	T-10310	220646-UR	Nozzle 130A, Bevel	1	63.	Coolant Liq	uid. Details on the	e page 148, section Accessories.	
	T-10941	220646	Nozzle 130A, Bevel	1					
29.	T-11425	220659	Nozzle 200A, Bevel	1					
30.	T-10308	220542-UR	Nozzle 260A, Bevel	1					

- FULLY INTERCHANGEABLE AND COMPATIBLE WITH ORIGINAL PARTS, BUT DIFFERS FROM ORIGINAL DESIGN
- 0 MUST BE USED ONLY AS A SET OF SHIELD, SHIELD CAP AND INNER RETAINING CAP, THIS COMPLETE SET IS INTERCHANGEABLE AND COMPATIBLE WITH ORIGINAL PARTS.
- MUST BE USED ONLY AS A SET OF NOZZLE AND SWIRL RING, THIS COMPLETE SET IS INTERCHANGEABLE AND COMPATIBLE WITH ORIGINAL PARTS
- THERMACUT ELECTRODES HAS TO BE USED WITH THERMACUT DESIGN COOLING TUBE, OTHERWISE IT DOESN'T FIT TO THE TORCH, THERMACUT COOLING TUBE CAN BE USED FOR THERMACUT DESIGN ELECTRODES AND FOR ORIGINAL DESIGN TOO

**OEM** ORIGINAL PARTS

-PRO SILVER PRO TECHNOLOGY INCREASES ELECTRODE LIFETIME SIGNIFICANTLY COMPARED TO STANDARD COPPER ELECTRODES

SMART SOLUTION - DESIGN IMPROVEMENTS THAT BRINGS ADDED VALUE SUCH AS IMPROVED LIFETIME OF CONSUMABLES, EXCELLENT CUT QUALITY, SPEED OR BETTER COST EFFECTIVENESS OF YOUR SYSTEM


Last update of this page: 05/01/2021. See Revision history for details.



TEL.: +420 556 423 418 SALES@THERMACUT.CZ

TEL.: +49 (0) 27 39 40 33 0 TEL.: 1-603-542-6715 INFO@THERMACUT.DE

#### HPR®130XD/HPR®260XD/HPR®400XD STAINLESS STEEL



Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ

WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR **Hypertherm® HyPerformance® Plasma**







Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-11271	220747	Shield Cap 45-130A	1	19.	T-9987	220343	Nozzle 200A	1
<b>①</b> 2.	T-11270 🧿	220637-UR	Shield Cap 200-400A	1	20.	T-9990	220406	Nozzle 260A	1
3.	T-9975	220202	Shield 45A	10	21.	T-11960	220708	Nozzle 400A (400A, Bevel)	1
4.	T-11954	220815	Shield 60A	10	22.	T-10297	220180	Swirl Ring 30-60A	1
5.	T-9979	220338	Shield 80A	10	23.	T-10295	220179	Swirl Ring 80/130A (130A, Bevel)	1
6.	T-9982	220198	Shield 130A	10	24.	T-10579	220342	Swirl Ring 200A	1
<ul><li>7.</li></ul>	T-11956 🧿	220762-UR	Shield 200A	1	25.	T-10596	220405	Swirl Ring 260/400A (260/400A, Bevel)	1
<b>0</b> 8.	T-11957 🧿	220763-UR	Shield 260A	1	<b>(</b> 26.	T-9978 👵	220308-UR	Electrode 45A	5
<ul><li>9.</li></ul>	T-11958 🧿	220707-UR	Shield 400A (400A, Bevel)	1	<b>(</b> ) 27.	T-9981 <b>(</b>	220339-UR	Electrode 60/80A	5
10.	T-11953	220755	Inner Retaining Cap 45/80/130A	1	<b>(</b> 28.	T-9984 🌀	220307-UR	Electrode 130/200/260A	5
11.	T-11951	220814	Inner Retaining Cap 60A	1	<b>(</b> 29.	T-11950 💍	220709-UR	Electrode 400-600A (Bevel)	5
12.	T-11273	220756	Inner Retaining Cap 130A (N <sub>2</sub> )	1	<b>(</b> 30.	T-9882 👵	220340-UR	Cooling Tube 30-260A	1
<b>①</b> 13.	T-11955 🧿	220758-UR	Inner Retaining Cap 200/260A	1	<b>3</b> 1.	T-10323 💍	220571-UR	Cooling Tube 400A (260-400A, Bevel)	1
<u>0</u> 14.	T-11959 🧿	220712-UR	Inner Retaining Cap 400A (400A, Bevel)	1	32.	TN-0069*	104119-UR	Consumables Removal Tool	1
15.	T-9977	220201	Nozzle 45A	1	33.	T-0994	027055	Silicone Lubricant 25ml	1
16.	T-11952	220847	Nozzle 60A	1	34.	Torch, Cab	le Leads. See fo	llowing pages for details.	
17.	T-9980	220337	Nozzle 80A	5	35.	Coolant Liquid. Details on the page 148, section Accessories.			
18.	T-9983	220197	Nozzle 130A	5					


- FULLY INTERCHANGEABLE AND COMPATIBLE WITH ORIGINAL PARTS, BUT DIFFERS FROM ORIGINAL DESIGN
- O MUST BE USED ONLY AS A SET OF SHIELD, SHIELD CAP AND INNER RETAINING CAP, THIS COMPLETE SET IS INTERCHANGEABLE AND COMPATIBLE WITH ORIGINAL PARTS
- THERMACUT ELECTRODES HAS TO BE USED WITH THERMACUT DESIGN COOLING TUBE, OTHERWISE IT DOESN'T FIT TO THE TORCH, THERMACUT COOLING TUBE CAN BE USED FOR THERMACUT DESIGN ELECTRODES AND FOR ORIGINAL DESIGN TOO

SMART SOLUTION - DESIGN IMPROVEMENTS THAT BRINGS ADDED VALUE SUCH AS IMPROVED LIFETIME OF CONSUMABLES, EXCELLENT CUT QUALITY, SPEED OR BETTER COST EFFECTIVENESS OF YOUR SYSTEM

Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ INFO@THERMACUT.DE





Last update of this page: 01/11/2020. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR **Hypertherm® HyPerformance® Plasma**







	ltem	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.		Ref. No.	Description	Std. Pkg.
	1.	T-11271	220747	Shield Cap 45-130A	1	17.	T-10579		220342	Swirl Ring 200A	1
0	2.	T-11270 🧿	220637-UR	Shield Cap 200-400A	1	18.	T-10596		220405	Swirl Ring 260/400A	1
	3.	T-9975	220202	Shield 45A	10	<b>1</b> 9.	T-9978	0	220308-UR	Electrode 45A	5
	4.	T-9982	220198	Shield 130A	10	<b>3</b> 20.c	T-9920	0	220181-UR	Electrode 130A, Air	5
9	5.	T-11956 🧿	220762-UR	Shield 200A	1	<b>3</b> 20.b	T-4917	0	220181-AG	Electrode 130A, Air, SilverEX-®	5
0	6.	T-11957 🧿	220763-UR	Shield 260A	1	<b>3</b> 20.a	T-9984	0	220307-UR	Electrode 130/200/260A	5
	7.	T-11273	220756	Inner Retaining Cap 45/130A	1	<b>3</b> 21.	T-11950	0	220709-UR	Electrode 400-600A (Bevel)	5
	8.	T-11953	220755	Inner Retaining Cap 45/130A	1	<b>3</b> 22.	T-9882	0	220340-UR	Cooling Tube 30-260A	1
9	9.	T-11955 🧿	220758-UR	Inner Retaining Cap 200/260A	1	<b>3</b> 23.	T-10323	0	220571-UR	Cooling Tube 400A (260-400A, Bevel	) 1
	10.	T-9977	220201	Nozzle 45A	1	*24.	TN-0069*	k	104119-UR	Consumables Removal Tool	1
	11.	T-9983	220197	Nozzle 130A	5	25.	T-0994		027055	Silicone Lubricant 25ml	1
	12.	T-9987	220343	Nozzle 200A	1	26.	Torch, Ca	ble	Leads. See follow	wing pages for details.	
	13.	T-9990	220406	Nozzle 260A	1	27.	Coolant L	iqu	uid. Details on the	e page 148, section Accessories.	
	14.	T-11960	220708	Nozzle 400A (Bevel)	1						
	15.	T-10297	220180	Swirl Ring 30-60A	1						
	16.	T-10295	220179	Swirl Ring 130A	1						

- FULLY INTERCHANGEABLE AND COMPATIBLE WITH ORIGINAL PARTS, BUT DIFFERS FROM ORIGINAL DESIGN
- 0 MUST BE USED ONLY AS A SET OF SHIELD, SHIELD CAP AND INNER RETAINING CAP, THIS COMPLETE SET IS INTERCHANGEABLE AND COMPATIBLE WITH ORIGINAL PARTS
- THERMACUT ELECTRODES HAS TO BE USED WITH THERMACUT DESIGN COOLING TUBE, OTHERWISE IT DOESN'T FIT TO THE TORCH, THERMACUT COOLING TUBE CAN BE USED FOR THERMACUT DESIGN ELECTRODES AND FOR ORIGINAL DESIGN TOO

**OEM** ORIGINAL PARTS


SMART SOLUTION - DESIGN IMPROVEMENTS THAT BRINGS ADDED VALUE SUCH AS IMPROVED LIFETIME OF CONSUMABLES, EXCELLENT CUT QUALITY, SPEED OR BETTER COST EFFECTIVENESS OF YOUR SYSTEM

#### Last update of this page: 01/11/2020. See Revision history for details.



TEL.: +420 556 423 418 SALES@THERMACUT.CZ INFO@THERMACUT.DE

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR **Hypertherm®** HPR®130XD/HPR®260XD/HPR®400XD **TORCHES AND CABLE LEADS**



Last update of this page: 25/11/2019. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ

WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR **Hypertherm®** HPR®130XD/HPR®260XD/HPR®400XD **TORCHES AND CABLE LEADS**

Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1	T-11834	220706	Torch Q. D. (included 2 pcs.	1	NS	T-13116	228516	Robo Leads 2m (6ft) w/ Gas Hose 2.4m (8ft)	1
1.	1-11034	220706	Cooling Tube 220340-UR)	,	NS	T-13115	228515	Robo Leads 2.5m (8ft) w/ Gas Hose 1.8m (6ft)	1
1a.	N-10096	1-028B	O-Ring	1	NS	T-13117	228517	Robo Leads 2.5m (8ft) w/ Gas Hose 2.4m (8ft)	1
1b.	N-10054	1-008S	O-Ring	1	NS	T-13100	228475	Robo Leads 3m (10ft) w/ Gas Hose 1.8m (6ft)	1
2.	T-11844	220705	Receptacle Q. D.	1	NS	T-13107	228482	Robo Leads 3m (10ft) w/ Gas Hose 2.4m (8ft)	1
2a.	N-18108	O-KR-45x3,5B	O-Ring	1	NS	T-13101	228476	Robo Leads 3.5m (12ft) w/ Gas Hose 1.8m (6ft)	1
3.	T-11769	T-11769	Connector Tube HPR with O-Rings	1	NS	T-13108	228483	Robo Leads 3.5m (12ft) w/ Gas Hose 2.4m (8ft)	1
3a.	N-10055	1-009S	O-Ring	1	NS	T-13102	228477	Robo Leads 4.5m (15ft) w/ Gas Hose 1.8m (6ft)	1
4.	T-11854	220789	Mounting Sleeve XD	1	NS	T-13109	228484	Robo Leads 4.5m (15ft) w/ Gas Hose 2.4m (8ft)	1
5.	T-12226	220788	Mounting Sleeve XD, Short	1	NS	T-13103	228478	Robo Leads 6m (20ft) w/ Gas Hose 1.8m (6ft)	1
!6.	KT-1423	228291	Cable Leads 2m(6ft) w/ Gas Hose 1.8m(6ft)	1	NS	T-13110	228485	Robo Leads 6m (20ft) w/ Gas Hose 2.4m (8ft)	1
!	KT-1440	228410	Cable Leads 2m(6ft) w/ Gas Hose 2.4m(8ft)	1	NS	T-13104	228479	Robo Leads 7.5m (25ft) w/ Gas Hose 1.8m (6ft)	1
!	KT-1424	228292	Cable Leads 3m(10ft) w/ Gas Hose 1.8m(6ft)	1	NS	T-13111	228486	Robo Leads 7.5m (25ft) w/ Gas Hose 2.4m (8ft)	1
!	KT-1439	228411	Cable Leads 3m(10ft) w/ Gas Hose 2.4m(8ft)	1	NS	T-13105	228480	Robo Leads 10m (35ft) w/ Gas Hose 1.8m (6ft)	1
į.	KT-1425	228293	Cable Leads 4.5m(15ft) w/ Gas Hose 1.8m(6ft)	1	NS	T-13112	228487	Robo Leads 10m (35ft) w/ Gas Hose 2.4m (8ft)	1
!	KT-1438	228412	Cable Leads 4.5m(15ft) w/ Gas Hose 2.4m(8ft)	1	NS	T-13106	228481	Robo Leads 15m (50ft) w/ Gas Hose 1.8m (6ft)	1
!	KT-1426	228294	Cable Leads 6m(20ft) w/ Gas Hose 1.8m(6ft)	1	NS	T-13113	228488	Robo Leads 15m (50ft) w/ Gas Hose 2.4m (8ft)	1
!	KT-1441	228413	Cable Leads 6m(20ft) w/ gas hose 2.4m(8ft)	1	111	KT-1435	DEMO HPRXD	Torch + Cable Leads 0.8m,	1
!	KT-1427	228295	Cable Leads 7.5m(25ft) w/ Gas Hose 1.8m(6ft)	1	!!!	NI-1433	DEINIO HERAD	sample piece - exhibition only	ı
!	KT-1442	228414	Cable Leads 7.5m(25ft) w/ Gas Hose 2.4m(8ft)	1	NS	KT-1477	K.HPRXD.4,5M.6GAS	Torch with Leads 4.5m (6′)	1
!	KT-1428	228296	Cable Leads 10m(35ft) w/ Gas Hose 1.8m(6ft)	1	More	types of cable	e leads are availab	ole on request	
!	KT-1437	228415	Cable Leads 10m(35ft) w/ Gas Hose 2.4m(8ft)	1				Torch Kit - set of spare parts for	
!	KT-1429	228297	Cable Leads 15m(50ft) w/ Gas Hose 1.8m(6ft)	1	1a,			220706, contains items 3 (4 pcs.),	
!	KT-1436	228416	Cable Leads 15m(50ft) w/ Gas Hose 2.4m(8ft)	1	1b, 1c, 3,	T-11864	128879	3a (8 pcs.), 1a (2 pcs.), 1b (1 pc.), 1c (1 pc.), 2a (1 pc.), Cooling	1
!	KT-1430	228547	Cable Leads 20m(65ft) w/ Gas Hose 1.8m(6ft)	1	3a			Tube 220340-UR, Silicone	
!	KT-1434	228546	Cable Leads 20m(65ft) w/ Gas Hose 2.4m(8ft)	1				Lubricant T-0994	
NS	T-13114	228514	Robo Leads 2m (6ft) w/ Gas Hose 1.8m (6ft)	1	Torch	with leads av	ailable on request	t	

į. OHMIC CONTACT WIRE IS NOT PART OF THE CABLE LEADS

!!! DEMO IS INOPERATIVE, FOR EXHIBITION PURPOSES ONLY!

NOT SHOWN IN THE PICTURE

Q. D. QUICK DISCONNECT ALL PARTS ARE WITH O-RINGS

W/ WITH

#### Last update of this page: 25/11/2019. See Revision history for details.




 WWW.THERMACUT.CZ
 WWW.THERMACUT.DE
 WWW.THERMACUT.CO

 TEL.: +420 556 423 418
 TEL.: +49 (0) 27 39 40 33 0
 TEL.: 1-603-542-6715

 SALES@THERMACUT.CZ
 INFO@THERMACUT.DE
 CUSTOMERSERVICE@T





Iten	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1	. T-11283	220532	Shield 45A, Air (50A, O <sub>2</sub> )	1	8.	T-11305	220489	Nozzle 130A, O <sub>2</sub>	5
2	. T-11284	220536	Shield 130A, Air	1	9.	T-11282	220529	Swirl Ring 45A, Air (50A, O <sub>2</sub> )	1
3	. T-11281	220491	Shield 130A, O <sub>2</sub>	1	10.	T-11280	220488	Swirl Ring 130A (200A)	1
*4	. T-11285*	220578-UR	Ret. Cap 45/130A, Air (50/130A, $\mathrm{O_2}$ ), with IHS	1	<b>①</b> 11.	T-11309 <b>①</b>	220528-UR	Electrode 45A (50A)	5
*N:	T-11347*	220490-UR	Ret. Cap 45/130A, Air (50/130A, $\mathrm{O}_2$ ), without IHS	1	<b>⊙</b> 12.	T-113040	220487-UR	Electrode 130A, Air/O <sub>2</sub>	5
5	. T-11308	220525	Nozzle 45A, Air	5	<b>①</b> 13.	T-11307 <b>①</b>	220521-UR	Cooling Tube	1
6	. T-11311	220530	Nozzle 50A, O <sub>2</sub>	5	14.	Coolant Lic	quid. Details on	the page 148, section Accessories.	
7	. T-11306	220492	Nozzle 130A, Air	5					


- \* FULLY INTERCHANGEABLE WITH ORIGINAL PARTS, BUT DIFFERS FROM ORIGINAL DESIGN
- THERMACUT ELECTRODES HAS TO BE USED WITH THERMACUT DESIGN COOLING TUBE, OTHERWISE IT DOESN'T FIT TO THE TORCH, THERMACUT COOLING TUBE CAN BE USED FOR THERMACUT DESIGN ELECTRODES AND FOR ORIGINAL DESIGN TOO.
- NS NOT SHOWN IN THE PICTURE

#### Last update of this page: 11/04/2016. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE





Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-11283	220532	Shield 45A, Air/N <sub>2</sub> /F5	1	7.	T-11310	220535	Nozzle 130A, H35/N <sub>2</sub>	5
2.	T-11284	220536	Shield 130A, Air/H35/N <sub>2</sub>	1	8.	T-11282	220529	Swirl Ring 45A, Air/N <sub>2</sub> /F5 (130A, H35)	1
*3.	T-11285*	220578-UR	Ret. Cap 45A, Air (130A, Air/N <sub>2</sub> ), with IHS	1	9.	T-11280	220488	Swirl Ring 130A (200A)	1
*NS	T-11347*	220490-UR	Ret. Cap 45A, Air (130A, Air/ $N_2$ ), without IHS	1	<u>0</u> 10.	T-11309 <b>①</b>	220528-UR	Electrode 45A (50A)	5
*4.	T-11350*	220534-UR	Ret. Cap 45A, N <sub>2</sub> /F5 (130A, H35), with IHS	1	<b>⊙</b> 11.	T-113040	220487-UR	Electrode 130A, Air	5
*NS	T-11346*	220533-UR	Ret. Cap 45A, $N_2$ /F5 (130A, H35), without IHS	1	<b>⊙</b> 12.	T-0382 🧿	020415-UR	Electrode 100-200A	5
5.	T-11308	220525	Nozzle 45A, Air/N <sub>2</sub> /F5	5	<b>⊙</b> 13.	T-11307 🗿	220521-UR	Cooling Tube	1
6.	T-11306	220492	Nozzle 130A, Air	5	14.	Coolant Lic	guid. Details on	the page 148, section Accessories.	


- \* FULLY INTERCHANGEABLE WITH ORIGINAL PARTS, BUT DIFFERS FROM ORIGINAL DESIGN
- THERMACUT ELECTRODES HAS TO BE USED WITH THERMACUT DESIGN COOLING TUBE, OTHERWISE IT DOESN'T FIT TO THE TORCH, THERMACUT COOLING TUBE CAN BE USED FOR THERMACUT DESIGN ELECTRODES AND FOR ORIGINAL DESIGN TOO.
- NS NOT SHOWN IN THE PICTURE

#### Last update of this page: 11/04/2016. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE





Item	Part No	Ref. No.	Description	Std. Pkg.	Item	Part No	Ref. No.	Description	Std. Pkg.
1.	T-11283	220532	Shield 45A, Air	1	7.	T-11310	220535	Nozzle 130A, H35	5
2.	T-11284	220536	Shield 130A, Air/H35	1	8.	T-11282	220529	Swirl Ring 45A, Air (130A, H35)	1
*3.	T-11285*	220578-UR	Retaining Cap 45/130A, Air, with IHS	1	9.	T-11280	220488	Swirl Ring 130A (200A)	1
*NS	T-11347*	220490-UR	Retaining Cap 45/130A, Air, without IHS	1	<u>0</u> 10.	T-11309 🗿	220528-UR	Electrode 45A (50A)	5
*4.	T-11350*	220534-UR	Retaining Cap 130A, H35, with IHS	1	<b>⊙</b> 11.	T-11304 🖸	220487-UR	Electrode 130A, Air	5
*NS	T-11346*	220533-UR	Retaining Cap 130A, H35, without IHS	1	<b>⊙</b> 12.	T-0382 🧿	020415-UR	Electrode 100-200A	5
5.	T-11308	220525	Nozzle 45A, Air	5	<b>⊙</b> 13.	T-11307 🗿	220521-UR	Cooling Tube	1
6.	T-11306	220492	Nozzle 130A, Air	5	14.	Coolant Lie	quid. Details on	the page 148, section Accessories.	

- \* FULLY INTERCHANGEABLE WITH ORIGINAL PARTS, BUT DIFFERS FROM ORIGINAL DESIGN
- THERMACUT ELECTRODES HAS TO BE USED WITH THERMACUT DESIGN COOLING TUBE, OTHERWISE IT DOESN'T FIT TO THE TORCH, THERMACUT COOLING TUBE CAN BE USED FOR THERMACUT DESIGN ELECTRODES AND FOR ORIGINAL DESIGN TOO.
- NS NOT SHOWN IN THE PICTURE


#### Last update of this page: 11/04/2016. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

SPIRIT<sup>®</sup>, ProLine<sup>™</sup>

SPIRIT® 150a, 200a, 275a, 400a, ProLine™ 2150, 2200, 2260 MILD STEEL



Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

#### THERMACUT® REPLACEMENT PARTS SUITABLE FOR **KALIBURN®**

SPIRIT®, ProLine™

SPIRIT® 150a, 200a, 275a, 400a, ProLine<sup>TM</sup> 2150, 2200, 2260 MILD STEEL WWW.THERMACUT.COM

Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-11909	284150	Outer Retaining Cap 30-400A	1	21.	T-11884	277289	Nozzle 200A MS/SS/AL, Air	1
2.	T-11892	277154	Outer Retaining Cap 30-275A	1	22.	T-11888	277269	Nozzle 275A MS	1
3.	T-12034	277145	Shield Cap 30A MS/AL	1	23.	T-12028	284125	Nozzle 400A MS	5
4.	T-12029	277115	Shield Cap 50A MS	1	24.	T-12033	277140	Swirl Ring 30-70A MS/SS/AL, H17	7 1
5.	T-11901	277150	Shield Cap 70A MS/SS/AL	1	25.	T-11894	277142	Swirl Ring 50-70A MS/SS/AL	1
6.	T-11898	277286	Shield Cap 100A MS/SS/AL, Air	1	26.	T-11893	277283	Swirl Ring 100A MS/SS/AL, Air	1
7.	T-11907	277117	Shield Cap 150A MS/SS/AL	1	*27.	T-11897	277139-UR	Swirl Ring 150A MS/SS/AL	1
8.	T-11899	277274	Shield Cap 200A MS/SS/AL	1	*28.	T-11896	277143-UR	Swirl Ring 200A MS/SS/AL	1
9.	T-11900	277263	Shield Cap 275A MS/SS/AL	1	*29.	T-11895	277258-UR	Swirl Ring 275A MS/SS/AL	1
10.	T-12037	284123	Shield Cap 400A MS	1	*30.	T-12036	284122-UR	Swirl Ring 400A MS/SS/AL	1
11.	T-11891	277153	Inner Retaining Cap 30-70A MS/SS/AL	1	31.	T-12032	277130	Electrode 30A MS/AL	5
12.	T-11908	277151	Inner Retaining Cap 100/150A MS/SS/AL	1	32.	T-11906	277131	Electrode 50/70A MS/SS/AL	5
13.	T-11890	277152	Inner Retaining Cap 150A MS/SS/AL	1	33.	T-11902	277282-PRO	Electrode 100A MS/SS/AL, Silver PRC	5
14.	T-11889	277266	Inner Retaining Cap 200/275A MS/SS/AL	1	34.	T-11904	277292-PRO	Electrode 150A MS/SS/AL, Silver PRC	5
15.	T-12035	284121	Inner Retaining Cap 400A MS	1	35.	T-11903	277291-PRO	Electrode 200A MS/SS/AL, Silver PRC	5
16.	T-12030	277120	Nozzle 30A MS/AL	1	36.	T-11905	277270-PRO	Electrode 275A MS/SS/AL, Silver PRC	5
17.	T-12031	277122	Nozzle 50A MS/AL	1	37.	T-12038	284124-PRO	Electrode 400A MS, Silver PRO	5
18.	T-11887	277125	Nozzle 70A MS/SS/AL	1	38.	T-11944	277007	Cooling Tube	1
19.	T-11886	277284	Nozzle 100A MS/SS/AL, Air	1	39.	T-11322	12.40320	Wrench for Swirl Ring 150-400A	1
20.	T-11885	277293	Nozzle 150A MS/SS/AL, Air	1	40.	Torch, Cal	ole Leads. See follo	wing pages for details.	

#### Last update of this page: 05/01/2021. See Revision history for details.




TEL.: +420 556 423 418 SALES@THERMACUT.CZ INFO@THERMACUT.DE

FULLY INTERCHANGEABLE AND COMPATIBLE WITH ORIGINAL PARTS, BUT DIFFERS FROM ORIGINAL DESIGN

<sup>-</sup>PRO SILVER PRO TECHNOLOGY INCREASES ELECTRODE LIFETIME SIGNIFICANTLY COMPARED TO STANDARD COPPER ELECTRODES

SPIRIT® 150a, 200a, 275a, 400a, ProLine™ 2150, 2200, 2260 STAINLESS STEEL



Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR **KALIBURN®**

SPIRIT<sup>®</sup>, ProLine<sup>™</sup>

SPIRIT® 150a, 200a, 275a, 400a, ProLine™ 2150, 2200, 2260 STAINLESS STEEL PRODUCT BROCHURE WITH DETAILS AT WWW.THERMACUT.COM



Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-11909	284150	Outer Retaining Cap 30-400A	1	23.	T-12056	277276	Nozzle 275A SS/AL	1
2.	T-11892	277154	Outer Retaining Cap 30-275A	1	24.	T-12057	284157	Nozzle 400A SS	1
3.	T-12049	277144	Shield Cap 30A SS	1	25.	T-12059	277138	Swirl Ring 30A SS	1
4.	T-12050	277149	Shield Cap 50A SS	1	26.	T-11894	277142	Swirl Ring 50/70A MS/SS/AL	1
5.	T-11901	277150	Shield Cap 70A MS/SS/AL	1	*27.	T-11893	277283	Swirl Ring 100A MS/SS/AL, Air	1
6.	T-11898	277286	Shield Cap 100A MS/SS/AL, Air	1	*28.	T-11897	277139-UR	Swirl Ring 150A MS/SS/AL	1
7.	T-11907	277117	Shield Cap 150A MS/SS/AL	1	*29.	T-11896	277143-UR	Swirl Ring 200A MS/SS/AL	1
8.	T-11899	277274	Shield Cap 200A MS/SS/AL	1	*30.	T-11895	277258-UR	Swirl Ring 275A MS/SS/AL	1
9.	T-11900	277263	Shield Cap 275A MS/SS/AL	1	31.	T-12036	284122-UR	Swirl Ring 400A MS/SS/AL	1
10.	T-12051	284155	Shield Cap 400A SS/AL	1	32.	T-12060	277137	Electrode 30/50A SS	10
11.	T-12052	277110	Inner Retaining Cap 30-50A SS	1	33.	T-11906	277131	Electrode 70A MS/SS/AL	5
12.	T-11891	277153	Inner Retaining Cap 70A MS/SS/AL	1	34.	T-11902	277282-PRO	Electrode 100A MS/SS/AL, Silver PRO	5
13.	T-11908	277151	Inner Retaining Cap 100A MS/SS/AL	1	35.	T-11904	277292-PRO	Electrode 150A MS/SS/AL, Silver PRO	5
14.	T-11890	277152	Inner Retaining Cap 150A MS/SS/AL	1	36.	T-11903	277291-PRO	Electrode 200A MS/SS/AL, Silver PRO	5
15.	T-11889	277266	Inner Retaining Cap 200/275A MS/SS/AL	. 1	37.	T-11905	277270-PRO	Electrode 275A MS/SS/AL, Silver PRO	5
16.	T-12053	284156	Inner Retaining Cap 400A SS/AL	1	38.	T-12061	284159	Electrode 400A SS/AL	5
17.	T-12054	277121	Nozzle 30A SS	1	39.	T-11944	277007	Cooling Tube	1
18.	T-12055	277123	Nozzle 50A SS	1	40.	T-11322	12.40320	Wrench for Swirl Ring 150-400A	1
19.	T-11887	277125	Nozzle 70A MS/SS/AL	1	41.	Torch, Cal	ble Leads. See follo	wing pages for details.	
20.	T-11886	277284	Nozzle 100A MS/SS/AL, Air	1					
21.	T-11885	277293	Nozzle 150A MS/SS/AL, Air	1					
22.	T-11884	277289	Nozzle 200A MS/SS/AL, Air	1					

Last update of this page: 05/01/2021. See Revision history for details.




TEL.: +420 556 423 418 SALES@THERMACUT.CZ

INFO@THERMACUT.DE

FULLY INTERCHANGEABLE AND COMPATIBLE WITH ORIGINAL PARTS, BUT DIFFERS FROM ORIGINAL DESIGN

<sup>-</sup>PRO SILVER PRO TECHNOLOGY INCREASES ELECTRODE LIFETIME SIGNIFICANTLY COMPARED TO STANDARD COPPER ELECTRODES



Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ

WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

#### THERMACUT® REPLACEMENT PARTS SUITABLE FOR **KALIBURN®** SPIRIT<sup>®</sup>, ProLine<sup>™</sup>



SPIRIT® 150a, 200a, 275a, 400a, ProLine™ 2150, 2200, 2260 ALUMINIUM

Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-11909	284150	Outer Retaining Cap 30-400A	1	21.	T-12056	277276	Nozzle 275A SS/AL	1
2.	T-11892	277154	Outer Retaining Cap 30-275A	1	22.	T-12058	284158	Nozzle 400A AL	1
3.	T-12034	277145	Shield Cap 30A MS/AL	1	23.	T-12033	277140	Swirl Ring 30A MS/SS/AL, H17	1
4.	T-11901	277150	Shield Cap 50/70A MS/SS/AL	1	24.	T-11894	277142	Swirl Ring 50/70A MS/SS/AL	1
5.	T-11898	277286	Shield Cap 100A MS/SS/AL, Air	1	25.	T-11893	277283	Swirl Ring 100A MS/SS/AL	1
6.	T-11907	277117	Shield Cap 150A MS/SS/AL	1	*26.	T-11897	277139-UR	Swirl Ring 150A MS/SS/AL	1
7.	T-11899	277274	Shield Cap 200A MS/SS/AL	1	*27.	T-11896	277143-UR	Swirl Ring 200A MS/SS/AL	1
8.	T-11900	277263	Shield Cap 275A MS/SS/AL	1	*28.	T-11895	277258-UR	Swirl Ring 275A MS/SS/AL	1
9.	T-12051	284155	Shield Cap 400A SS/AL	1	*29.	T-12036	284122-UR	Swirl Ring 400A MS/SS/AL	1
10.	T-11891	277153	Inner Retaining Cap 30-70A MS/SS/AL	1	30.	T-12032	277130	Electrode 30A MS/AL	1
11.	T-11908	277151	Inner Retaining Cap 100A MS/SS/AL	1	31.	T-11906	277131	Electrode 50/70A MS/SS/AL	5
12.	T-11890	277152	Inner Retaining Cap 150A MS/SS/AL	1	32.	T-11902	277282-PRO	Electrode 100A MS/SS/AL, Silver PRC	5
13.	T-11889	277266	Inner Retaining Cap 200/275A MS/SS/AL	. 1	33.	T-11904	277292-PRO	Electrode 150A MS/SS/AL, Silver PRC	5
14.	T-12053	284156	Inner Retaining Cap 400A SS/AL	1	34.	T-11903	277291-PRO	Electrode 200A MS/SS/AL, Silver PRC	5
15.	T-12030	277120	Nozzle 30A MS/AL	1	35.	T-11905	277270-PRO	Electrode 275A MS/SS/AL, Silver PRC	5
16.	T-12031	277122	Nozzle 50A MS/AL	1	36.	T-12061	284159	Electrode 400A SS/AL	5
17.	T-11887	277125	Nozzle 70A MS/SS/AL	1	37.	T-11944	277007	Cooling Tube	1
18.	T-11886	277284	Nozzle 100A MS/SS/AL, Air	1	38.	T-11322	12.40320	Wrench for Swirl Ring 150-400A	1
19.	T-11885	277293	Nozzle 150A MS/SS/AL, Air	1	39.	Torch, Cal	ble Leads. See follo	wing pages for details.	
20.	T-11884	277289	Nozzle 200A MS/SS/AL, Air	1					

#### Last update of this page: 05/01/2021. See Revision history for details.




WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ INFO@THERMACUT.DE

FULLY INTERCHANGEABLE AND COMPATIBLE WITH ORIGINAL PARTS, BUT DIFFERS FROM ORIGINAL DESIGN

<sup>-</sup>PRO SILVER PRO TECHNOLOGY INCREASES ELECTRODE LIFETIME SIGNIFICANTLY COMPARED TO STANDARD COPPER ELECTRODES

#### THERMACUT® REPLACEMENT PARTS SUITABLE FOR **KALIBURN®** SPIRIT<sup>®</sup>, ProLine™ **TORCHES AND CABLE LEADS**




Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-12182	279150	Torch Body, Spirit 150-275A	1	2a.	N-21421	N-21421	O-Ring	10
1a.	N-10092	N-10092	2× O-Ring	1	3.	T-13082	279100	Torch Body, Spirit 400A	1
1b.	N-21467	N-21467	O-Ring	1	4.	T-13083	279000	Torch Base, Spirit 400A	1
1c.	N-21415	N-21415	O-Ring	1					
1d.	N-10055	N-10055	6× O-Ring	1					
2.	T-12185	279050	Torch Base, Spirit 150-275A	1					

Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ INFO@THERMACUT.DE

#### THERMACUT® REPLACEMENT PARTS SUITABLE FOR **KJELLBERG®** PA-S20WTM, PA-S25WTM, PA-S40WTM, PA-S45WTM, PA-S70WTM PB-S45W<sup>TM</sup>



Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ

WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

#### THERMACUT® REPLACEMENT PARTS SUITABLE FOR **KJELLBERG®** PA-S20WTM, PA-S25WTM, PA-S40WTM, PA-S45WTM, PA-S70WTM PB-S45W<sup>TM</sup>

Item	Part No.	Ref. No.	Sh.Ref.No.	Description	Std.Pkg.	Item	Part No.	Ref. No.	Sh.Ref.No.	Description	Std.Pkg.
1.	T-8609	11.828.201.151		Nose Cap 6.0	1	15.	PT-12482	11.828.201.250-3		Tube Pin	1
2.	T-8617	11.830.301.151		Nose Cap 9.6	1	16.	T-8610	11.828.201.250		Tube Complete, incl. pos. 15	1
3.	T-10040	11.828.101.160		Protection Cap, Hand	1	17.	KT-1068	11.832.521.701		Cable Leads 10m PB-S45W-1/O <sub>2</sub>	1
4.	T-8612	11.828.201.413	Ld	Nozzle 1.3mm 90A, Air	5		KT-1449	K.PB-S45W-1O2.15M.K		Cable Leads 15m PB-S45W-1/O <sub>2</sub>	1
	T-8613	11.828.201.414	Le	Nozzle 1.4mm 120A, Air	10	18.	KT-1468	11.832.501.701		Cable Leads 10m PB-S45W-1/L	1
5.	T-8614	11.828.203.410	Lle	Nozzle 1.0mm 45A, Lle, Air	10		KT-1373	K.PB-S45W-1L.15M.K		Cable Leads 15m PB-S45W-1/L	1
	T-8615	11.828.203.413	Lde	Nozzle 1.3mm 90A, Lde, Air	10		KT-1516	K.PB-S45W-1L.17M.K		Cable Leads 18m PB-S45W-1/L	1
	T-8616	11.828.203.414	Lee	Nozzle 1.4mm 130A, Lee, Air	10	19.	KT-1473	11.831.601.700		Cable Leads 6m PB-S45WH/L	1
	T-8736	11.828.213.613	Ade	Nozzle 1.3mm 80A, ArH2	10		KT-1296	11.832.401.701		Cable Leads 10m PB-S45W/L	1
	T-8737	11.828.213.614	Aee	Nozzle 1.4mm 100A, ArH2	5		KT-1322	K.PB-S45W-L.15M.K		Cable Leads 15m PB-S45W/L	1
	T-8738	11.828.213.616	Afe	Nozzle 1.6mm 130A, ArH2	5	20.	KT-1208	11.832.521.006		Torch with Leads 6m PB-S45W-1/O $_{\rm 2}$	1
	T-8620	11.834.321.410	Lle-XL	Nozzle 1.0mm 45A, O <sub>2</sub>	10		KT-1255	11.832.521.010		Torch with Leads 10m PB-S45W-1/O $_{\! 2}$	1
	T-8621	11.834.321.413	Lde-XL	Nozzle 1.3mm 90A, O <sub>2</sub>	10		KT-1490	K.PB-S45W-1L-O2.15M		Torch with Leads 15m PB-S45W-1/O $_{\! 2}$	1
	T-8622	11.834.321.414	Lee-XL	Nozzle 1.4mm 130A, O <sub>2</sub>	10	21.	KT-1230	11.832.501.1015		Torch with Leads 1.5m PB-S45W-1/L	1
6.	T-8601	10.575.036		O-Ring	10		KT-1413	11.832.501.006		Torch with Leads 6m PB-S45W-1/L	1
7.	T-8604	11.828.001.153	Z111	Swirl Ring	1		KT-1254	11.832.501.010		Torch with Leads 10m PB-S45W-1/L	1
	T-10794	11.828.001.153K	Z111	Swirl Ring, Ceramic	5		KT-1272	K.PB-S45W-1L.15M		Torch with Leads 15m PB-S45W-1/L	1
8.	T-8605	11.828.001.3001	Kb	Cathode	5	22.	KT-1402	11.832.401.006		Torch with Leads 6m PB-S45W/L	1
9.	T-4921	11.834.321.3001-AG		Cathode, SilverEX-®	5		KT-1116	11.832.401.010		Torch with Leads 10m PB-S45W/L	1
10.	T-8735	11.828.211.5001	Ka	Cathode, ArH2 (i)	5		KT-1054	K.PB-S45W-L.15M		Torch with Leads 15m PB-S45W/L	1
11.	T-8603	11.828.001.152		Cooling Tube	1		KT-1356	K.PB-S45W-L.20M		Torch with Leads 20m PB-S45W/L	1
12.	T-8602	10.575.052		O-Ring	10	NS	KT-1417	K.PB-S45W-1L-O2.20M		Torch with Leads 20m PB-S45W/L-1/O $_2$	1
13.	T-8926	11.828.301.100		Torch Body, Machine	1		Different	types of cable le	eads availa	ble on request	
#14.	T-8607#	11.828.201.100		Complete Torch, Machine	1						
NS	T-8710	11.828.001.820 OEM		Cathode Tool	1						
NS	T-11572	11.828.001.810 OEM		Nose Cap Tool	1						

- (i) THIS PART MAY NOT BE DISTRIBUTED ON THE GERMAN MARKET. THERMACUT ACCEPTS NO RESPONSIBILITY IN CASE OF INDIRECT SALES TO GERMANY.
- INCLUDING PARTS: TORCH 11.828.301.100, ELECTRODE 11.828.001.3001, SWIRL RING 11.828.001.153, O-RING 10.575.036, NOZZLE 11.828.203.413, # NOSE CAP 11.830.301.151
- NOT SHOWN IN THE PICTURE


#### Last update of this page: 05/01/2021. See Revision history for details.



 WWW.THERMACUT.CZ
 WWW.THERMACUT.DE
 WWW.THERMACUT.CO

 TEL.: +420 556 423 418
 TEL.: +49 (0) 27 39 40 33 0
 TEL.: 1-603-542-6715

 SALES@THERMACUT.CZ
 INFO@THERMACUT.DE
 CUSTOMERSERVICE@T





#### Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

#### THERMACUT® REPLACEMENT PARTS SUITABLE FOR **KJELLBERG®** FineFocus® 450 PB-S47TM W - 1 / O.

Item	Part No.	Ref. No.	Sh.Ref.No.	Description	Std.Pkg.	Item	Part No.	Ref. No.	Sh.Ref.No.	Description	Std.Pkg.
1.	T-8641	11.832.201.081	W501	Protection Cap	1	10.	T-8735	11.828.211.5001	Ka	Cathode, ArH2 (i)	5
2.	T-8642	11.832.201.1561	W4130	Swirl Gas Cup 3.0	10	11.	T-8602	10.575.052		O-Ring	10
	T-8643	11.832.201.1571	W4140	Swirl Gas Cup 4.0	10	12.	T-8647	10.505.915		O-Ring	1
3.	T-8644	11.832.201.160	W3030	Nozzle Cap	1	13.	PT-10232	11.832.201.152	W901	Cooling Tube	1
4.	T-8614	11.828.203.410	Lle	Nozzle 1.0mm 45A, Lle, Air	10	14.	T-8649	11.832.221.100		Torch Body, Machine	1
	T-8615	11.828.203.413	Lde	Nozzle 1.3mm 90A, Lde, Air	10	15.	T-8648	10.505.948		O-Ring	10
	T-8616	11.828.203.414	Lee	Nozzle 1.4mm 130A, Lee, Air	10	16.	T-10193	11.832.221.100-10		Tube Adaptor	1
	T-8620	11.834.321.410	Lle-XL	$Nozzle\;1.0mm\;45A,O_2$	10	17.	T-10925	11.832.201.077		Clamping Bush	1
	T-8621	11.834.321.413	Lde-XL	Nozzle 1.3mm 90A, O <sub>2</sub>	10	18.	T-10924	11.832.201.076		Outer Bush	1
	T-8622	11.834.321.414	Lee-XL	Nozzle 1.4mm 130A, O <sub>2</sub>	10	19.	T-10772	11.834.321.250		Tube PB-S47W™	1
	T-8736	11.828.213.613	Ade	Nozzle 1.3mm 80A, ArH2	10	20.	KT-1155	11.834.721.1015		Torch with Leads 1.5m 2/O <sub>2</sub>	1
	T-8737	11.828.213.614	Aee	Nozzle 1.4mm 100A, ArH2	5	21.	KT-1056	11.834.321.006		Torch with Leads 6m 1/O <sub>2</sub>	1
	T-8738	11.828.213.616	Afe	Nozzle 1.6mm 130A, ArH2	5		KT-1422	11.834.321.010		Torch with Leads 10m 1/O <sub>2</sub>	1
5.	T-8601	10.575.036		O-Ring	10		KT-1102	11.834.321.015		Torch with Leads 15m 1/O <sub>2</sub>	1
6.	T-8618	11.834.321.153	Z111	Swirl Ring	1		KT-1127	K.PB-S47W.20M		Torch with Leads 20m 1/O <sub>2</sub>	1
7.	T-9287	11.834.321.153K	Z111	Swirl Ring, Ceramic	1	NS	KT-1470	11.834.321.701A		PB-S47W™ Cable Leads 15m 1/O <sub>2</sub>	1
8.	T-8619	11.834.321.3001	Kb-XL	Cathode	5	NS	T-13187	11.834.721.700B		PB-S47W™ Cable Leads 1.5m 2/O <sub>2</sub>	1
9.	T-4921	11.834.321.3001-AG	Kb-XL	Cathode, SilverEX-®	5	22.	Coolant	Liquid. Details o	n the page	148, section Accessories.	

NOT SHOWN IN THE PICTURE

#### Last update of this page: 05/01/2021. See Revision history for details.




 WWW.THERMACUT.CZ
 WWW.THERMACUT.DE
 WWW.THERMACUT.COM

 TEL.: +420 556 423 418
 TEL.: +49 (0) 27 39 40 33 0
 TEL.: 1-603-542-6715

 SALES@THERMACUT.CZ
 INFO@THERMACUT.DE
 CUSTOMERSERVICE@THE

THIS PART MAY NOT BE DISTRIBUTED ON THE GERMAN MARKET. THERMACUT ACCEPTS NO RESPONSIBILITY IN CASE OF INDIRECT SALES TO (i) GERMANY.



Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ

#### THERMACUT® REPLACEMENT PARTS SUITABLE FOR **KJELLBERG®** HiFocus® 100 PerCut® 100, PerCut® 101

Item	Part No.	Ref. No.	Sh.Ref.No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Sh.Ref.No.	Description	Std. Pkg.
1.	T-8630	11.835.201.081	Z501	Protection Cap	1	7.	T-8655	11.835.421.303	Z111A	Spacer	2
2.	T-8631	11.835.201.1561	Z4015	Swirl Gas Cap 1.5	10	8.	T-8624	11.835.221.3101	Z002Cu	Cathode, XL, O <sub>2</sub> , Copper (i)	5
	T-8632	11.835.201.1571	Z4020	Swirl Gas Cap 2.0	10	9.	T-4922	11.835.221.3101-AG	Z002	Cathode, XL, O <sub>2</sub> , SilverEX-®	5
	T-8633	11.835.201.1581	Z4025	Swirl Gas Cap 2.5	10	10.	T-8653	11.835.421.3101-PRO	Z012Cu	Cathode, XL, O <sub>2</sub> , Silver PRO	5
	T-8634	11.835.201.1591	Z4030	Swirl Gas Cap 3.0	10	11.	T-4923	11.835.421.3101-AG	Z012	Cathode, XL, O <sub>2</sub> , SilverEX-®	5
	T-8650	11.835.401.1571	Z4140	Swirl Gas Cap 4.0	10	NS	T-10196	11.835.211.5101 OEM	Z042	Cathode, HiFinox™	5
	T-9928	11.835.411.1581	Z4530	Swirl Gas Cap 3.0	10	NS	T-10053	11.835.411.5101 OEM	Z052	Cathode, HiFinox™	10
	T-9929	11.835.411.1591	Z4540	Swirl Gas Cap 4.0	10	12.	T-8638	11.835.201.152	Z901	Cooling Tube	1
	T-10154	11.835.411.1590	Z4545	Swirl Gas Cap 4.5	10	13.	T-8640	10.505.946		O-Ring	10
3.	T-8635	11.835.201.160	Z3004	Nozzle Cap 0.4	1	14.	N-10040	10.505.916		O-Ring	1
	T-8636	11.835.201.162	Z3008	Nozzle Cap 0.8	1	15.	T-8654	11.835.221.100		Torch Body, Machine	1
4.	T-8625	11.835.221.406	Z2006	Nozzle 0.6 25A	5	16.	T-10282	11.842.221.100-10		Tube Adaptor	1
	T-8626	11.835.221.407	Z2007	Nozzle 0.7 35A	10	17.	T-9857	11.842.421.250		Tube D44-295	1
	T-8627	11.835.221.408	Z2008	Nozzle 0.8 50/60A	10	NS	T-10164	11.843.001.810 OEM		Nozzle Tool	1
	T-8628	11.835.221.410	Z2010	Nozzle 1.0 80/90A	10	NS	T-10163	11.835.221.820 OEM		Cathode Tool	1
	T-8929	11.835.221.411	Z2011	Nozzle 1.1 90/100A	10	NS	T-9755	11.835.201.077		Clamping Bush	1
	T-8629	11.835.221.412	Z2012	Nozzle 1.2 100A	10	NS	T-9756	11.835.201.076		Outer Bush	1
	T-8637	11.835.221.414	Z2014	Nozzle 1.4 130A	10	NS	KT-1203	11.838.221.1015		PerCut® 101-2 Torch with Leads	1
	T-8651	11.835.421.412	Z2112	Nozzle 1.2 100A	10	11/3	K1-1203	11.030.221.1013		1.75m	'
	T-8652	11.835.421.414	Z2114	Nozzle 1.4 130A	10	NS	KT-1185	11.838.421.700		PerCut® 101-1	1
NS	T-10417	11.835.411.614 OEM	Z2514	Nozzle 1.4 120A	1	11/3	K1-1103	11.030.421.700		Cable Leads 6m	'
NS	T-10054	11.835.411.616 OEM	Z2516	Nozzle 1.6 130A	10	NS	KT-1135	11.838.421.702		PerCut® 101-1	1
5.	T-8623	11.835.221.153	Z101	Swirl Ring 0.4 (3×CW)	1	IVS	K1-1133	11.030.421.702		Cable Leads 15m	ı
	T-8886	11.835.221.154	Z102	Swirl Ring 0.4 (2×CW)	1	NS	KT-1410	11.838.221.103		PerCut® 101-2 Torch with Leads	1
6.	T-9287	11.834.321.153K	Z111	Swirl Ring, Ceramic	1	1113	N1-1410	11.030.221.103		3m	ı
	T-8618	11.834.321.153	Z111	Swirl Ring, Vespel®	1	18.	Coolant Lic	luid. Details on the pag	e 148, sect	ion Accessories.	

#### Last update of this page: 05/01/2021. See Revision history for details.



TEL.: +420 556 423 418 SALES@THERMACUT.CZ


INFO@THERMACUT.DE

WWW.THERMACUT.DE WWW.THERMACUT.CC TEL.: +49 (0) 27 39 40 33 0 TEL.: 1-603-542-6715 CUSTOMERSERVICE@THERMACUT.COM

THIS PART MAY NOT BE DISTRIBUTED ON THE GERMAN, ITALIAN, FRENCH AND GREAT BRITAIN MARKET. THERMACUT ACCEPTS NO RESPONSIBILITY IN CASE OF INDIRECT SALES TO GERMANY, ITALY, FRANCE AND GREAT BRITAIN.

NOT SHOWN IN THE PICTURE NS

<sup>-</sup>PRO TECHNOLOGY OF SILVER INSERTED COPPER ELECTRODE BODY, WHICH SIGNIFICANTLY DECREASES ELECTRODE COSTS WITH SIMILAR WORK PERFORMANCE COMPARED TO FULL SILVER ELECTRODES.



Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

#### THERMACUT® REPLACEMENT PARTS SUITABLE FOR **KJELLBERG®** HiFocus® 160i PerCut® 160 / PerCut® 170



Item	Part No.	Ref. No.	Sh.Ref.No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Sh.Ref.No.	Description	Std. Pkg.
1.	T-8630	11.835.201.081	Z501	Protection Cap	1		T-10007	11.843.021.416	S2016X	Nozzle 1.6 160A	10
2.	T-8631	11.835.201.1561	Z4015	Swirl Gas Cap 1.5	10	12.	T-10008	11.843.121.412	S2112X	Nozzle 1.2 100A	10
	T-8632	11.835.201.1571	Z4020	Swirl Gas Cap 2.0	10		T-10009	11.843.121.414	S2114X	Nozzle 1.4 130A	10
	T-8885	11.835.201.1551	Z4022	Swirl Gas Cap 2.2	10		T-10010	11.843.121.416	S2116X	Nozzle 1.6 160A	10
	T-8633	11.835.201.1581	Z4025	Swirl Gas Cap 2.5	10	13.	T-10011	11.843.111.614	S2514X	Nozzle 1.4 120A	5
	T-8634	11.835.201.1591	Z4030	Swirl Gas Cap 3.0	10		T-9926	11.843.111.616	S2516X	Nozzle 1.6 140A	5
3.	T-8650	11.835.401.1571	Z4140	Swirl Gas Cap 4.0	10		T-9927	11.843.111.618	S2518X	Nozzle 1.8 160A	5
4.	T-9928	11.835.411.1581	Z4530	Swirl Gas Cap 3.0	10	14.	T-10272	11.842.621.407	R2007	Nozzle 0.7 35A (3D)	10
	T-10153	11.835.411.1580	Z4535	Swirl Gas Cap 3.5	10	15.	T-10252	11.842.621.408	R2008	Nozzle 0.8 50A (3D)	10
	T-9929	11.835.411.1591	Z4540	Swirl Gas Cap 4.0	10		T-10273	11.842.621.409	R2009	Nozzle 0.9 70A (3D)	5
5.	T-10299	11.838.001.1561	Y4015	Swirl Gas Cap 1.5 (3D)	1		T-10274	11.842.621.410	R2010	Nozzle 1.0 80A (3D)	5
	T-10279	11.838.001.1571	Y4020	Swirl Gas Cap 2.0 (3D)	5		T-10275	11.842.621.411	R2011	Nozzle 1.1 90A (3D)	10
6.	T-10294	11.842.601.157	R4020	Swirl Gas Cap 2.0 (3D)	5		T-10276	11.842.621.412	R2012	Nozzle 1.2 100A (3D)	10
	T-10278	11.842.601.155	R4022	Swirl Gas Cap 2.2 (3D)	5		T-10277	11.842.621.414	R2014	Nozzle 1.4 130A (3D)	10
	T-10280	11.842.601.158	R4025	Swirl Gas Cap 2.5 (3D)	5	16.	T-8623	11.835.221.153	Z101	Swirl Ring 0.4 (3×CW)	1
	T-10303	11.842.701.158	R4130	Swirl Gas Cap 3.0 (3D)	5	17.	T-8886	11.835.221.154	Z102	Swirl Ring 0.4 (2×CW)	1
	T-10302	11.842.701.159	R4140	Swirl Gas Cap 4.0 (3D)	5	18.	T-9287	11.834.321.153K	Z111	Swirl Ring, Ceramic	1
7.	T-8887	11.842.401.160	S3004	Nozzle Cap 0.4	1		T-8618	11.834.321.153	Z111	Swirl Ring, Vespel®	1
	T-8888	11.842.401.162	S3008	Nozzle Cap 0.8	1	19.	T-8655	11.835.421.303	Z111A	Spacer	2
8.	T-8889	11.842.401.1622	S3028	Nozzle Cap 0.8	1	20.	T-4920	11.843.021.320-AG	S002Y	Cathode, SilverEX-®	5
	T-10208	11.842.401.1624	S3048	Nozzle Cap 0.8	1	21.	T-11204*	11.843.021.320-PRO	S002Y	Cathode, Silver PRO	5
9.	T-10328	11.842.401.1621	S3018	Nozzle Cap 0.8	1	22.	T-4924	11.843.121.310-AG	S012X	Cathode, SilverEX-®	5
NS	T-10249	11.842.601.160 OEM	R3004	Nozzle Cap 0.4	1	23.	T-11853*	11.843.121.310-PRO	S012X	Cathode, Silver PRO	5
NS	T-10298	11.842.601.162 OEM	R3008	Nozzle Cap 0.8	1	24.	T-9924	11.842.411.510	S042	$Cathode, HiFinox^{TM}\left(i\right)$	5
NS	T-10250	11.842.601.1621 OEM	R3018	Nozzle Cap 0.8 (3D)	1	25.	T-9925	11.842.511.510	S052	Cathode, FineFocus® (i)	5
NS	T-10251	11.842.601.1622 OEM	R3028	Nozzle Cap 0.8 (3D)	1	26.	T-4931	11.842.621.310-AG	R002	Cathode, XL, O <sub>2</sub> , SilverEX-®	5
10.	T-10000	11.843.021.406	S2006X	Nozzle 0.6 25A	10	27.	T-11851	11.842.621.310-PRO	R002	$Cathode, XL, O_{\underline{v}}, SilverPRO$	5
	T-10001	11.843.021.407	S2007X	Nozzle 0.7 35A	10	28.	T-11839	11.842.721.310-AG	R012	Cathode, O <sub>2</sub> , SilverEX-®	5
11.	T-10002	11.843.021.408	S2008X	Nozzle 0.8 50/60A	10	29.	T-10207	11.842.401.152	S901	Cooling Tube	1
	T-10003	11.843.021.409	S2009X	Nozzle 0.9 70/80A	10	30.	T-11161	11.842.601.152	R901	Cooling Tube	1
	T-10004	11.843.021.410	S2010X	Nozzle 1.0 80/90A	10	31.	T-11322	12.40320		Wrench for Swirl Ring	1
	T-9699	11.843.021.411	S2011X	Nozzle 1.1 90/100A	10	32.	Torches, ca	able leads. See followi	ng pages fo	or details.	
	T-10005	11.843.021.412	S2012X	Nozzle 1.2 100/130A	10	33.	Coolant Li	quid. Details on the pa	ige 148, se	ction Accessories.	
	T-10006	11.843.021.414	S2014X	Nozzle 1.4 130/160A	10						

- (i) THIS PART MAY NOT BE DISTRIBUTED ON THE GERMAN MARKET. THERMACUT ACCEPTS NO RESPONSIBILITY IN CASE OF INDIRECT SALES TO GERMANY.
- FULLY INTERCHANGEABLE AND COMPATIBLE WITH ORIGINAL PARTS, BUT DIFFERS FROM ORIGINAL DESIGN
- NOT SHOWN IN THE PICTURE NS
- -PRO TECHNOLOGY OF SILVER INSERTED COPPER ELECTRODE BODY, WHICH SIGNIFICANTLY DECREASES ELECTRODE COSTS WITH SIMILAR WORK PERFORMANCE COMPARED TO FULL SILVER ELECTRODES.

#### Last update of this page: 05/01/2021. See Revision history for details.




TEL.: +420 556 423 418 SALES@THERMACUT.CZ

INFO@THERMACUT.DE

WWW.THERMACUT.DE WWW.THERMACUT.CC TEL.: +49 (0) 27 39 40 33 0 TEL.: 1-603-542-6715 CUSTOMERSERVICE@THERMACUT.COM

#### PerCut® 160 / PerCut® 170 TORCHES AND CABLE LEADS



Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ

WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

#### THERMACUT® REPLACEMENT PARTS SUITABLE FOR **KJELLBERG®**

HiFocus® 160i

#### PerCut® 160 / PerCut® 170 TORCHES AND CABLE LEADS

It	em	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
<b>①</b>	1.	T-10174 🗿	11.843.021.100-UR	PerCut® 170 Front Part	1	10.	KT-1179	11.842.421.700A	PerCut® 160-2 Cable Leads 1.75m	1
	2.	N-12300	10.505.916	O-Ring	1	11.	KT-1220	K.PERCUT170-2.1,75M.K	PerCut® 170-2 Cable Leads 1.75m	1
	3.	T-8640	10.505.946	O-Ring	10	12.	KT-1051	11.842.421.1015	PerCut® 160-2 Mach. Torch with Leads 1.75m	1
	4.	N-18132	N-18132	O-Ring	1	13.	KT-1064	11.843.021.1015-UR	PerCut® 170-2-UR Mach. Torch w/ Leads 1.75m	1
<b>①</b>	5.	T-10175 🗿	11.822.583-UR	PerCut® 170 Adaptor	1		KT-1065	K.PERCUT170.3M	PerCut® 170-2-UR Mach. Torch with Leads 3m	1
	6.	T-10282	11.842.221.100-10	Tube PerCut® 160	1		KT-1218	K.PERCUT170-2.6M	PerCut® 170-2-UR Mach. Torch with Leads 6m	1
	7.	T-9933	11.842.221.100	Torch PerCut® 160	1	14.	KT-1265	K.PERCUT170-2.A	PerCut® 170 Adaptor with Leads 1.75m	1
	8.	T-9857	11.842.421.250	Tube PerCut® 160	1	15.	KT-1381	11.825.710.1	PBL-H160 Lead Set, 10m	1
	9.	T-10176	11.843.021.250	Tube PerCut® 170	1		KT-1308	11.825.715.1	PBL-H160 Lead Set, 15m	1
	NS	T-9755	11.835.201.077	Clamping Bush	1		Different ty	pes of cable leads ava	ailable on request	
	NS	T-9756	11.835.201.076	Outer Bush	1					
	NS	KT-1271	K.PERCUT160.1,5M	PerCut® 160-2 Mach. Torch with Leads 1.5m	1					

0 THERMACUT TORCH & ADAPTOR HAVE TO BE USED AS A SET, CONECTORS ARE NOT COMPATIBLE WITH OEM CONECTORS.

NS NOT SHOWN IN THE PICTURE

W/ WITH

#### Last update of this page: 05/01/2021. See Revision history for details.




 WWW.THERMACUT.CZ
 WWW.THERMACUT.DE
 WWW.THERMACUT.CO

 TEL.: +420 556 423 418
 TEL.: +49 (0) 27 39 40 33 0
 TEL.: 1-603-542-6715

 SALES@THERMACUT.CZ
 INFO@THERMACUT.DE
 CUSTOMERSERVICE@T

## THERMACUT® REPLACEMENT PARTS SUITABLE FOR KJELLBERG®

HiFocus® 160i, HiFocus® 161i, HiFocus® 280i, HiFocus® 360i, HiFocus® 440i PerCut® 200 / 201 / 210 / 211 / 450M / 451M MILD STEEL



Last update of this page: 02/02/2018. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

#### THERMACUT® REPLACEMENT PARTS SUITABLE FOR **KJELLBERG®**

HiFocus® 160i, HiFocus® 161i, HiFocus® 280i, HiFocus® 360i, HiFocus® 440i PerCut® 200 / 201 / 210 / 211 / 450M / 451M MILD STEEL



Item	Part No.	Ref. No.	Sh.Ref.No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Sh.Ref.No.	Description	Std. Pkg.
1.	T-11221	11.848.201.081	G501	Protection Cap 20-200A	1	<b>2</b> 1.	T-11357 🗿	11.848.221.414-UR	G2014Y	Nozzle 1.4mm 160A	1
	T-12010	11.852.201.081	G502	P. Cap 20-200A, PerCut® 451M	1	<b>②</b> 22.	T-11358 🧿	11.848.221.416-UR	G2016Y	Nozzle 1.6mm 200A	1
2.	T-11227	11.848.401.081	G521	Protection Cap 280-400A	1	<b>O</b>	T-11835 🗿	11.848.221.417-UR	G2017Y	Nozzle 1.7mm 200A	1
	T-12011	11.852.401.081	G522	P. Cap 280-440A, PerCut® 451M	1	<b>②</b> 23.	T-11359 🧿	11.848.421.426-UR	G2326Y	Nozzle 2.6mm 280A	1
<ul><li>3.</li></ul>	T-11368 🗿	11.848.201.1515-UR	G4015	Swirl Gas Cap 20A	10	<u> </u>	T-11360 🗿	11.848.421.430-UR	G2330Y	Nozzle 3.0mm 360A	1
<ul><li>4.</li></ul>	T-11369 🧿	11.848.201.1520-UR	G4020	Swirl Gas Cap 35/60A	10	<b>②</b> 25.	T-11361 🧿	11.848.421.431-UR	G2331Y	Nozzle 3.1mm 400A	1
<b>①</b> 5.	T-11371 🗿	11.848.201.1525-UR	G4025	Swirl Gas Cap 90A	10	26.	T-11223	11.848.221.145	G101	Swirl Ring	1
<b>0</b> 6.	T-11370 🧿	11.848.201.1522-UR	G4022	Swirl Gas Cap 130A	10	27.	T-11224	11.848.221.146	G102	Swirl Ring	1
<ul><li>7.</li></ul>	T-11372 🗿	11.848.201.1530-UR	G4030	Swirl Gas Cap 90-200A	10	28.	T-11230	11.848.421.145	G121	Swirl Ring	1
<b>O</b>	T-11968 🧿	11.848.201.1535-UR	G4035	Swirl Gas Cap 200A	10		T-11231	11.848.421.149	G125	Swirl Ring	1
<b>O</b>	T-11969 🧿	11.848.201.1540-UR	G4040	Swirl Gas Cap 200A	10	29.	T-11225*	11.848.221.300-AG	G002Y	Cathode, SilverEX-®	5
<ul><li>8.</li></ul>	T-11373 🧿	11.848.401.1550-UR	G4350	Swirl Gas Cap 280-400A	1	30.	T-11226*	11.848.221.310-AG	G003Y	Cathode, SilverEX-®	5
<ul><li>9.</li></ul>	T-11374 🗿	11.848.401.1555-UR	G4355	Swirl Gas Cap 360-400A	1	31.	T-11858	11.848.231.320-PRO	G011Y	Cathode, Silver PRO	5
<u>0</u> 10.	T-11362 🧿	11.848.201.1604-UR	G3004	Retaining Cap 20-35A	1	32.	T-11859	11.848.231.350-PRO	G015Y	Cathode, Silver PRO	5
<u>•</u> 11.	T-11363 🗿	11.848.201.1628-UR	G3028	Retaining Cap 60-200A	1	33.	T-11860	11.848.231.360-PRO	G016Y	Cathode, Silver PRO	5
<u>0</u> 12.	T-11367 🧿	11.848.401.1649-UR	G3249	Retaining Cap 280/400A	1	34.	T-11232*	11.848.421.310-AG	G032Y	Cathode, SilverEX-®	5
<u>•</u> 13.	T-11365 🗿	11.848.401.1619-UR	G3219	Retaining Cap 280-400A	1	35.	T-11233*	11.848.421.330-AG	G034Y	Cathode, SilverEX-®	5
<u>O</u> 14.	T-11366 🧿	11.848.401.1629-UR	G3229	Retaining Cap 360/400A	1	36.	T-11222	11.848.201.142	G901Y	Cooling Tube 20-200A	1
<u>•</u> 15.	T-11364 🗿	11.848.401.1609-UR	G3209	Retaining Cap 360/400A	1	37.	T-11847	11.852.201.142	G902Y	Cooling Tube	1
<u>0</u> 16.	T-11352 🧿	11.848.221.406-UR	G2006Y	Nozzle 0.6mm 20A	1	38.	T-11228	11.848.401.142	G931Y	Cooling Tube 280-400A	1
<b>①</b> 17.	T-11353 🗿	11.848.221.407-UR	G2007Y	Nozzle 0.7mm 35A	1	39.	T-11322	12.40320		Wrench for Swirl Ring	1
<b>①</b> 18.	T-11354 🧿	11.848.221.408-UR	G2008Y	Nozzle 0.8mm 60A	1	40.	Coolant Li	quid. Details on the	page 148	8, section Accessories.	
<b>①</b> 19.	T-11355 🗿	11.848.221.410-UR	G2010Y	Nozzle 1.0mm 90A	1						
<b>2</b> 0.	T-11356 🗿	11.848.221.412-UR	G2012Y	Nozzle 1.2mm 130A	1						

- FULLY INTERCHANGEABLE AND COMPATIBLE WITH ORIGINAL PARTS, BUT DIFFERS FROM ORIGINAL DESIGN
- MUST BE USED ONLY AS A SET OF SWIRL GAS CAP, RETAINING CAP AND NOZZLE, THIS COMPLETE SET IS INTERCHANGEABLE AND COMPATIBLE WITH ORIGINAL PARTS

#### THERMACUT DESIGN IS PROTECTED BY UTILITY PATENT

-PRO SILVER PRO TECHNOLOGY INCREASES ELECTRODE LIFETIME SIGNIFICANTLY COMPARED TO STANDARD COPPER ELECTRODES SMART SOLUTION - DESIGN IMPROVEMENTS THAT BRINGS ADDED VALUE SUCH AS IMPROVED LIFETIME OF CONSUMABLES, EXCELLENT CUT QUALITY, SPEED OR BETTER COST EFFECTIVENESS OF YOUR SYSTEM

#### Last update of this page: 02/02/2018. See Revision history for details.




TEL.: +420 556 423 418 SALES@THERMACUT.CZ

INFO@THERMACUT.DE

## THERMACUT® REPLACEMENT PARTS SUITABLE FOR KJELLBERG®

HiFocus® 160i, HiFocus® 161i, HiFocus® 280i, HiFocus® 360i, HiFocus® 440i PerCut® 200 / 201 / 210 / 211 / 450M / 451M STAINLESS STEEL





Last update of this page: 22/01/2019. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

#### THERMACUT® REPLACEMENT PARTS SUITABLE FOR **KJELLBERG®**

HiFocus® 160i, HiFocus® 161i, HiFocus® 280i, HiFocus® 360i, HiFocus® 440i PerCut® 200 / 201 / 210 / 211 / 450M / 451M STAINLESS STEEL



Item	Part No.	Ref. No.	Sh.Ref.No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Sh.Ref.No.	Description	Std. Pkg.
1.	T-11221	11.848.201.081	G501	Protection Cap 60-160A	1	<b>①</b> 17.	T-12006 🗿	11.848.311.614-UR	G2514	Nozzle 1.4mm 130A (i)	1
2.	T-11227	11.848.401.081	G521	Protection Cap 280-440A	. 1	<u>•</u> 18.	T-12007 🧿	11.848.311.615-UR	G2515	Nozzle 1.5mm 160A (i)	1
<ul><li>3.</li></ul>	T-11370 🗿	11.848.201.1522-UR	G4022	Swirl Gas Cap 60A (1-5mm)	10	<b>①</b> 19.	T-11995 🗿	11.848.411.625-UR	G2725	Nozzle 2.5mm 280A (i)	1
<b>①</b> 4.	T-11371 🗿	11.848.201.1525-UR	G4025	Swirl Gas Cap 60A (6mm)	10	<b>2</b> 0.	T-12009 🗿	11.848.411.627-UR	G2727	Nozzle 2.7mm 360A (i)	1
<b>①</b> 5.	T-11372 🗿	11.848.201.1530-UR	G4030	Swirl Gas Cap 130/160A (5-20mm)	10	<b>⊙</b> 21.	T-12005 🗿	11.848.411.629-UR	G2729	Nozzle 2.9mm 440A (i)	1
<b>①</b> 6.	T-11968 🧿	11.848.201.1535-UR	G4035	Swirl Gas Cap 160A (12-15mm)	10	22.	T-11223	11.848.221.145	G101	Swirl Ring 60A	1
<ul><li>7.</li></ul>	T-12001 🗿	11.848.401.1535-UR	G4335	Swirl Gas Cap 280/360A (15-30mm)	1	23.	T-11998	11.848.221.149	G105	Swirl Ring 130/160A	1
<b>②</b> 8.	T-12003 🧿	11.848.401.1540-UR	G4340	Swirl Gas Cap 280-440A (20-40mm)	) 1	24.	T-11231	11.848.421.149	G125	Swirl Ring 280-440A	1
<ul><li>9.</li></ul>	T-12002 🗿	11.848.401.1545-UR	G4345	Swirl Gas Cap 280-440A (40-80mm)	) 1	25.	T-12000	11.848.211.510	G042	Cathode 60A (i)	5
<b>1</b> 0.	T-11373 🧿	11.848.401.1550-UR	G4350	Swirl Gas Cap 440A (80-120mm)	1	26.	T-11999	11.848.311.510	G052	Cathode 130/160A (i)	5
<b>①</b> 11.	T-11997 🗿	11.848.201.1608-UR	G3008	Retaining Cap 35-80A (1-10mm)	1	27.	T-12004	11.848.411.500	G071	Cathode 280-440A (i)	5
<b>①</b> 12.	T-11996 🧿	11.848.201.1618-UR	G3018	Retaining Cap 130/160A (5-20mm)	1	28.	T-12008	11.848.211.142	G941	Cooling Tube 60-160A	1
<b>⊙</b> 13.	T-11366 🗿	11.848.401.1629-UR	G3229	Retaining Cap 280/360A (15-20mm)	1	29.	T-11229	11.848.411.142	G971	Cooling Tube 280-440A	1
<b>1</b> 4.	T-11365 🧿	11.848.401.1619-UR	G3219	Retaining Cap 280/360A (20-30mm)	1	30.	T-11322	12.40320		Wrench for Swirl Ring	1
<b>1</b> 5.	T-11364 🗿	11.848.401.1609-UR	G3209	Retaining Cap 280/440A (40-120mm)	1	31.	Coolant Li	quid. Details on the p	page 148	, section Accessories.	
<u> </u>	T-11355 🧿	11.848.221.410-UR	G2010Y	Nozzle 1.0mm 60A (i)	1						

- FULLY INTERCHANGEABLE AND COMPATIBLE WITH ORIGINAL PARTS, BUT DIFFERS FROM ORIGINAL DESIGN
- (i) THIS PARTS MAY NOT BE DISTRIBUTED ON THE GERMAN MARKET. THERMACUT ACCEPTS NO RESPONSIBILITY IN CASE OF INDIRECT SALES TO GERMANY.
- MUST BE USED ONLY AS A SET OF SWIRL GAS CAP, RETAINING CAP AND NOZZLE, THIS COMPLETE SET IS INTERCHANGEABLE AND COMPATIBLE WITH ORIGINAL PARTS

#### THERMACUT DESIGN IS PROTECTED BY UTILITY PATENT

-PRO SILVER PRO TECHNOLOGY INCREASES ELECTRODE LIFETIME SIGNIFICANTLY COMPARED TO STANDARD COPPER ELECTRODES SMART SOLUTION - DESIGN IMPROVEMENTS THAT BRINGS ADDED VALUE SUCH AS IMPROVED LIFETIME OF CONSUMABLES, EXCELLENT CUT QUALITY, SPEED OR BETTER COST EFFECTIVENESS OF YOUR SYSTEM


#### Last update of this page: 22/01/2019. See Revision history for details.




TEL.: +420 556 423 418 SALES@THERMACUT.CZ

TEL.: +49 (0) 27 39 40 33 0 TEL.: 1-603-542-6715 INFO@THERMACUT.DE

#### REPLACEMENT PARTS SUITABLE FOR PerCut® 370.1



#### REPLACEMENT PARTS SUITABLE FOR PerCut® 370.2



Last update of this page: 05/01/2021. See Revision history for details.



TEL.: +420 556 423 418 SALES@THERMACUT.CZ WWW.THERMACUT.DE WWW.THERMACUT.COM TEL.: +49 (0) 27 39 40 33 0 TEL.: 1-603-542-6715 INFO@THERMACUT.DE

#### THERMACUT® REPLACEMENT PARTS SUITABLE FOR **KJELLBERG®**

HiFocus® 280 / HiFocus® 360, HiFocus® 440 PerCut® 370.1, PerCut® 370.2

#### REPLACEMENT PARTS SUITABLE FOR PerCut® 370.1

Item	Part No.	Ref. No.	Sh.Ref.No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Sh.Ref.No.	Description	Std. Pkg.
1.	T-8630	11.835.201.081	Z501	Protection Cap	1		T-10006	11.843.021.414	S2014X	Nozzle 1.4 130/160A	10
2.	T-8631	11.835.201.1561	Z4015	Swirl Gas Cap 1.5	10		T-10007	11.843.021.416	S2016X	Nozzle 1.6 160A	10
	T-8632	11.835.201.1571	Z4020	Swirl Gas Cap 2.0	10	10.	T-10008	11.843.121.412	S2112X	Nozzle 1.2 100A	10
	T-8885	11.835.201.1551	Z4022	Swirl Gas Cap 2.2	10		T-10009	11.843.121.414	S2114X	Nozzle 1.4 130A	10
	T-8633	11.835.201.1581	Z4025	Swirl Gas Cap 2.5	10		T-10010	11.843.121.416	S2116X	Nozzle 1.6 160A	10
	T-8634	11.835.201.1591	Z4030	Swirl Gas Cap 3.0	10	11.	T-10011	11.843.111.614	S2514X	Nozzle 1.4 120A	5
3.	T-8650	11.835.401.1571	Z4140	Swirl Gas Cap 4.0	10		T-9926	11.843.111.616	S2516X	Nozzle 1.6 140A	5
4.	T-9928	11.835.411.1581	Z4530	Swirl Gas Cap 3.0	10		T-9927	11.843.111.618	S2518X	Nozzle 1.8 160A	5
	T-10153	11.835.411.1580	Z4535	Swirl Gas Cap 3.5	10	12.	T-8623	11.835.221.153	Z101	Swirl Ring 0.4 (3×CW)	1
	T-9929	11.835.411.1591	Z4540	Swirl Gas Cap 4.0	10	13.	T-8886	11.835.221.154	Z102	Swirl Ring 0.4 (2×CW)	1
5.	T-8887	11.842.401.160	S3004	Nozzle Cap 0.4	1	14.	T-9287	11.834.321.153K	Z111	Swirl Ring, Ceramic	1
	T-8888	11.842.401.162	S3008	Nozzle Cap 0.8	1		T-8618	11.834.321.153	Z111	Swirl Ring, Vespel®	1
6.	T-8889	11.842.401.1622	S3028	Nozzle Cap 0.8	1		T-10380	11.834.321.153 OEM	Z111	Swirl Ring	1
	T-10208	11.842.401.1624	S3048	Nozzle Cap 0.8	1	15.	T-8655	11.835.421.303	Z111A	Spacer	2
7.	T-10328	11.842.401.1621	S3018	Nozzle Cap 0.8	1	16.	T-4920	11.843.021.320-AG	S002Y	Cathode, SilverEX-®	5
8.	T-10000	11.843.021.406	S2006X	Nozzle 0.6 25A	10	17.	T-11204**	11.843.021.320-PRO	S002Y	Cathode, Silver PRO	5
	T-10001	11.843.021.407	S2007X	Nozzle 0.7 35A	10	18.	T-4924	11.843.121.310-AG	S012X	Cathode, SilverEX-®	5
9.	T-10002	11.843.021.408	S2008X	Nozzle 0.8 50/60A	10	19.	T-11853**	11.843.121.310-PRO	S012X	Cathode, Silver PRO	5
	T-10003	11.843.021.409	S2009X	Nozzle 0.9 70/80A	10	20.	T-9924	11.842.411.510	S042	Cathode, HiFinox™ (i)	5
	T-10004	11.843.021.410	S2010X	Nozzle 1.0 80/90A	10	21.	T-9925	11.842.511.510	S052	Cathode, FineFocus® (i)	5
	T-9699	11.843.021.411	S2011X	Nozzle 1.1 90/100A	10	31.	T-11322	12.40320		Wrench for Swirl Ring	1
	T-10005	11.843.021.412	S2012X	Nozzle 1.2 100/130A	10						

#### REPLACEMENT PARTS SUITABLE FOR PerCut® 370.2

Item	Part No.	Ref. No.	Sh.Ref.No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Sh.Ref.No.	Description	Std. Pkg.
22.	T-10591	11.833.101.1550	V4330	Swirl Gas Cap 3.0	1		T-10562	11.846.921.427	T2127Y	Nozzle 300A, O <sub>21</sub> repl. 11.836.921.427 (i)	10
	T-10220	11.833.101.155	V4335	Swirl Gas Cap 3.5	1		T-10563	11.846.921.430	T2130Y	Nozzle 360A, O <sub>2</sub> , repl. 11.836.921.430 (i)	10
	T-10221	11.833.101.156	V4340	Swirl Gas Cap 4.0	1		T-10927**	11.846.921.415-UR	T2115Y	Nozzle 120A, O <sub>2</sub> , repl. 11.836.921.415	10
	T-10222	11.833.101.157	V4345	Swirl Gas Cap 4.5	1		T-10928**	11.846.921.420-UR	T2120Y	Nozzle 200A, O <sub>2</sub> , repl. 11.836.921.420	10
	T-10223	11.833.101.158	V4350	Swirl Gas Cap 5.0	1		T-10929**	11.846.921.425-UR	T2125Y	Nozzle 250A, O <sub>21</sub> repl. 11.836.921.425	10
	T-10224	11.833.101.159	V4360	Swirl Gas Cap 6.0	1		T-10930**	11.846.921.427-UR	T2127Y	Nozzle 300A, O <sub>2</sub> , repl. 11.836.921.427	10
NS	T-11810	11.833.111.159	V4560	Swirl Gas Cap 6.0	1		T-10931**	11.846.921.430-UR	T2130Y	Nozzle 360A, O <sub>2</sub> , repl. 11.836.921.430	10
23.	T-10470	11.841.721.081	T502	Protection Cap PerCut® 370.2	1	27.	T-10466	11.836.921.1542	T104	Swirl Ring (3×0.4 CW)	1
24.	N-18267	11.836.921.271	T522	Insulator PerCut® 370.2	1		T-10672	11.836.921.153	T101	Swirl Ring (6×0.8 CW), Vespel®	1
24a.	N-18371	N-18371		O-Ring	1		T-10464	11.836.921.154	T102	Swirl Ring (3×0.8 CW)	1
25.	T-10214	11.836.901.163	T3030	Nozzle Cap (12×1.5 30° CW)	1		T-10465	11.836.921.1541	T112	Swirl Ring (3×0.8 CCW)	1
	T-10215	11.836.901.164	T3045	Nozzle Cap (12×1.5 45° CW)	1		TN-0004	11.836.921.153	T101	Swirl Ring (6×0.8 CW), Ceramic	1
	T-10217	11.836.901.1641	T3145	Nozzle Cap (12×1.5 45° CCW)	1	*28.	T-10804*	11.844.921.300-AG	T012Y	Cathode, SilverEX-®	5
	T-10216	11.836.901.165	T3060	Nozzle Cap (12×1.5 60° CW)	1	*29.	T-10558*	11.844.901.152	T902Y	Cooling Tube	1
26.	T-10559	11.846.921.415	T2115Y	Nozzle 120A, O <sub>2</sub> , repl. 11.836.921.415 (i)	10	30.	T-10564	12.38180		Wrench for Cooling Tube	1
	T-10560	11.846.921.420	T2120Y	Nozzle 200A, O <sub>2</sub> , repl. 11.836.921.420 (i)	10	31.	T-11322	12.40320		Wrench for Swirl Ring	1
	T-10561	11.846.921.425	T2125Y	Nozzle 250A, O <sub>2</sub> , repl. 11.836.921.425 (i)	10						

- THIS PART MAY NOT BE DISTRIBUTED ON THE GERMAN MARKET. THERMACUT ACCEPTS NO RESPONSIBILITY IN CASE OF INDIRECT SALES TO GERMANY. (i)
- FULLY INTERCHANGEABLE AND COMPATIBLE WITH ORIGINAL PARTS, BUT DIFFERS FROM ORIGINAL DESIGN
- A UNIQUE DESIGN WHICH ENHANCES PERFORMANCE AND DIFFERS FROM OEM DESIGNS
- CCW COUNTER CLOCK WISE GAS SWIRLING, USE OF CCW PARTS WILL MAKE CUT ANGLE ON THE OPPOSITE SIDE, THAN WITH STANDARD CLOCK WISE (CW) SWIRLING PARTS.
- -PRO TECHNOLOGY OF SILVER INSERTED COPPER ELECTRODE BODY, WHICH SIGNIFICANTLY DECREASES ELECTRODE COSTS WITH SIMILAR WORK PERFORMANCE COMPARED TO FULL SILVER ELECTRODES.

#### Last update of this page: 05/01/2021. See Revision history for details.




TEL.: +420 556 423 418 SALES@THERMACUT.CZ

TEL.: +49 (0) 27 39 40 33 0 TEL.: 1-603-542-6715 INFO@THERMACUT.DE

#### THERMACUT® REPLACEMENT PARTS SUITABLE FOR **KJELLBERG®**

FineFocus® 800 / FineFocus® 900 PA-S75<sup>TM</sup>/PB-S75<sup>TM</sup>/PB-S76<sup>TM</sup>/PB-S77<sup>TM</sup>



Item	Part No.	Ref. No.	Sh.Ref.No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Sh.Ref.No.	Description	Std. Pkg.
1.	T-10591	11.833.101.1550	V4330	Swirl Gas Cap 3.0	1	5.	T-8927	11.828.901.420	L1 XL	Nozzle 160A, Air/O <sub>2</sub>	10
	T-10220	11.833.101.155	V4335	Swirl Gas Cap 3.5	1		T-11301	11.828.901.425	L2 XL	Nozzle 250A, Air/O <sub>2</sub>	10
	T-10221	11.833.101.156	V4340	Swirl Gas Cap 4.0	1		T-10247	11.828.901.427	L4XL	Nozzle 300A, Air/O <sub>2</sub>	5
	T-10222	11.833.101.157	V4345	Swirl Gas Cap 4.5	1		T-10588	12.40850	L2	Nozzle 250A PB-S75™ WH	5
	T-10223	11.833.101.158	V4350	Swirl Gas Cap 5.0	1		T-11569	12.43050 OEM	L1	Nozzle 160A PB-S75™ WH	10
	T-10224	11.833.101.159	V4360	Swirl Gas Cap 6.0	1	6.	T-10369	12.40860		Swirl Ring, Air/O <sub>2</sub> , PB-S75 <sup>TM</sup>	5
2.	T-10357	11.833.101.261 OEM	V501	Protection Cap PB-S76™/PB-S77™	1	7.	T-4932	11.828.921.300-AG	K2-XL	Cathode, O <sub>2</sub> /Air, SilverEX-®, PB-S76™; PB-S75™	5
NS	T-10361	11.828.401.265 OEM		Protection Cap PB-S76™/PB-S77™	1		T-4933	11.833.121.300-AG	K3-XL	Cathode, O <sub>2</sub> /Air, SilverEX-®, PB-S77™	5
3.	N-18266	11.836.901.271	T521	Insulator	1	8.	T-10225	12.40870	K2	Cathode, Air/O <sub>2</sub> , PB-S75™ WH	5
3a.	N-18371	N-18371		O-Ring	1	9.	T-10371	12.51440 OEM		Cooling Tube PB-S75™	1
NS	T-10364	11.828.401.275 OEM		PTFE Cover PB-S76 <sup>TM</sup> /PB-S77 <sup>TM</sup>	1	10.	T-10564	12.38180		Wrench for Cooling Tube	1
4.	T-10219	12.37790		Nozzle Cap PB-S75™	1	11.	Coolant L	iquid. Details on the p	page 148	, section Accessories.	

NOT SHOWN IN THE PICTURE

#### Last update of this page: 05/01/2021. See Revision history for details.




NS

WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ

INFO@THERMACUT.DE

#### THERMACUT® REPLACEMENT PARTS SUITABLE FOR **KJELLBERG®** FineFocus® 800 / FineFocus® 900 **PB-S80™**



Item	Part No.	Ref. No.	Sh.Ref.No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Sh.Ref.No.	Description	Std. Pkg.
1.	T-10591	11.833.101.1550	V4330	Swirl Gas Cap 3.0	1		T-10561	11.846.921.425	T2125Y	Nozzle 250A, O <sub>2</sub> , repl. 11.836.921.425 (i)	10
	T-10220	11.833.101.155	V4335	Swirl Gas Cap 3.5	1		T-10562	11.846.921.427	T2127Y	Nozzle 300A, O <sub>2</sub> , repl. 11.836.921.427 (i)	10
	T-10221	11.833.101.156	V4340	Swirl Gas Cap 4.0	1		T-10563	11.846.921.430	T2130Y	Nozzle 360A, O <sub>2</sub> , repl. 11.836.921.430 (i)	10
	T-10222	11.833.101.157	V4345	Swirl Gas Cap 4.5	1		T-10927**	11.846.921.415-UR	T2115Y	Nozzle 120A, O <sub>2′</sub> repl. 11.836.921.415	10
	T-10223	11.833.101.158	V4350	Swirl Gas Cap 5.0	1		T-10928**	11.846.921.420-UR	T2120Y	Nozzle 200A, O <sub>2′</sub> repl. 11.836.921.420	10
	T-10224	11.833.101.159	V4360	Swirl Gas Cap 6.0	1		T-10929**	11.846.921.425-UR	T2125Y	Nozzle 250A, O <sub>2′</sub> repl. 11.836.921.425	10
2.	T-10997	11.833.121.271 OEM	V522	Protection Cap	1		T-10930**	11.846.921.427-UR	T2127Y	Nozzle 300A, O <sub>2′</sub> repl. 11.836.921.427	10
	T-10998	11.833.121.261 OEM	V502	Protection Cap	1		T-10931**	11.846.921.430-UR	T2130Y	Nozzle 360A, O <sub>2</sub> , repl. 11.836.921.430	10
	T-10357	11.833.101.261 OEM	V501	Protection Cap	1	6.	T-10466	11.836.921.1542	T104	Swirl Ring (3×0.4 CW)	1
3.	N-18267	11.836.921.271		Insulator	1		T-10672	11.836.921.153	T101	Swirl Ring (6×0.8 CW), Vespel®	1
	N-18266	11.836.901.271	T521	Insulator	1		T-10464	11.836.921.154	T102	Swirl Ring (3×0.8 CW)	1
3a.	N-18371	N-18371		O-Ring	1		T-10465	11.836.921.1541	T112	Swirl Ring (3×0.8 CCW)	1
4.	T-10214	11.836.901.163	T3030	Nozzle Cap (12×1.5 30° CW)	1		TN-0004	11.836.921.153	T101	Swirl Ring (6×0.8 CW), Ceramic	1
	T-10215	11.836.901.164	T3045	Nozzle Cap (12×1.5 45° CW)	1	7.	T-10804	11.844.921.300-AG	T012Y	Cathode, SilverEX-®, use with T902Y	5
	T-10217	11.836.901.1641	T3145	Nozzle Cap (12×1.5 45° CCW)	) 1	8.	T-10467	11.828.911.230	V951	Cooling Tube PB-S77™; PB-S80™	1
	T-10216	11.836.901.165	T3060	Nozzle Cap (12×1.5 60° CW)	1		T-10558	11.844.901.152	T902Y	Cooling Tube, use with T012Y	1
5.	T-10559	11.846.921.415	T2115Y	Nozzle 120A, O <sub>2</sub> , repl. 11.836.921.415 (i	10	9.	T-10564	12.38180		Wrench for Cooling Tube	1
	T-10560	11.846.921.420	T2120Y	Nozzle 200A, O <sub>2</sub> , repl. 11.836.921.420 (i	) 10	10.	Coolant L	iquid. Details on the	e page 14	48, section Accessories.	

- THIS PART MAY NOT BE DISTRIBUTED ON THE GERMAN, ITALIAN, FRENCH AND GREAT BRITAIN MARKET. THERMACUT ACCEPTS NO RESPONSIBILITY (i) IN CASE OF INDIRECT SALES TO GERMANY, ITALY, FRANCE AND GREAT BRITAIN.
- A UNIQUE DESIGN WHICH ENHANCES PERFORMANCE AND DIFFERS FROM OEM DESIGNS


COUNTER CLOCK WISE GAS SWIRLING, USE OF CCW PARTS WILL MAKE CUT ANGLE ON THE OPPOSITE SIDE, THAN WITH STANDARD CLOCK WISE (CW) SWIRLING PARTS.

#### Last update of this page: 05/01/2021. See Revision history for details.



TEL.: +420 556 423 418 SALES@THERMACUT.CZ INFO@THERMACUT.DE

#### THERMACUT® REPLACEMENT PARTS SUITABLE FOR **KOMATSU® G990™, G9120™ TORCH, 90A** RASOR® KCR-1251, 12714, 9714, 0951



Item	Part No.	Ref. No.	Description	Std. Pkg	Item	Part No.	Ref. No.	Description	Std. Pkg
1.	T-2057	65-0434-016	Cap #2	1	7.	T-2061	65-0434-020	Guide	1
2.	T-4097	65-0442-005	Shield Cap	1	8.	T-2321	65-0442-001	Electrode	5
3.	T-2359	65-0442-004	Spacer Ring	1	9.	T-3421	65-0442-009	Cooling Tube 120A	1
4.	T-2056	65-0434-015	Cap #1	1	10.	T-8818	7848-65-5620	Torch Body	1
5.	T-2058	65-0434-017	Nozzle 0.8mm	5	11.	T-11198	969-94-61310	Tube	1
	T-2054	65-0434-007	Nozzle 1.1mm	5	NS	KT-1414	K.G990.10M.K	G990™ Cable Leads 10m (33′)	1
	T-2353	65-0442-002	Nozzle 1.3mm	5					
6.	T-9595	65-0434-018	Swirl Ring	2					

NOT SHOWN IN THE PICTURE


#### Last update of this page: 28/02/2019. See Revision history for details.



NS

WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ INFO@THERMACUT.DE

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR LINCOLN ELECTRIC® LINCOLN ELECTRIC® TH1538 APPLICATION OF DURAMAX® TORCH TO TOMAHAWK 1538 CUTTING SYSTEM



List of consumables and spare parts is available in section POWERMAX® 65/85/105

ľ	tem	Part No.	Description
	1.	T-13184	DURAMAX® Hand Torch with Leads 8m (26,25′) for Lincoln Electric® TH1538
	2.	T-13185	DURAMAX® Machine Torch with Leads, length 8m without Rack; for Lincoln Electric® TH1538

#### Last update of this page: 23/03/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

#### THERMACUT® REPLACEMENT PARTS SUITABLE FOR **MIGATRONIC® PLA-45™, PLA-85™**



ŀ	tem	Part No.	Ref. No.	Description	Torch	Std. Pkg.	Item	Part No.	Ref. No.	Description	Torch	Std. Pkg.
	1.	T-4800	80600088	Distance Spring	PLA-45,85	100	NS	T-4806	80600096	Tiping Device	PLA-45,85	10
	2.	T-4805	80600095	Distance Ring	PLA-45,85	1	NS	T-7000	45050101	Trigger	PLA-45,85	1
	3.	T-4825	80640123	Shield Cap	PLA-45	10	NS	T-4807	80600097	Contact Pin	PLA-45,85	10
	4.	T-4813	80630011	Shield Cap	PLA-85	100	NS	T-4808	80600099	Mounted Print	PLA-45,85	1
	5.	T-4815	80630012A	Tip 1.0mm	PLA-45	100	NS	T-4803	80600093	Cutting Guide	PLA-45,85	5
	6.	T-4814	80630012	Tip 1.0mm	PLA-45,85	5	NS	KT-1303	80690085	PLA-45/85™ Torch with Leads 6m (20'),	PLA-45.85	1
	7.	T-4816	80650005	Torch Body, Hand	PLA-45,85	1	1113	K1-1303	00070003	centr. conn.	1 LA-43,03	'
	NS	T-4802	80600092	Handle	PLA-45,85	10						

NOT SHOWN IN THE PICTURE


Last update of this page: 05/01/2021. See Revision history for details.



NS

WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ WWW.THERMACUT.DE WWW.THERMACUT.COM
TEL.: +49 (0) 27 39 40 33 0 TEL.: 1-603-542-6715
INFO@THERMACUT.DE CUSTOMERSERVICE@THEI

#### THERMACUT® REPLACEMENT PARTS SUITABLE FOR **SAF® OCP 150**



Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-10456	0409-2166	Nozzle Retaining Cap	1		T-10457	0409-2169	Swirl Ring 120A	1
NS	T-10186	0409-2210	Nozzle Retaining Cap	1	NS	T-10139	0409-2209	Swirl Ring	1
2.	T-10449	0409-2171	Nozzle 15A	5	4.	T-10459	0409-2184-UR	Electrode	5
	T-10450	0409-2173	Nozzle 30A	5		T-10460	0409-2184	Electrode (replace 0409-2185)	5
	T-10451	0409-2174	Nozzle 40A	5		T-10461	0409-2185	Electrode	5
	T-10452	0409-2176	Nozzle 60A	5	NS	T-10137	0409-2194T	Electrode	10
	T-10453	0409-2183	Nozzle 90A	5	5.	T-10455	0409-2154	Cooling Tube	1
	T-10454	0409-2186	Nozzle 120A	5	NS	T-10019	0408-1238	O-Ring	10
NS	T-10140	0409-2231	Nozzle 15A, N <sub>2</sub>	1	NS	T-10020	0408-1282	O-Ring	10
NS	T-10141	0409-2233	Nozzle 30A, N <sub>2</sub>	1	NS	T-10021	0408-1284	O-Ring	10
NS	T-10142	0409-2234	Nozzle 40A, N <sub>2</sub>	10	NS	T-10022	0408-1283	O-Ring	10
NS	T-10143	0409-2236	Nozzle 60A, N <sub>2</sub>	10	NS	T-10138	0409-2167	O-Ring	10
NS	T-10134	0409-2239	Nozzle 90A, N <sub>2</sub>	10	NS	T-10049	0409-2168	O-Ring	1
NS	T-10172	0409-2240	Nozzle 120A, N <sub>2</sub>	10					
NS	T-10135	0409-2250	Nozzle 120A, Ar/H2	10					
3.	T-10458	0409-2170	Swirl Ring 60A	1					

NOT SHOWN IN THE PICTURE

Last update of this page: 05/01/2021. See Revision history for details.



NS

WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ 
 WWW.THERMACUT.DE
 WWW.THERMACUT.COM

 TEL.: +49 (0) 27 39 40 33 0
 TEL.: 1-603-542-6715

 INFO@THERMACUT.DE
 CUSTOMERSERVICE@THE

#### THERMACUT® REPLACEMENT PARTS SUITABLE FOR **SAF® CP40R, CP100R**



Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-0431	0408-2053	Guide Wire (=W000302609)	10	7.	T-8067	0408-2381	Plunger Tube (=W000302554)	1
2.	T-0430	0408-2270	Shroud (=0408-2267, W000302606)	1	8.	T-1829	0408-2056	Torch Body, Hand CP40R® (=W000142824	) 1
3.	T-8307	0408-2268	Shroud (=W000302552)	1	NS	KT-1376	K.CP40R.CP100R.6M.K	CP40R®, CP100R® Cable Leads 6m (20'	) 1
4.	T-8306	0408-2405	Shroud (=W000302557)	1	NS	KT-1062	0408-2050	CP40R® Torch with Leads 6m (20')	1
5.	T-8069	0408-2400	Tip 1.0mm (=0408-2261)	5	NS	KT-1063	0408-2375	CP100R® Torch with Leads 6m (20')	1
NS	T-8070	0408-2401	Tip 1.2mm (=0408-2262)	5					
NS	T-8071	0408-2396	Tip 1.6mm (=0408-2385)	5					
6.	T-3549	0408-2051	Electrode, Zr (=W000302545)	10					

NOT SHOWN IN THE PICTURE

Last update of this page: 05/01/2021. See Revision history for details.




NS

TEL.: +420 556 423 418 SALES@THERMACUT.CZ 

#### THERMACUT® REPLACEMENT PARTS SUITABLE FOR

### Thermal Dynamics®


#### PCH/M-51




#### **ACCESSORIES**

Item	Part No.	Ref. No.	Description	Std. Pkg	Item	Part No.	Ref. No.	Description	Std. Pkg
1.	T-1040	9-5636-1	Handle with Switch	1	3.	T-0161	8-4204	Bushing	1
2.	T-0159	8-5005	Mounting Tube	1					

#### THERMACUT® REPLACEMENT PARTS SUITABLE FOR **PCH/M-52**



#### **ACCESSORIES**



Item	Part No.	Ref. No.	Description	Std. Pkg	Item	Part No.	Ref. No.	Description	Std. Pkg
1.	T-0170	9-5708	Tip .059 100A	10	3.	T-0151	8-5525	O-Ring	10
	T-0172	9-5618	Tip .043 45A	10	4.	T-0178	9-5642	TMT-52, Hand Torch	1
2.	T-0176	9-5619	Electrode, Air	10	4a.	T-0179	9-5643	TMT-52. Machine Torch	1

#### **ACCESSORIES**

ltem	Part No.	Ref. No.	Description	Std. Pkg	Item	Part No.	Ref. No.	Description	Std. Pkg
1.	T-0157	8-4018	Nut	1	5.	T-0914	8-4190	Fitting (-), Torch End	5
2.	T-0183	9-1901	Adapter	1		T-0976	8-5085	Ferrule	1
3.	T-0159	8-5005	Mounting Tube	1		T-0889	8-5013	Ferrule	1
4.	T-0160	7-2827 OEM	Pinion Assembly	1	6.	T-0924	8-7033	Fitting (-), Console End	5

NOT SHOWN IN THE PICTURE

#### Last update of this page: 05/01/2021. See Revision history for details.

THERMACUT THE CUTTING COMPANY

WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

TEL.: 1-603-542-6715 CUSTOMERSERVICE@THERMACUT.COM

#### THERMACUT® REPLACEMENT PARTS SUITABLE FOR Thermal Dynamics® PCH/M-6B



Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-0233	8-6515	End Cap	1	12.	T-0217	8-6577	6B Machine Torch	1
2.	T-0232	8-6514	Insulator, End Piece	5		T-1423	8-6583	6B Hand Torch 70°	1
3.	T-0231	8-6581	Outer Insulator	1		T-0216	8-6584	6B Hand Torch 90°	1
4.	T-0230	8-6512	Gasket, Outer Insulator	5	NS	T-0159	8-5005	Positioning Tube	1
5.	T-0229	8-6572	Tip .125 400A	5	NS	T-0236	8-6517 OEM	Liner/Tip Wrench	1
	T-0228	8-6582	Tip .113 300A	5	NS	T-0161	8-4204	Bushing	1
	T-0227	8-6575	Tip .093 200A	5	NS	KT-1337	2-2747	PCH-6B 70° Torch with Leads 15.2m (50'), PAK®45	1
	T-0226	8-6648	Tip .076 150A	5	NS	KT-1431	2-2789	PCH-6B 70° Torch with Leads 15.2m (50'), PAK®44	1
	T-0225	8-6580	Tip .067 100A	5	NS	KT-1215	2-2790	PCH-6B® 90° Torch with Leads 7.6m (25')	1
6.	T-0224	8-6586	Electrode, N <sub>2</sub> , Metal Seat, L-Amp	10	NS	T-13077	2-2791	PCH-6B® 90° Torch with Leads 15.2m (50′)	1
7.	T-0223	8-6578	Electrode, N <sub>2</sub> , Gen. Purpose	10	NS	KT-1323	4-2725	PCH-6B® Cable Leads 7.6m (25')	1
8.	T-0222	8-6571	Liner Assy	1	NS	KT-1324	2-2792	PCM-6B® 180° Torch with Leads 7.6m (25')	1
9.	T-0221	8-6587	Gas Distributor, 6B, 4 Holes, Rev. Swirl	1	NS	KT-1188	4-2726	PCH-6B® Cable Leads 15.2m (50')	1
	T-0220	8-6569	Gas Distributor, 6B, 4 Holes	1	NS	KT-1198	2-2749	PCM-6B® 180° Torch with Leads 15.2m (50')	1
10.	T-0219	8-6615	Electrode Holder	1	NS	KT-1443	9-2866	Plasma Hose 7.6m (25')	1
11.	T-0108	8-0531	O-Ring	1	NS	KT-1444	9-2950	Power Hose 7.6m (25')	1

NOT SHOWN IN THE PICTURE

Last update of this page: 28/02/2019. See Revision history for details.



NS


WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ 
 WWW.THERMACUT.DE
 WWW.THERMACUT.COM

 TEL.: +49 (0) 27 39 40 33 0
 TEL.: 1-603-542-6715

 INFO@THERMACUT.DE
 CUSTOMERSERVICE@THEI


#### **THERMACUT® REPLACEMENT PARTS SUITABLE FOR**

## Thermal Dynamics® PCH/M-150 TORCH



Tip .067 150A, Nit

#### **ACCESSORIES**



Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-2172	9-5758-5	Plastic Bottom	1		T-0248	9-5766	Tip .052 100A, Nit	5
1a.	T-0237	9-5750	Shield Cup	1	3.	T-0253	9-5749	Electrode, Air	5
	T-1032	9-5750-1	Ceramic Taper Piece	1		T-0254	9-5754	Electrode, Nit, AR/H	5
1b.	T-0238	9-5758	Shield Cup, Tip Exp.	1		T-0255	9-5760	Electrode, Oxy	5
1c.	T-0239	9-5790	Shield Cup, Metal	1	4.	T-0263	8-0537	O-Ring, Small	10
	T-2176	9-5790-1	Metal Front Piece	1	5.	T-0264	8-0540	O-Ring, Large	10
2.	T-0241	9-5746	Tip .070 150A, Air	5	6.	T-0256	9-5743	TMT-150 Hand Torch 70°	1
	T-0242	9-5747	Tip .055 100A, Air	5		T-2171	9-5744	TMT-150 Hand Torch 90°	1
	T-0243	9-5748	Tip .043 50A, Air	5	6a.	T-0257	9-5745	TMT-150 Machine Torch	1
	T-0244	9-5751	Tip .070 150A, Oxy	5					
	T-0245	9-5752	Tip .052 100A, Oxy	5					

#### **ACCESSORIES**

Item	Part No.	Ref. No.	Description	Std. Pkg.	ltem	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-0261	8-2158	Adapter, 1 3/8" Dia	1		T-0963	8-5139	Shielded Sleeving 25'	1
2.	T-1077	7-3207	Mounting Tube	1	10.	T-0954	4-2863	Hand Leads 25'	1
3.	T-0161	8-4204	Bushing	1		T-0955	4-2864	Hand Leads 50'	1
4.	T-0965	8-5565	Plasma Lead 25'	1		T-0956	4-2865	Machine Leads 25'	1
	T-0966	8-5566	Plasma Lead 50'	1		T-0957	4-2866	Machine Leads 50'	1
5.	T-0961	8-5135	Secondary Gas Hose 25'	1	NS	T-0950	2-2980	Machine Torch with 25' Leads	1
	T-0962	8-5136	Secondary Gas Hose 50'	1	NS	T-0951	2-2981	Machine Torch with 50' Leads	1
6.	T-0969	8-6139	Negative Lead 25'	1	NS	T-0952	2-2982	Hand Torch 70° with 25′ Leads	1
7.	T-0971	8-6305	Coolant Return Hose 25'	1	NS	T-0958	2-2978	Hand Torch 90° with 25′ Leads	1
	T-0972	8-6306	Coolant Return Hose 50'	1	NS	T-0953	2-2983	Hand Torch 70° with 50′ Leads	1
8.	T-0967	8-5567	Control Cable 25'	1	NS	T-0959	2-2979	Hand Torch 90° with 50′ Leads	1
	T-0968	8-5568	Control Cable 50'	1					
9.	T-0940	8-1000	Leads Sleeving 25'	1					
	T-0960	8-1058	Leads Sleeving 50'	1					

**NS** NOT SHOWN IN THE PICTURE

T-0247

9-5767


#### Last update of this page: 17/11/2015. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

#### THERMACUT® REPLACEMENT PARTS SUITABLE FOR

Thermal Dynamics®
MERLIN™ 6000 & 6000GST
MAXIMIZER™ 300



Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-2971	20-1003	Shield Cup 50A	1		T-10264**	20-1018-UR	Electrode 50-225A, Air (300A, O <sub>2</sub> )	5
	T-2289	20-1004	Shield Cup 100-225A	1		T-10265**	20-1010-UR	Electrode 100-225A, Air/O <sub>2</sub>	5
	T-10708	20-1004 OEM	Shield Cup 100-225A	1	6.	T-4913	20-1018-AG	Electrode 50-225A, Air (300A, O <sub>2</sub> ), SilverEX- <sup>©</sup>	5
	T-2290	20-1005	Shield Cup 300A	1		T-4914	20-1021-AG	Electrode 300A, Air, SilverEX-®	5
2.	T-2292	20-1002	Standard Shield Cup Body	1	7.	T-2300	20-1023	Electrode 50-300A, N <sub>2</sub>	5
3.	T-8981	20-1030	Tip 0.043" 50A	5	8.	T-2301	20-0008	Gas Distributor 50-225A	2
	T-2303	20-1031	Tip 0.055" 100A	5		T-2302	20-1009	Gas Distributor 300A	2
	T-2304	20-1032	Tip 0.073" 150A	5	9.	T-11846	T-11846	Cooling Tube	1
	T-2305	20-1033	Tip 0.083" 225A	5	10.	T-1693	9-6410	Torch Body	1
	T-2306	20-1034	Tip 0.109" 300A	5	10a.	N-10088	1-023B	O-Ring	1
4.	T-10702	20-1017	Electrode 225A, O <sub>2</sub>	5	NS	T-0261	8-2158	Adaptor	1
5.	T-10441	20-1021-UR	Electrode 300A, Air	5	NS	T-1077	7-3207	Mounting Tube	1
	T-10293**	20-1015-UR	Electrode 50-100A, O <sub>2</sub>	10	NS	T-0160	7-2827 OEM	Pinion Assembly	1
	T-10440**	20-1016-UR	Electrode 150A, O <sub>2</sub>	5	NS	T-0161	8-4204	Bushing	1

## THERMACUT® REPLACEMENT PARTS SUITABLE FOR PCH/M-120



Iten	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1	T-0571	20-1225	Short Shield Cup	1	5.	T-11846	T-11846	Cooling Tube	1
2	T-0577	20-1222	Tip .063 120A	5	6.	T-1693	9-6410	Torch Body	1
	T-0570	20-1221	Tip .047 70A	5	6a.	N-10088	1-023B	O-Ring	1
	T-0582	20-1220	Tip .031 35A	5					
3	T-0569	20-1215	Gas Distributor	1					
4	T-10263	20-1210-UR	Electrode	5					

\*\* A UNIQUE DESIGN WHICH ENHANCES PERFORMANCE AND DIFFERS FROM OEM DESIGNS

**NS** NOT SHOWN IN THE PICTURE

**SMART SOLUTION** - DESIGN IMPROVEMENTS THAT BRINGS ADDED VALUE SUCH AS IMPROVED LIFETIME OF CONSUMABLES, EXCELLENT CUT QUALITY, SPEED OR BETTER COST EFFECTIVENESS OF YOUR SYSTEM

#### Last update of this page: 05/01/2021. See Revision history for details.




WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

WWW.THERMACUT.COM
TEL.: 1-603-542-6715
CUSTOMERSERVICE@THERMACUT.COM


MOST THERMACUT PARTS ARE MADE FOR OR BY AN IBG COMPANY. PARTS INDICATED WITH A OEM ARE ORIGINAL PARTS MANUFACTURED BY THE ABOVE NAMED MANUFACTURER AND ARE BEING RESOLD BY THERMACUT. THERMACUT RESERVES THE RIGHT TO SUBSTITUTE OEM PARTS IN PLACE OF THERMACUT PARTS.
VALID FROM MARCH 2021 • PREVIOUS VERSION IS NO LONGER VALID. • © COPYRIGHT 2021 BY THERMACUT CZECH REPUBLIC. ALL RIGHTS RESERVED.

#### THERMACUT® REPLACEMENT PARTS SUITABLE FOR **Thermal Dynamics® PWH/M 2A WELDING TORCH**



Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-1482	8-2071	Shield Cup	5		T-1037	8-2028	Torch Head 90°	1
2.	T-1483	8-2023	Tip .046 35A	10		T-1493	8-2097	Torch Head, Machine	1
	T-1485	8-2025	Tip .081 75A	10	5.	T-1494	8-2035	O-Ring	5
	T-1486	8-2079	Tip Long .031	10	6.	T-1495	8-2039	Collet	5
	T-1487	8-2080	Tip Long .046	10		T-0766	8-2041	Collet .040	1
	T-1488	8-2082	Tip Long .062	10	7.	T-1496	8-2033	Electrode	10
	T-1489	8-2083	Tip Long .081	10		T-0768	8-2044	Electrode .040, Standard	10
3.	T-1490	8-2040	Gas Distributor	1	8.	T-1497	8-2032	Back Cap	1
4.	T-1491	8-2036	Gasket	5		T-0765	8-2030	Back Cap, Extended	1
	T-1492	8-2027	Torch Head 70°	1					

#### **ACCESSORIES**



Item	Part No.	Ref. No.	Description	Std. Pkg	Item	Part No.	Ref. No.	Description	Std. Pkg
1.	T-0157	8-4018	Nut	1	NS	T-0774	2-2840	Machine Torch with 12.5' Leads without Q. D.	. 1
2.	T-0159	8-5005	Mounting Tube	1	NS	T-1532	9-2105	Negative Lead, Green, 12-1/2'	1
3.	T-0161	8-4204	Bushing	1	NS	T-1533	8-1494	Negative Lead, Green, 25'	1
NS	T-1526	4-2539	Leads 12-1/2'	1	NS	T-1534	9-2107	Positive Lead, Red 12-1/2'	1
NS	T-1527	4-2585	Leads 25'	1	NS	T-1535	8-1495	Positive Lead, Red 25'	1
NS	T-1528	2-2443	Hand Torch 70° with 12-1/2′ Leads	1	NS	T-1536	8-1074	Plasma Hose 12 1/2'	1
NS	T-4106	2-2100	Hand Torch 70° with 12.5′ Leads & Q. D.	1	NS	T-1537	8-1496	Plasma Hose 25'	1
NS	KT-1061	2-2504	Hand Torch 70° with 25′ Leads	1	NS	T-1520	8-1075	Shield Hose 12 1/2'	1
NS	T-0772	2-2444	Hand Torch 90° with Leads 12.5′	1	NS	T-1521	8-1497	Shield Hose 25'	1
NS	T-0775	2-2506	Hand Torch 90° with 25′ Leads	1	NS	T-1446	8-3138	Sleeving 12 1/2'	1
NS	T-1530	2-2480	Machine Torch with 12-1/2' Leads	1	NS	T-1447	8-3139	Sleeving 25'	1
NS	T-1531	2-2594	Machine Torch with Leads 25'	1					

NS NOT SHOWN IN THE PICTURE

#### Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ

INFO@THERMACUT.DE

#### THERMACUT® REPLACEMENT PARTS SUITABLE FOR **Thermal Dynamics® PWH/M 3A WELDING TORCH**



Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-1505	8-3040	Shield Cup	1		T-1499	8-3030	Torch Head 70°	1
	T-1911	8-3038	Shield Cup Standard Weight	1		T-1036	8-3031	Torch Head 90°	1
2.	T-1506	8-3052	Tip .014 10A, Standard	10	9.	T-1027	8-0527	O-Ring Electrode Cap	10
	T-1508	9-1782	Tip .031 30A, Standard	10	10.	T-1502	9-1780	Collet	1
	T-1509	9-1783	Tip .046 50A, Standard	10	11.	T-1504	9-1779	Electrode Cap, Standard	1
	T-1510	9-1784	Tip .062 75A, Standard	10	12.	T-0777	9-1803	Electrode Cap, Extended	1
	T-1511	9-1785	Tip .081 100A, Standard	10	NS		9-1757	PWH Handle	1
	T-1512	9-1795	Tip .093 150A, Standard	10	NS		9-1778 OEM	Sleeve	1
3.	T-1513	9-1788	Tip, Long .031 10A, Extended	10	NS		8-4018	Nut	1
	T-1514	9-1789	Tip, Long .046 20A, Extended	10	NS		9-1901	Adaptor	1
	T-1515	9-1790	Tip, Long .062 55A, Extended	10	NS		8-5005	Positioning Tube	1
	T-1516	9-1791	Tip, Long .081 75A, Extended	10	NS		8-4204	End Cap	1
	T-1517	9-1811	Tip, Long .093 85A, Extended	10	NS		9-1810	Gage/Wrench	1
4.	T-1518	9-2240	Gas Distributor Insulating Sleeve	5	NS	KT-1069	4-2615	PWH/M 3A Cable Leads 3.8m (12.5') Hand/Mach.	1
5.	T-1503	9-1747	Electrode	1	NS	KT-1474	4-2624	PWH/M 3A Cable Leads 7.6m (25') Hand/Mach.	1
6.	T-1498	8-3059	Gas Diffuser	1	NS	KT-1067	2-2616	PWH 3A Hand Torch 180° 3.8m	1
7.	T-1519	8-3057	Gasket - Shield Cup	5					
8.	T-1500	8-3032	Torch Head Assembly (180° offset)	1					

NOT SHOWN IN THE PICTURE

#### Last update of this page: 05/01/2021. See Revision history for details.



NS

WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ 

#### THERMACUT® REPLACEMENT PARTS SUITABLE FOR **Thermal Dynamics® PWH/M 4A WELDING TORCH**



Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-1448	8-4062	Shield Cup	1	12.	T-0191	8-4158	Electrode Cap, Standard	1
	T-12352	8-4064 OEM	Shield Cup with Lens	5		T-2144	9-1877	Electrode Cap, Extended	1
2.	T-1451	9-1847	Tip .062 100A, Standard	10	NS	T-2146	9-2204	Gas Distributor	1
	T-1452	9-1848	Tip .093 125A, Standard	10	NS	T-1456	8-0560	O-Ring	10
	T-1453	9-1849	Tip .125 250A, Standard	10	NS	T-1457	8-0528	O-Ring	10
3.	T-1020	9-1890	Tip .062 100A, Extended	10	NS	T-0157	8-4018	Nut	1
	T-2145	9-1891	Tip .093 125A, Extended	10	NS	T-0183	9-1901	Adaptor	1
	T-2355	9-1892	Tip .125 250A, Extended	5	NS	T-0159	8-5005	Positioning Tube	1
4.	T-1454	9-1827	Electrode .187, Standard	5	NS	T-0161	8-4204	End Cap	1
	T-2134	9-1834	Electrode .187, Extended	5	NS	KT-1357	2-2125	PWH 4A* 70° Torch with Leads 7.6m (25'), centr.conn.	1
5.	T-2105	8-4011	Liner (without Gas Distributor)	1	NS	KT-1377	2-2829	PWH 4A® 180° Torch with Leads 7.6m (25'), centr.conn.	. 1
6.	T-1455**	8-4012-UR	Liner (Gas Distributor included)	1	NS	KT-1207	9-3088	PWH, M4A® Hose, Shield, 4A/6A, 25'	1
7.	T-1458	8-4024	Collar	1	NS	KT-1206	8-1505	PWH, M4A® Hose, Plas., 25'	1
8.	T-11543	8-4040 OEM	Shield Gas Diffuser, Threaded	1	NS	KT-1186	9-2079	PWH, M4A® Lead, neg. W.C., 12.5' (3.8m)	1
9.	T-0197	8-4069	Gasket - Shield Cup	5	NS	KT-1200	9-2081	PWH, M4A® Lead, pos. W.C., 12.5' (3.8m)	1
10.	T-1460	8-4014	Torch Head Assembly 70°	1	NS	KT-1201	8-1398	PWH, M4A® Lead, neg. W.C., 25' (7.6m)	1
	T-1303	8-4016	Torch Head Assembly 180° offset	1	NS	KT-1202	8-1399	PWH, M4A® Lead, pos. W.C., 25' (7.6m)	1
	T-0075	8-4015	Torch Head Assembly 90°	1					
	T-1461	8-4054	Torch Head Assembly 180° inline	1					
11.	T-1463	9-1876	Collet	1					

A UNIQUE DESIGN WHICH ENHANCES PERFORMANCE AND DIFFERS FROM OEM DESIGNS


NS NOT SHOWN IN THE PICTURE

#### Last update of this page: 05/01/2021. See Revision history for details.




WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ 

## THERMACUT® REPLACEMENT PARTS SUITABLE FOR Thermal Dynamics® PWM 300 WELDING TORCH



Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-2360	8-4373	End Cap	1	7.	T-2365	8-6651	Insulating Sleeve	10
2.	T-2361	8-4370	Tip .093 200A	5	8.	T-2366	8-6652	Shield Cup Diffuser	1
	T-2362	8-4371	Tip .113 250A	5	9.	T-0230	8-6512	Gasket	5
	T-2363	8-4372	Tip .125 300A	5	10.	T-0108	8-0531	O-Ring	10
3.	T-2152	9-2863	O-Ring	10	11.	T-2369	8-6649	Torch Body	1
4.	T-1454	9-1827	Electrode	5	12.	T-2082	8-0534	O-Ring	10
5.	T-1029	9-2956	O-Ring	10	13.	T-2367	8-6650	Collet	1
6.	T-2364	8-6509	Liner (includes 50-720S 2×)	1	14.	T-2368	8-6654	Electrode Cap	1

#### **ACCESSORIES**



Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-0157	8-4018	Nut	1	NS	KT-1055	2-2845	PMW300 with 12.5' Leads	1
2.	T-0183	9-1901	Adapter	1	NS	KT-1251	2-2846	PMW300 with 25' Leads	1
3.	T-0159	8-5005	Mounting Tube	1	NS	KT-1207 (T-1445)	9-3088	PWH, M4A® Hose, Shield, 4A/6A, 25'	1
4.	T-0160	7-2827 OEM	Pinion Assembly	1	NS	KT-1206(T-1443)	8-1505	PWH, M4A® Hose, Plas., 25'	1
5.	T-0161	8-4204	Bushing	1	NS	KT-1186(T-1438)	9-2079	PWH, M4A® Lead, neg. W.C. 12.5' (3.8m)	1
NS	KT-1199	4-2525	Torch Leads 12.5ft	1	NS	KT-1200 (T-1440)	9-2081	PWH, M4A® Lead, pos. W.C. 12.5' (3.8m)	1
NS	KT-1204	4-2544	Torch Leads 25ft	1	NS	KT-1201 (T-1439)	8-1398	PWH, M4A® Lead, neg. W.C. 25' (7.6m)	1
NS	T-0236	8-6517 OEM	Wrench	1	NS	KT-1202(T-1441)	8-1399	PWH, M4A® Lead, pos. W.C. 25' (7.6m)	1


NS NOT SHOWN IN THE PICTURE

#### Last update of this page: 05/01/2021. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

#### THERMACUT® REPLACEMENT PARTS SUITABLE FOR **TRAFIMET®** A80TM/P80TM



Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-5052	PF119	Torch Body, Hand	1	8.	T-5024	PD106-10	Nozzle, Long 1.0mm	5
2.	T-5010	EA125	O-Ring	1	9.	T-5016	PC115	Nozzle Retaining Cap	10
3.	T-9216	PR109	Electrode	5	10.	T-5005	CV28	Spacer Spring	10
4.	T-5063	PR108	Electrode, Long	5	11.	T-5006	CV33	Crown Spacer	10
5.	T-9804	PR115	Electrode, Long	10	NS	T-5442	1356	Handle with Switch	1
6.	T-5042	PE107	Swirl Ring	1	NS	KT-1274	PH130	A80™ Cable Leads 6m, 3/8 fittings	1
7.	T-5022	PD105-10	Nozzle 1.0mm	5	NS	KT-1264	PH132	A80™ Cable Leads 6m, 1/4 fittings	1
	T-5023	PD105-12	Nozzle 1.2mm	5	NS	KT-1315	PA171	A80™ Hand Torch with Leads 6m with centr. conn.	1

NOT SHOWN IN THE PICTURE


#### Last update of this page: 05/01/2021. See Revision history for details.



NS

WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ

#### THERMACUT® REPLACEMENT PARTS SUITABLE FOR **TRAFIMET®** A90TM/P90TM



ltem	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	TN-0147	PF109	Torch Body, Hand (part 2, 3 included)	1	11.	T-3714	PC109	Nozzle Retaining Cap	6
2.	T-9793	60085	Insulator	1	12.	T-5015	PC113	Contact Nozzle Ret. Cap	6
3.	T-3562	EA131	O-Ring	10	13.	T-3718	CV11	Spacer Spring	5
4.	PT-10709	45244-7	Diffusor	1	14.	T-0643	CV12(1408)	Spacer, Double Pointed	6
5.	T-5059	PR101	Electrode	10	15.	T-5003	CV14	Crown Spacer	6
6.	T-5065	PR116	Electrode, Long - no thread	5	16.	T-5004	CV23	Shield Cup	6
7.	T-5072	PE101	Swirl Ring	2	17.	T-9370		Spacer for Contact Cutting	10
8.	T-2926	PD101-11	Nozzle 1.1mm	5	18.	T-9375		Locking Nut	10
	T-3349	PD101-14	Nozzle 1.4mm	5	NS	T-5069	TP12	Insulating Sleeve	1
	T-2955	PD101-17	Nozzle 1.7mm	5	NS	T-5068	TP10	Handle with Switch	1
9.	T-5032	PD117-14	Nozzle 1.4mm, Long	10	NS	KT-1182	PA109	A90™ Hand Torch with Leads 6m, fittings	1
	T-5033	PD117-17	Nozzle 1.7mm, Long	5	NS	KT-1375	PA213	A90™ Hand Torch with Leads 6m with centr. conn.	1
	T-5034	PD117-19	Nozzle 1.9mm, Long	10					
10.	T-9527	PD111	Nozzle. Gouaina	10					

NOT SHOWN IN THE PICTURE


#### Last update of this page: 05/01/2021. See Revision history for details.



NS

WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ 

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR **TRAFIMET®** A140<sup>TM</sup>/P140<sup>TM</sup>



Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	TN-0109	PF101	Torch Body, Hand	1	11.	T-5013	PC103	Contact Nozzle Ret. Cap	10
	TN-0106	PF102	Torch Body, Machine	1	12.	T-3718	CV11	Spacer Spring	5
2	T 11111	10000	Insulator brown (present torch	1	13.	T-0643	CV12(1408)	Double Pointed Spacer	6
۷.	T-11114	60080	design with brown insulator)	'	14.	T-5003	CV14	Crown Spacer	6
3.	T-3562	EA131	O-Ring	10	15.	T-5004	CV23	Shield Cup	6
4.	T-5059	PR101	Electrode	10	16.	T-9370		Spacer for Contact Cutting	10
5.	T-5065	PR116	Electrode, Long - no thread	5	17.	T-9375		Locking Nut	10
6.	T-5072	PE101	Swirl Ring	2	NS	T-5069	TP12	Insulating Sleeve	1
7.	T-2926	PD101-11	Nozzle 1.1mm	5	NS	T-5068	TP10	Handle with Switch	1
	T-3349	PD101-14	Nozzle 1.4mm	5	NS	KT-1100	PH148	A140™ Cable Leads 6m, Hand, fittings	1
	T-2955	PD101-17	Nozzle 1.7mm	5	NS	KT-1219	PA101	A140™ Hand Torch with Leads 6m, fittings	1
	T-2954	PD101-19	Nozzle 1.9mm	5	NS	KT-1050	PA214	A140™ Hand Torch with Leads 6m, centr.conn.	1
8.	T-5032	PD117-14	Nozzle 1.4mm, Long	10	NS	KT-1053	PA219	A140™ Hand Torch with Leads 12m, centr.conn.	1
	T-5033	PD117-17	Nozzle 1.7mm, Long	5	NS	KT-1260	K.P140-M.8,5M.CK.K	P140™ Cable Leads 8.5m, Hand/Mach., fittings	1
	T-5034	PD117-19	Nozzle 1.9mm, Long	10	NS	KT-1119	PA146	P140™ Mach. Torch with Leads 12m, centr.conn.	1
9.	T-9527	PD111	Nozzle, Gouging	10					
10.	T-10409	PC101	Nozzle Retaining Cap	1					

NOT SHOWN IN THE PICTURE

## Last update of this page: 05/01/2021. See Revision history for details.



NS

WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ CUSTOMERSERVICE@THERMACUT.COM







Thermacut coolants are suitable for plasma cutting and welding, as well as for welding processes MIG, MAG, TIG (WIG) and other industrial applications.

- Specification: max. conductivity 10  $\mu$ s/cm, ph 6-8, resist freezing to -12 °C (+10 °F).
- Composition: deionized water 70 %, propylene glycol 30 %.
- Coolant is fully compatible and mixable with original coolants.
- Ecological, fully degradable in the environment.



Item	Part No.	Ref. No.	Description	Std. Pkg	Weight	Dimensions (cm) L×W×H
1.	1. T-13000 T-13000 Coolant Liquid, Pink, −12 °C, 5L		1	5.1 kg	19 × 14 × 24	
			Coolant Liquid, Pink, -12 °C, 5L, 1 PALLET	96	555 kg	120 × 80 × 100
2.	T-13001	T-13001	Coolant Liquid, Clear, -12 °C, 5L	1	5.1 kg	19 × 14 × 24
			Coolant Liquid, Clear, -12 °C, 5L, 1 PALLET	96	555 kg	120 × 80 × 100
3.	T-13004	T-13004	Coolant Liquid, Pink, -12 °C, 200L	1	240 kg	D61-90
			Coolant Liquid, Pink, -12 °C, 200L, 1 PALLET	2	500 kg	120 × 80 × 105
	T-13005	T-13005	Coolant Liquid, Clear, -12 °C, 200L	1	240 kg	D61-90
			Coolant Liquid, Clear, -12 °C, 200L, 1 PALLET	2	500 kg	120 × 80 × 105
4.	T-13007	T-13007	Coolant Liquid, Pink, -12 °C, 1000L	1	1130 kg	120 × 100 × 118
	T-13008	T-13008	Coolant Liquid, Clear, -12 °C, 1000L	1	1130 kg	120 × 100 × 118

TARIC CODE: 3402190000

Last update of this page: 22/12/2017. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE





Professional tool for checking of coolant condition in safe plastic box. For use in Plasma MIG, TIG (WIG). Coolant conductivity above limit dramatically decrease parts lifetime and increase costs of cutting (welding).

Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-12800	T-12800	Electrical Conductivity Meter	1



## **ELECTRODE PIT-DEPTH GAUGE**



- Electrode Pit-Depth Gauge allows the operator to actually determine how much electrode life remains.
- Replace the electrode at the same time as the nozzle causes replacing electrodes which still are working properly... and money loose.
- Cost-saving investment.
- Practical safe plastic box included.
- See product brochere for electrode burn limits and product details.

Item	Part No.	Ref. No.	Description	Std. Pkg
1.	T-11600	T-11600	Electrode Pit-Depth Gauge	1

Last update of this page: 27/01/2015. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE





Filter for compressed air has been designed to remove moisture, oil aerosols and particulates coming from air compressor. It provides clean, dry and oil-free air, essential for any industrial application.

The filter must be installed as close as possible downstream of the air pressure regulator, in addition to dryers and other filters rather than replacement of the same. The Filter-EX will remove oil aerosols, smokes, moistures and particulates passing through the conventional equipments.

Data Sheet

Filtering Degree:  $0.01~\mu inch$  –  $0.25~\mu m$  Maximum Pressure: 125~PSI – 8.5~bar

Maximum Flow @ 80%: 2700 SCFH - 1250 l/min. Temperature Range: 15-140 °F / -10 +60 °C

Size Pipe: 1/4"

Dimension: Ø 5.2" × 7.9" - Ø 132 × 200 mm

Item	Part No.	Ref. No.	Description	Std. Pkg
1.	T-12452	EX-0-804-001	Air Filter (without connection couplings)	1
2.	T-12453	EX-0-804-002	Cartridge for Air Filter	8
3.	EX-0-802-001	EX-0-802-001	DN 7.2 ES Quick Connect Plug with male thread G 1/4"	1
4.	EX-0-802-002	EX-0-802-002	DN 7.2 ES Quick Connect Coupling with male thread G 1/4"	1

# **HEAT SHIELD GREASE**







Grease will make strong heat shield barrier on the front shield of the torch and cover the parts effectively against melted spatter, which are destroing the parts.

- Highly appreciated for high amperage cutting or aluminum cutting applications.
- Please see product brochure for details.

Iten	Part No.	Ref. No.	Description	Std. Pkg	Weight	Dimensions (cm) L×W×H
1	. T-12777	T-12777	Heat Shield Grease, 400g	1	400g	
	T-12777	T-12777	Heat Shield Grease, 400g, 1 PALLET	864	370kg	120 × 80 × 140
	T-11701 T-11701		Heat Shield Grease, 50ml	1		

TARIC CODE: 27121090

Last update of this page: 30/09/2019. See Revision history for details.



WWW.THERMACUT.CZ
TEL.: +420 556 423 418
SALES@THERMACUT.CZ

WWW.THERMACUT.DE
TEL.: +49 (0) 27 39 40 33 0
INFO@THERMACUT.DE

# THERMACUT® REPLACEMENT PARTS SUITABLE FOR **KEMPER® FILTER CARTRIDGES**



Part No.	Ref. No.	Description	D (outer diameter)	d (inner diameter)	Length (mm)	Filter class	Filter material	Filter system
F-10000	1090313	Filter cartridge	325/327	213	400	М	ePTFE SEW198	Mobile filter unit, stationary filter unit
F-10001	1090434	Filter cartridge	325/327	213	400	М	ePTFE SEW198	Mobile filter unit, stationary filter unit
F-10002	1090300	Filter cartridge	325/327	213	600	М	ePTFE SEW198	Filer-Master XL, Filter-Cell XL, System 8000 (top open, bottom closed, with 13mm hole)
F-10003	1090438	Filter cartridge	325/327	213	600	М	ePTFE SEW198	Filer-Master XL, Filter-Cell XL, System 8000 (top open, bottom closed, with 13mm hole)
F-10004	1090303	Filter cartridge	325/327	213	1200	М	ePTFE SEW198	System 9000
F-10005	1090442	Filter cartridge	325/327	213	1200	М	ePTFE SEW198	System 9000
F-10006	1090328	Filter cartridge	352	240	600	М	ePTFE SEW198	System 8000, VacuFil500
F-10007	1090333	Filter cartridge	352	240	600	М	ePTFE SEW198	System 8000, VacuFil500
F-10008	1090440	Filter cartridge	352	240	600	М	ePTFE SEW198	System 8000, VacuFil500
F-10009	1090340	Filter cartridge	352	240	1200	М	ePTFE SEW198	System 9000
F-10010	1090447	Filter cartridge	352	240	1200	М	ePTFE SEW198	System 9000

Last update of this page: 23/03/2021. See Revision history for details.



 WWW.THERMACUT.CZ
 WWW.THERMACUT.DE
 WWW.THERMACUT.COM

 TEL.: +420 556 423 418
 TEL.: +49 (0) 27 39 40 33 0
 TEL.: 1-603-542-6715

 SALES@THERMACUT.CZ
 INFO@THERMACUT.DE
 CUSTOMERSERVICE@THERMACUT.COM



Silicone lubricant makes consumables change easy and helps avoid gas/coolant leaking. Stable in high temperature and  $O_2$ .

Item	Part No.	Ref. No.	Description	Std. Pkg
1.	T-0994	027055	Silicone Lubricant 25ml	1

## **SAFETY GLASS SHIELD**



Heavy Duty genuine leather casing with standard welding glass  $90 \times 110$  mm DIN12, which can be easily replaced in case of breaking. Make plasma arc visible to reach best cut quality and effectivity.

Item	Part No.	Ref. No.	Description	Std. Pkg
1.	T-11768	T-11768	Safety Glass Shield	1

Last update of this page: 12/08/2019. See Revision history for details.



WWW.THERMACUT.CZ TEL.: +420 556 423 418 SALES@THERMACUT.CZ WWW.THERMACUT.DE TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

# THERMACUT® CONSUMABLE CASE SUITABLE FOR Hypertherm® HPR®130/HPR®260



PORTABLE AND PRACTICAL CONSUMABLE CASE CONTAINS THE MILD STEEL CUTTING LINE OF 130A AND 260A CONSUMABLES SUITABLE FOR THE HYPERTHERM® HPR®130/HPR®260 PLASMA CUTTING SYSTEM. THE KIT ALSO CONTAINS THE THERMACUT REPLACEMENT TORCH, ADAPTOR AND THE TOOL NECESSARY FOR CONSUMABLE REPLACEMENT.



Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.		Ref. No.	Description	Std. Pkg.
1.	T-11144	220176	Inner Retaining Cap 80/130A	1	13.	T-10938		220439	Nozzle 260A	5
2.	T-11150	220433	Inner Retaining Cap 260A	1	<b>①</b> 14.	T-9920	0	220181-UR	Electrode 130A	3
*3.	T-9961*	220173-UR	Shield Cap 30-130A	1	<u> </u>	T-9974	<b>O</b>	220435-UR	Electrode 260A	3
*4.	T-9964*	220398-UR	Shield Cap 200/260A (130/260A, Bevel)	1	<b>1</b> 6.	T-11203	0	220181-PRO	Electrode 130A (=220665-PRO), Silver PRO	1
5.	T-11138	220163	Receptacle Q. D. Original design	1	<b>①</b> 17.	T-11197	0	220435-PRO	Electrode 260A (=220668-PRO), Silver PRO	1
,	6. T-11137	220162	Torch Q. D. Orig. design (included 2pcs. Cooling Tube 220340-UR)	4	<b>①</b> 18.	T-4917	0	220181-AG	Electrode 130A, SilverEX-®	1
0.				ı	<b>①</b> 19.	T-4926	0	220435-AG	Electrode 260A, SilverEX-®	1
<ul><li>7.</li></ul>	T-9882 🧿	220340-UR	Cooling Tube 30-260A	1	20.	T-0994		027055	Silicone Lubricant 25ml	1
**8.	T-9970**	220440-UR	Shield 260A	4	*21.	TN-0069*		104119-UR	Consumables Removal Tool	1
9.	T-9839	220183	Shield 130A	2	22.	T-12444			Box with Parts	1
10.	T-10295	220179	Swirl Ring 80/130 (130A Bevel)	1	23.	T-12445			Empty Box	1
11.	T-10271	220436	Swirl Ring 260A (260A Bevel)	1						
12.	T-10934	220182	Nozzle 130A	5						

- \* FULLY INTERCHANGEABLE WITH ORIGINAL PARTS, BUT DIFFERS FROM ORIGINAL DESIGN
- THERMACUT ELECTRODES HAS TO BE USED WITH THERMACUT DESIGN COOLING TUBE, OTHERWISE IT DOESN'T FIT TO THE TORCH, THERMACUT COOLING TUBE CAN BE USED FOR THERMACUT DESIGN ELECTRODES AND FOR ORIGINAL DESIGN TOO
- \*\* SHIELD OFFERS BETTER LIFETIME BECAUSE OF IMPROVED DESIGN AND IS FULLY INTERCHANGEABLE AND COMPATIBLE WITH ORIGINAL PARTS
- **-PRO** SILVER PRO TECHNOLOGY INCREASES ELECTRODE LIFETIME SIGNIFICANTLY COMPARED TO STANDARD COPPER ELECTRODES

## Last update of this page: 12/08/2019. See Revision history for details.



WWW.THERMACUT.CZ
TEL.: +420 556 423 418
SALES@THERMACUT.CZ

WWW.THERMACUT.DE
TEL.: +49 (0) 27 39 40 33 0
INFO@THERMACUT.DE

# THERMACUT® CONSUMABLE CASE SUITABLE FOR Hypertherm® HPR®130XD/HPR®260XD

PORTABLE AND PRACTICAL CONSUMABLE CASE CONTAINS THE MILD STEEL CUTTING LINE OF 130A AND 260A CONSUMABLES SUITABLE FOR THE HYPERTHERM® HPR®130XD/HPR®260XD PLASMA CUTTING SYSTEM. THE KIT ALSO CONTAINS THE THERMACUT REPLACEMENT TORCH, ADAPTOR AND THE TOOL NECESSARY FOR CONSUMABLE REPLACEMENT.



	ltem	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
	1.	T-11273	220756	Inner Retaining Cap 80/130A	1	13.	T-10938	220439	Nozzle 260A	5
	2.	T-11275 🧿	220760-UR	Inner Retaining Cap 260A	1	<b>(</b> 14.	T-9920 (	220181-UR	Electrode 130A	3
	3.	T-11271	220747	Shield Cap 30-130A	1	<b>(</b> 15.	T-9974 (	220435-UR	Electrode 260A	3
	<b>3</b> 4.	T-11270 🧿	220637-UR	Shield Cap 200-400A	1	<b>(</b> 16.	T-11203 🧯	220181-PRO	Electrode 130A (=220665-PRO), Silver PRO	1
	5.	T-11844	220705	Quick-Disconnect Receptacle	1	<b>1</b> 7.	T-11197 🤇	220435-PRO	Electrode 260A (=220668-PRO), Silver PRO	1
	6.	T-11834	220706	Quick-Disconnect Torch	1	<b>(</b> 18.	T-4917	220181-AG	Electrode 130A, SilverEX-®	1
(	<b>5</b> 7.	T-9882 💍	220340-UR	Cooling Tube 30-260A	1	<b>1</b> 9.	T-4926	220435-AG	Electrode 260A, SilverEX-®	1
	8.	T-11277 🧿	220764-UR	Shield 260A	4	20.	T-0994	027055	Silicone Lubricant 25ml	1
	9.	T-9839	220183	Shield 130A	2	*21.	TN-0069*	104119-UR	Consumables Removal Tool	1
	10.	T-10295	220179	Swirl Ring 80/130A (80/130A Bevel)	1	22.	T-12446		Box with Parts	1
	11.	T-10271	220436	Swirl Ring 260A (260A Bevel)	1	23.	T-12447		Empty Box	1
	12.	T-10934	220182	Nozzle 130A	5					

- FULLY INTERCHANGEABLE WITH ORIGINAL PARTS, BUT DIFFERS FROM ORIGINAL DESIGN
- 9 MUST BE USED ONLY AS A SET OF SHIELD, SHIELD CAP AND INNER RETAINING CAP, THIS COMPLETE SET IS INTERCHANGEABLE AND COMPATIBLE WITH ORIGINAL PARTS
- 0 THERMACUT ELECTRODES HAS TO BE USED WITH THERMACUT DESIGN COOLING TUBE, OTHERWISE IT DOESN'T FIT TO THE TORCH, THERMACUT COOLING TUBE CAN BE USED FOR THERMACUT DESIGN ELECTRODES AND FOR ORIGINAL DESIGN TOO
- -PRO SILVER PRO TECHNOLOGY INCREASES ELECTRODE LIFETIME SIGNIFICANTLY COMPARED TO STANDARD COPPER ELECTRODES

## Last update of this page: 12/08/2019. See Revision history for details.



TEL.: +420 556 423 418 SALES@THERMACUT.CZ

TEL.: +49 (0) 27 39 40 33 0 INFO@THERMACUT.DE

TEL.: 1-603-542-6715 CUSTOMERSERVICE@THERMACUT.COM

# THERMACUT® CONSUMABLE CASE SUITABLE FOR ESAB® PT-36™

PORTABLE AND PRACTICAL CONSUMABLE CASE CONTAINS THE MILD STEEL CUTTING LINE CONSUMABLES SUITABLE FOR THE ESAB® PT-36™ PLASMA CUTTING SYSTEM. THE KIT ALSO CONTAINS THE THERMACUT REPLACEMENT TORCH AND THE TOOL NECESSARY FOR CONSUMABLE REPLACEMENT.



Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-10128	37081	Shield Retainer	1	13.	T-4636	0558001625	Gas Swirl Baffle, 8 × 0.047, 300-600A	1
2.	T-10334	0558006166	Shield Cup 6.6mm 290-450A	3	14.	T-11942	37073	Screw, Contact Ring	1
3.	T-2269	21944	Diffuser 100-600A	1	15.	T-11863	0558003858	Contact Ring with Screw 37073 (=37071)	1
4.	T-10129	37082	Nozzle Retaining Cap, Standard	1	16.	T-11208	0558003804	Torch Body PT-36™	1
5.	T-10970	0558006018	Nozzle 1.8mm 100/130A MS, 100A SS/AL	3	17.	N-20426	93750010	Hex Key Wrench	1
6.	T-10338	0558006020	Nozzle 2.0mm 150/200A MS/AL, 130/150A SS	3	18.	T-11665	0558003918 OEM	Electrode Holder Wrench	1
7.	T-10443	0558006030	Nozzle 3.0mm 325/360A MS, 360A SS/AL	3	19.	T-0994	027055	Silicone Lubricant 25ml	1
8.	T-10292	0558006041	Nozzle 4.1mm 600A SS/AL	2	20.	T-12020	T-12020	Box with Parts PT-36™	1
<ul><li>9.</li></ul>	T-11290 C	0558003914-PRO	Electrode 100-450A, O <sub>2</sub> , Silver PRO	5	21.	T-12027	T-12027	Empty Box PT-36™	1
<b>①</b> 10.	T-11910 🧯	0558003928-UR	Electrode, N <sub>2</sub> /H35	5					
<b>①</b> 11.	T-11319 C	0558003924-UR	Electrode Holder	1					
12.	T-4606	0558002533	Gas Swirl Baffle, 4 × 0.032, 100-280A	. 1					

0 MUST BE USED AS A SET OF ELECTRODE HOLDER AND ELECTRODE, THIS COMPLETE SET IS INTERCHANGEABLE AND COMPATIBLE WITH ORIGINAL PARTS.

-PRO SILVER PRO TECHNOLOGY INCREASES ELECTRODE LIFETIME SIGNIFICANTLY COMPARED TO STANDARD COPPER ELECTRODES

#### Last update of this page: 12/08/2019. See Revision history for details.



TEL.: +420 556 423 418 SALES@THERMACUT.CZ TEL.: +49 (0) 27 39 40 33 0 TEL.: 1-603-542-6715 INFO@THERMACUT.DE

CUSTOMERSERVICE@THERMACUT.COM

# THERMACUT® CONSUMABLE CASE SUITABLE FOR Hypertherm® POWERMAX® 65 / POWERMAX® 85 / POWERMAX® 105

PORTABLE AND PRACTICAL CONSUMABLE CASE CONTAINS THE MILD STEEL CUTTING LINE CONSUMABLES SUITABLE FOR THE HYPERTHERM® POWERMAX® 65 / POWERMAX® 85 / POWERMAX® 105 PLASMA CUTTING SYSTEM. THE KIT ALSO CONTAINS THE THERMACUT® REPLACEMENT TORCH.



Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
<ul><li>1.</li></ul>	T-11406 🗿	220818-UR	Shield 45/65/85A, Hand	1	<u>0</u> 14.	T-11377 🧿	220819-UR	Nozzle 65A	5
<ul><li>2.</li></ul>	T-11404 🧿	220817-UR	Shield 45/65/85A, Machine	1	<u>0</u> 15.	T-11405 🧿	220816-UR	Nozzle 85A	5
3.	T-11407	220955	Deflector 45/65/85/105A	1	<b>(</b> 16.	T-12023 💍	220991-UR	Nozzle 105A, Gouging	5
<b>①⑤</b> 4.	T-12022	220798-UR	Shield 65/85/105A, Gouging	1	<b>(</b> 17.	T-11840 💍	220990-UR	Nozzle 105A	5
<b>5</b> .	T-11841 💍	220992-UR	Shield 105A, Hand	1	18.	T-11845	220930	Nozzle 45A, FineCut®	5
<b>6</b> .	T-11842 💍	220993-UR	Shield 105A, Machine	1	<b>G</b> 19.	T-11861 <b>G</b>	220857-UR	Swirl Ring 45-85A	1
7.	T-12013	220931	Deflector 45A, FineCut®	1	<b>3</b> 20.	T-11930 <b>G</b>	220994-UR	Swirl Ring 105A	1
8.	T-12014	220948	Shield 45A, Ohmic, FineCut®	1	<b>3</b> 21.	T-12015 <b>③</b>	220947-UR	Swirl Ring 45A, FineCut®	1
<ul><li>9.</li></ul>	T-11423 🗿	220854-UR	Retaining Cap 45/65/85A	1	<b>3</b> 22.	T-11883 <b>G</b>	220842x5	Electrode 45-105A (pkg. 5 pcs.)	1 × 5
<b>(</b> ) 10.	T-11931 🗿	220953-UR	Retaining Cap 45/65/85A, Ohmic	1			220842	Part is available in 5pcs. set 220842x5 only	
<b>(</b> ) 11.	T-11422 💍	T-11422	Retaining Cap 105A	1	23.			Set of Torch and Handle	1
<b>(</b> ) 12.	T-11932 💍	T-11932	Retaining Cap 105A, Ohmic	1	24.	T-12187	T-12187	Box with Parts POWERMAX® 65/85/105	1
<ul><li>13.</li></ul>	T-11378 🗿	220941-UR	Nozzle 45A	5	25.	T-12188	T-12188	Empty Box POWERMAX® 65/85/105	1

- MUST BE USED ONLY AS A SET OF SHIELD AND NOZZLE, THIS COMPLETE SET IS INTERCHANGEABLE AND COMPATIBLE WITH ORIGINAL PARTS.
- MUST BE USED ONLY AS A SET OF SHIELD, RETAINING CAP AND NOZZLE, THIS COMPLETE SET IS INTERCHANGEABLE AND COMPATIBLE WITH ORIGINAL PARTS.
- MUST BE USED ONLY AS A SET OF ELECTRODE AND SWIRL RING, THIS COMPLETE SET IS INTERCHANGEABLE AND COMPATIBLE WITH ORIGINAL PARTS. ELECTRODES ARE PACKED TOGETHER WITH SWIRL RING SPRING HOLDER (BLACK PART) IN RATIO 5 ELECTRODES TO 1 HOLDER.
- RETAINING CAP UP TO 85A. FOR 105A RETAINING CAP T-11422 HAS TO BE USED. DIFFERENT RETAINING CAP HAS TO BE USED FOR 105A AND FOR 45/65/85A. (19<sup>3</sup>), (20<sup>3</sup>) ALSO POSSIBLE TO USE WITH FineCut® CONFIGURATION, BUT FOR BEST CUT QUALITY RESULTS USE 220947-UR

**SMART SOLUTION** – DESIGN IMPROVEMENTS THAT BRINGS ADDED VALUE SUCH AS IMPROVED LIFETIME OF CONSUMABLES, EXCELLENT CUT QUALITY, SPEED OR BETTER COST EFFECTIVENESS OF YOUR SYSTEM.

#### Last update of this page: 13/07/2020. See Revision history for details.



WWW.THERMACUT.CZ
TEL.: +420 556 423 418
SALES@THERMACUT.CZ

WWW.THERMACUT.DE
TEL.: +49 (0) 27 39 40 33 0
INFO@THERMACUT.DE

WWW.THERMACUT.COM
TEL.: 1-603-542-6715
CUSTOMERSERVICE@THERMACUT.COM

THERMACUT\*, THE CUTTING COMPANY\*, FHT-EX\*, EX-TRAFIRE\*, EX-TRACK\*, EX-TRABEAM\* AND EX-TRAFLAME\* ARE REGISTERED TRADEMARKS OF THERMACUT, K.S. AND MAY BE REGISTERED IN CZECH REPUBLIC AND/OR OTHER COUNTRIES. ALL OTHER TRADEMARKS ARE PROPERTIES OF THEIR RESPECTIVE OWNERS. THERMACUT IS NO WAY AFFILIATED WITH HYPERTHERM\*. MOST THERMACUT PARTS ARE MADE FOR OR BY AN IBG COMPANY. PARTS INDICATED WITH A OEM ARE ORIGINAL PARTS MANUFACTURED BY THE ABOVE NAMED MANUFACTURER AND ARE BEING RESOLD BY THERMACUT. THERMACUT RESERVES THE RIGHT TO SUBSTITUTE OEM PARTS IN PLACE OF THERMACUT PARTS. VALID FROM MARCH 2021 \* PREVIOUS VERSION IS NO LONGER VALID. \* © COPYRIGHT 2021 BY THERMACUT\* CZECH REPUBLIC. ALL RIGHTS RESERVED.

## **DEFINITIONS OF SUFFIXES, SYMBOLS & ABBREVIATIONS**

## **SUFFIXES**

**OEM** - Original Equipment Manufacturer (Original parts) - company which makes a part that is used in another company's end product.

UR - Unique Replacement - Thermacut company suffix - means product fully interchangeable with original parts (OEM) but differs from original design. Sometimes necessary to use in combination with other - UR parts, sometimes alone, without other conditions.

AG - ARGENTUM - Silver / Heavy duty electrode, made from a silver alloy of high purity, offers better lifetime.

PRO - SILVER PRO technology (Silver insert in the copper electrode) - constructional version between silver and copper electrode, significantly increases electrode lifetime compared to the standard copper electrode. The advantage of a good price / performance ratio.

#### **ABBREVIATIONS**

MS - MILD STEEL

SS - STAINLESS STEEL

AL - ALUMINIUM and its alloys

**CC** - CENTRAL CONNECTOR

Q. D. - QUICK DISCONNECT

HD - HEAVY DUTY - offers higher thermal resistance of thread area, which could be damaged during piercing.

W/ - WITH

W/O - WITHOUT

**NS** - NOT SHOWN IN THE PICTURE

CW/CCW - CLOCK WISE / COUNTER CLOCK WISE gas swirling

!EP - Planned End of Production at shown date - part will not be available after this date.

#### **SYMBOLS**

- This symbols always point to the part/s which Must be used only as a set with another pointed part/s.

(i)/(ii) - Information about limited distributing of marked part on specific market.

! - Ohmic contact wire is not part of the cable leads.

!!! - Demo is inoperative, for exhibition purposes only!

**SMART SOLUTION** - design improvements that brings added value such as improved lifetime of consumables, excellent cut quality, speed or better cost effectiveness of your system.



## **REVISION HISTORY**

INTRODUCTORY SECTION - Revision on PAGES 3, 6 - 23/03/2021 - German and Turkish contact information changed.

DAIHEN®/OTC® SECTION - Revision on PAGES 24-25 - 23/03/2021 - Description of part T-11295 changed.

Hypertherm® SECTION - Revision on PAGE 64 - 23/03/2021 - Part No. of part with Ref. No. T-171 changed.

Hypertherm® SECTION - Revision on PAGE 65 - 23/03/2021 - Part N-18238 added to the tables. Footnote changed.

Hypertherm® SECTION - Revision on PAGE 66-67, 70-71 - 23/03/2021 - Description of parts T-0386, T-1001 corrected.

Hypertherm® SECTION - Revision on PAGES 68-69 - 23/03/2021 - Part No. of part with Ref. No. 1-027B changed.

Hypertherm® SECTION - Revision on PAGES 72-73 - 23/03/2021 - Parts T-13154, N-10094, T-13160 added to the picture and to the table.

LINCOLN ELECTRIC® SECTION - Revision on PAGE 131 - 23/03/2021 - Complete revision of Lincoln Electric® section.

SAF® SECTION - Revision on PAGE 134 - 23/03/2021 - Product line CPM-200, CPM-250, CPM-300, CPM-720 removed from the catalog.

ACCESSORIES SECTION - Revision on PAGE 151 - 23/03/2021 - New product line added.

AJAN®, CEBORA®, DAIHEN®/OTC®, ESAB®, HYPERTHERM®, KALIBURN®, KJELLBERG®, LINCOLN ELECTRIC®, SAF®, Thermal Dynamics®, TRAFIMET® SECTION - Revision on PAGES 12-13, 18-32, 34-55, 58-59, 62-63, 65-69, 74-81, 83, 86-95, 104-121, 126-129, 134, 132-135, 138-145 - 05/01/2021 - Std. Pkg. corrected/added.

MIGATRONIC® SECTION - Revision on PAGE 132 - 05/01/2021 - Parts T-4811, T-4812 removed from the table. Part T-4810 removed from the picture and from the table.

KJELLBERG® SECTION - Revision on PAGES 126-127, 129 - 05/01/2021 - Part T-10366 removed from the table. Description of parts T-10672, TN-0004 changed.

ESAB® SECTION - Revision on PAGES 28-29 - 05/01/2021 - Part T-4905 removed from the picture and from the table.

Hypertherm® SECTION - Revision on PAGES 62-63 - 05/01/2021 - Part T-13181 added to the table. Parts T-13168, T-13169, T-13170, T-13171, T-13172, T-13173, T-13174, T-13176, T-13163, T-13164, T-13165, T-13166, T-13167, PT-13221 added to the picture and to the table.

#### CATALOGS FOR OXY-FUEL, LASER AND MIG/MAG/TIG CUTTING ARE AVAILABLE ON WWW.THERMACUT.COM



WWW.THERMACUT.CZ
TEL.: +420 556 423 418
SALES@THERMACUT.CZ

WWW.THERMACUT.DE
TEL.: +49 (0) 27 39 40 33 0
INFO@THERMACUT.DE