

# SAFETY DATA SHEET

SDS for GHS: Hazcom 2012 (USA) / WHMIS 2015 (Canada) / NMX-R-019-SCFI-2011 (Mexico)

#### SECTION : 1 IDENTIFICATION OF SUBSTANCE / MIXTURE AND COMPANY

1.1 Product Name: Tungsten Electrodes

Product Specification: AWS A5.12M/A5.12:2009 (ISO 6848:2004 MOD)

Product Identification: EWP, EWCe-2, EWLa-1, EWLa-1.5, EWLa-2, EWTh-1, EWTh-2,

EWZr-1, EWZr-8, EWG including (Cryo-T: EWTh-4). Relevant details pertaining to thorium containing material exhibited in RED. All other material classified as Non-Radioactive.

**1.2 Identified Uses:** Non-melting electrode for arc welding and cutting processes.

Industrial uses for: soldering, brazing, heating elements, emitter,

cathode and electrode for lighting industry.

**1.3 Supplier:** Diamond Ground Products, Inc.

2651 Lavery Court

Newbury Park, CA 91320

**Phone:** 805-498-3837

Email: sales@diamondground.com

Website: www.diamondground.com

Revision: 03 February 2020

#### SECTION: 2 HAZARDS IDENTIFICATION

#### 2.1 Classification of the Mixture:

Solid metallic products are generally classified as "articles" and do not constitute hazardous materials in solid form under OSHA Hazard Communications Standard definitions (29 CFR 1910.1200). Only large quantities of thoriated tungsten electrodes may pose a radioactive hazard, and the most serious hazards identified in this Section II relate only to thoriated tungsten electrodes. Thorium dioxide is subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) and 40 CFR Part 372.



Restrictions and hazards pertaining only to thorium containing components are exhibited in RED.

#### 2.2 Classification in accordance with GHS-US:

| STOT RE 1       | H315 |
|-----------------|------|
| STOT SE 1       | H335 |
| STOT RE 1       | H372 |
| Aquatic Acute 1 | H410 |
| Aquatic Acute 1 | H400 |

#### 2.3 Label Elements:

#### **Hazard Pictograms (GHS-US):**



Signal Word (GHS-US): DANGER

#### **Hazard Statements (GHS-US):**

H317 May cause allergic skin reaction
H319 May cause eye irritation
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled
H340 Suspected of causing genetic defects
H351 Suspected of causing cancer
H370 Causes damage to organs
H372 Causes damage to organs through prolonged or repeated exposure
H400 Very toxic to aquatic life

### **Precautionary Statements (GHS-US):**

H410 Very toxic to aquatic life with long lasting effects



| P201 | Obtain special instructions before use                                   |
|------|--|
| P202 | Do not handle until all safety precautions have been read and understood |
| P260 | Do not breathe dust/fumes/gas/vapors/spray                               |
| P261 | Avoid breathing dust/fumes/gas/vapors/spray                              |
| P264 | Wash thoroughly after handling   |
| P270 | Do not eat, drink or smoke when using this product                       |
| P272 | Contaminated work clothing should not be allowed out of the workplace    |
| P273 | Avoid release into the environment                                       |
| P280 | Wear protective gloves   |
| P284 | In case of inadequate ventilation wear respiratory protection            |
| P302 | If on skin wash with soap and water                                      |
| P305 | If in eyes rinse cautiously with water for several minutes               |
| P308 | If exposed call a poison center or doctor                                |
| P311 | If experiencing respiratory symptoms call a poison center or doctor      |
| P313 | If skin irritation or rash occurs get medical attention                  |
| P363 | Wash contaminated clothing before reuse                                  |
| P402 | Store in a dry place in a closed container                               |

## 2.4 Physical Hazards/ Health Hazards not Otherwise Classified:

PHNOC : Unknown

HHNOC : Unknown

## 2.5 Unknown acute toxicity (GHS-US): No data available



### SECTION: 3 COMPOSITION INFORMATION ON INGREDIENTS

#### 3.1 Mixtures:

| Substance name    |                                | Product Identifier<br>(CAS No) | % Percent   | GHS-US<br>classification |
|-------------------|--------------------------------|--------------------------------|-------------|--------------------------|
| Tungsten          | W                              | 7440-33-7                      | > 99.95     | Not classified           |
| Thorium Dioxide   | ThO <sub>2</sub>               | 1314-20-1                      | 1.70 – 4.00 | Carcinogen 1A, H350      |
| Cerium Dioxide    | CeO <sub>2</sub>               | 1345-13-7                      | 1.80 - 2.20 | Not classified           |
| Lanthanum Dioxide | La <sub>2</sub> O <sub>3</sub> | 1312-81-8                      | 0.80 - 2.20 | Not classified           |
| Zirconium Oxide   | ZrO <sub>2</sub>               | 1314-23-4                      | 0.15 - 0.90 | Not classified           |
| Yttrium Oxide     | $Y_2O_3$                       | 1314-36-9                      | 0.07 - 0.09 | Not classified           |

## SECTION: 4 FIRST AID MEASURE

#### 4.1 Description of First Aid Measures:

**Inhalation:** Remove to fresh air and rest in comfortable position. Seek medical

attention.

**Skin Contact:** Flush with water for at least 15 minutes. Seek medical attention if

irritation persists.

Eye Contact: Flush with water for at least 15 minutes. Seek medical attention if

discomfort persists.

**Ingestion:** Do NOT induce vomiting. Rinse mouth and seek medical attention.

### SECTION: 5 FIREFIGHTING MEASURES

**5.1 Extinguishing media:** Use alcohol resistant foam, water mist, or dry

extinguishing powder or carbon dioxide (CO2).

Unsuitable extinguishing media: No information available

**5.2 Special Hazards:** Fire may produce irritating or poisonous gases



Fire hazard: Not flammable

**Explosion Hazard:** Not known

**5.3 Special protective gear/precautions for firefighters:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH approved full protective gear. Evacuate personnel to safe areas.

### SECTION: 6 ACCIDENTAL RELEASE MEASURES

**6.1 Personal Precautions:** Ensure adequate ventilation especially in

confined areas and wear respiratory protection.

Avoid creating dust and do not breathe dust/fume/gas/spray. Remove all sources of

ignition.

**6.2 Environmental Precautions:** Avoid release into the environment (soil, drains,

sewers)

6.3 Method of Containment and Cleanup: Collect mechanically and dispose in labeled

containers according to regional requirements.

#### SECTION: 7 HANDLING AND STORAGE

7.1 Precautions for Safe Handling: Keep away from heat/sparks/hot surfaces/static discharge. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Adopt good practices to prevent accumulation of dust and powders from use or grinding as thorium containing electrodes pose a special health hazard.

7.2 Conditions for safe storage: Store in cool, dry and well ventilated space. Keep away from any source of ignition as described above. Store thorium containing material in accordance with local regulations for radioactive substances.

### SECTION: 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1 Control Parameters:

| Tungsten  | (CAS No ) 7440-33-7 |                     |
|-----------|---------------------|---------------------|
| USA ACGIH | ACGIH (TWA) (mg/m³) | 5 mg/m <sup>3</sup> |



| USA OSHA          | OSHA PEL (TWA) (mg/m³)           | 5 mg/m <sup>3</sup>  |
|-------------------|----------------------------------|----------------------|
|                   | , , , , ,                        | 3 Hig/III            |
| Thorium Dioxide   | (CAS No ) 1314-20-1              |                      |
| USA ACGIH         | ACGIH (TWA) (mg/m <sup>3</sup> ) | No data              |
| USA OSHA          | OSHA PEL (TWA) (mg/m³)           | No data              |
| Lanthanum Dioxide | (CAS No) 1312-81-8               |                      |
| USA ACGIH         | ACGIH (TWA) (mg/m <sup>3</sup> ) | 10 mg/m <sup>3</sup> |
| USA OSHA          | OSHA PEL (Ceiling) (mg/m³)       | 15 mg/m <sup>3</sup> |
| Cerium Dioxide    | (CAS No) 1345-13-7               |                      |
| USA ACGIH         | ACGIH (TWA) (mg/m <sup>3</sup> ) | No data              |
| USA OSHA          | OSHA PEL (TWA) (mg/m³)           | No data              |
| Zirconium Oxide   | (CAS No ) 1314-32-4              |                      |
| USA ACGIH         | ACGIH (TWA) (mg/m <sup>3</sup> ) | 5 mg/m <sup>3</sup>  |
| USA OSHA          | OSHA PEL (TWA) (mg/m³)           | 5 mg/m <sup>3</sup>  |
| USA ACGIH         | ACGIH STEL (mg/m³)               | 10 mg/m <sup>3</sup> |
| Yttrium Oxide     | (CAS No ) 1314-36-9              |                      |
| USA ACGIH         | ACGIH (TWA) (mg/m <sup>3</sup> ) | 1 mg/m <sup>3</sup>  |
| USA OSHA          | OSHA PEL (TWA) (mg/m³)           | 1 mg/m <sup>3</sup>  |

8.2 Exposure Controls: See American Standard Z49.1 "Safety in Welding and Cutting", published by the American Welding Society, 550 N.W. LeJeune Rd. Miami, FL 33126 and OSHA publication 2206 (29 CFR 1910), U.S. Government Printing Office, Washington, D.C. 20402 for details on hand, eye, skin, respiratory and body protection.

## SECTION: 9 PHYSICAL AND CHEMICAL PROPERTIES

| Physical state:                                | - Solid                   |
|--|---------------------------|
| Color:   | - Gray - Silver           |
| Odor:  | - Odorless                |
| Odor threshold:                                | - Not determined          |
| pH:  | - Not determined          |
| Relative evaporation rate (butyl acetate = I): | - Not determined          |
| Melting point:                                 | - approx. 3382 C (6120 F) |
| Freezing point:                                | - Not determined          |
| Boiling point:                                 | - approx. 5530 C (9986 F) |
| Flash point:                                   | - Not determined          |
| Self ignition temperature:                     | - Not determined          |
| Decomposition temperature:                     | - Not determined          |
| Flammability (solid, gas):                     | - Not determined          |
| Vapor pressure:                                | - Not determined          |
| Relative vapor density at 20- C:               | - Not determined          |
| Relative density:                              | - Not determined          |
| Solubility:                                    | - Not determined          |
| Log Pow:                                       | - Not determined          |
| Log Kow:                                       | - Not determined          |
| Viscosity, kinematic:                          | - Not determined          |
| Viscosity, dynamic:                            | - Not determined          |



| Explosive properties: | - Not determined   |  |
|-----------------------|--------------------|--|
| Oxidizing properties: | - Not determined   |  |
| Explosive limits:     | - Not an explosive |  |

### SECTION: 10 STABILITY AND REACTIVITY

**10.1 Reactivity:** No additional information available.

**10.2** Chemical Stability: This material is stable under normal conditions

10.3 Possibility of Hazardous Reactions: Builds hydrogen with acids. Danger of forming

hydrogen-air mixtures.

**10.4 Conditions to Avoid:** In the presence of oxygen and elevated

temperatures (>600 C / 1112 F) oxidation, starting at 977 C / 1790 F sublimation of

tungsten oxide (WO3, CAS No. 1314-35-8) and release of thorium dioxide (ThO2, CAS No. 1314-20-1). Avoid dust generation and

accumulation.

**10.5** Incompatible Materials: In general, the contact of strong acids and/or

alkalis with halogens, oxidizing agents or with earth metals can cause strong reactions. This creates a danger of highly energetic reactions and formation of flammable/toxic gases.

10.6 Welding fumes and gases can create complex interactions. When an electrode is consumed, the fume and gas generated can be volatile and toxic. Also, the oxidation of the product (oxides) can be evaporated (tungsten oxide) or released as thoria (ThO2 CAS No. 1314-20-1).

### SECTION: 11 TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects: Harmful if swallowed

| Substance name    | CAS number | LD5O oral rat (mg/kg | ATE (oral) (mg/kg) | Comments |
|-------------------|------------|----------------------|--------------------|----------|
| Cerium Dioxide    | 1345-13-7  |                      |                    | No data  |
| Lanthanum Dioxide | 1312-81-8  |                      |                    | No data  |



| Zirconium Oxide | 1314-23-4 |  | No data |
|-----------------|-----------|--|---------|
| Yttrium Oxide   | 1314-36-9 |  | No data |

#### **HAZARDOUS**

| Chemical Name              | Ora                | Dermal LD50        | Inhalation LC50     |
|----------------------------|--------------------|--------------------|---------------------|
| Tungsten(CAS #: 7440-33-7) | > 2000 mg/kg (rat) | > 2000 mg/kg (rat) | > 5.4 mg/L (rat) 4h |

Thorium dioxide (CAS#:1314-20-1): parenteral LD50= 80 mg/kg (mammal)
Intratracheal LD50= > 1140 mg/kg (rat)

Skin Irritation - Not classified

Eye Irritation - Not classified

Respiratory Irritation - Not classified

Skin sensitization - Not classified

Carcinogenicity - May cause cancer

Reproductive toxicity - Not classified

### SECTION: 12 ECOLOGICAL INFORMATION

**12.1 Toxicity:** Very toxic to aquatic life

| Chemical Name              | Algae/aquatic plants EC50       | Fish                         | Crustacea EC50                |
|----------------------------|---------------------------------|------------------------------|-------------------------------|
| Tungsten(CAS #: 7440-33-7) | > 17.7 mg/l 72 h                | > 181 mg/l 96 h Danio rerio, | > 163 mg/l 48 h Daphnia magna |
|                            | Pseudokirchneriella subcapitata |                              |                               |

12.2 Persistence and Degradability: No additional information available

**12.3** Bio-accumulative Potential: No additional information available

**12.4 Mobility in Soil:** No additional information available

12.5 Other Adverse Effects: No additional information available

### SECTION: 13 DISPOSAL CONSIDERATIONS

**13.1** Waste treatment methods: Dispose of in accordance with local and national

regulations.

13.2 Relevant regulations thorium (EU): Council Directive 2006/117/EURATOM on the



supervision and control of shipments of radioactive waste and spent fuel.

Nuclear Waste Shipment Regulation –AtAV (Germany)

## SECTION: 14 TRANSPORT INFORMATION

### ( DOT / ADR / RID / ADNR / IMDG / ICAO / IATA)

14.1 UN / ID No. (thorium) UN2909

**UN Proper Shipping name (thorium): RADIOACTIVE MATERIAL, EXCEPTED** 

PACKAGE- ARTICLES MANUFACTURED FROM NATURAL URANIUM OR DEPLETED

URANIUM OR NATURAL THORIUM

Hazard Class (thorium): 7

## SECTION: 15 REGULATORY INFORMATION

### 15.1 US Federal Regulations

| Tungsten          | (CAS No.) 7440-33-7 | TSCA Inventory (listed) | SARA Section 313 |
|-------------------|---------------------|-------------------------|------------------|
| U                 | ,                   | <b>,</b> ,              |                  |
| Thorium Dioxide   | (CAS No.) 1314-20-1 | TSCA Inventory          | SARA Section 313 |
|                   |                     | (listed)                |                  |
| Cerium Dioxide    | (CAS No.) 1345-13-7 | TSCA Inventory (listed) | SARA Section 313 |
| Lanthanum Dioxide | (CAS No.) 1312-81-8 | TSCA Inventory (listed) | SARA Section 313 |
| Zirconium Dioxide | (CAS No.) 1314-23-4 | TSCA Inventory (listed) | SARA Section 313 |
| Yttrium Oxide     | (CAS No.) 1314-36-9 | TSCA Inventory (listed) | SARA Section 313 |

### 15.2 US State Regulations

| Tungsten          | (CAS No.) 7440-33-7 | MA | Right to Know List  |
|-------------------|---------------------|----|---------------------|
|                   |                     | MN | Hazardous Sub. List |
|                   |                     | NJ | Right to Know List  |
|                   |                     | PA | Right to Know List  |
| Thorium Dioxide   | (CAS No.) 1314-20-1 | CA | Prop 65 Carcinogen  |
|                   |                     | MA | Right to Know List  |
|                   |                     | MN | Hazardous Sub. List |
|                   |                     | NJ | Right to Know List  |
|                   |                     | PA | Right to Know List  |
| Cerium Dioxide    | (CAS No.) 1345-13-7 | MA | Right to Know List  |
|                   |                     | MN | Hazardous Sub. List |
|                   |                     | NJ | Right to Know List  |
|                   |                     | PA | Right to Know List  |
| Lanthanum Dioxide | (CAS No.) 1312-81-8 | MA | Right to Know List  |
|                   |                     | MN | Hazardous Sub. List |



|                   |                     | NJ | Right to Know List  |
|-------------------|---------------------|----|---------------------|
|                   |                     | PA | Right to Know List  |
| Zirconium Dioxide | (CAS No.) 1314-23-4 | MA | Right to Know List  |
|                   |                     | MN | Hazardous Sub. List |
|                   |                     | NJ | Right to Know List  |
|                   |                     | PA | Right to Know List  |
| Yttrium Oxide     | (CAS No.) 1314-36-9 | MA | Right to Know List  |
|                   |                     | MN | Hazardous Sub. List |
|                   |                     | NJ | Right to Know List  |
|                   |                     | PA | Right to Know List  |

## SECTION: 16 OTHER INFORMATION

#### 16.1 NFPA

NFPA Health Hazard: 2-Warning may be harmful if inhaled or absorbed

**NFPA Fire Hazard:** 0-Materials that will not burn

NFPA Reactivity: 0-Normally stable, even under fire exposure conditions, and not

reactive with water



16.2 HMIS Rating

**Health:** 3-Major Hazard-major injury likely unless prompt action is taken

and medical treatment given

Flammability: 0-Minimal Hazard

**Physical:** 0-Minimal Hazard

DISCLAIMER: The information provided in this Safety Data Sheet is correct to the best of our knowledge at the date of its publication.

The information is provided as guidance and is not considered a warranty or quality specification. It is the user's

 $obligation \ to \ determine \ the \ conditions \ of \ safe \ use \ of \ these \ products.$ 

EMERGENCY CONTACT: CHEMTREC (800) 424-9300

Prepared by: T. Nguyen, QA Manager